
INTERNATIONAL LAKE ERIE REGULATION STUDY BOARD LAKE ERIE WATER LEVEL STUDY. APPENDIX C. COASTAL ZONE.(U) JUL 81 F/G 13/2 AD-A114 586 NL UNCLASSIFIED 1 - 3



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

Lake Erie Water Level Study



TE FILE COPY

Appendix C Coastal Zone

STIC ELECTE MAY 1 9 1982

International Lake Erie Regulation Study Board International Joint Commission

July 1981

82

n D Ę

4

SECURITY CLASSIFICATION OF THIS PAGE (M	hen Date Entered)	
REPORT DOCUMENTA	ATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FOR
1. REPORT NUMBER	AD-A114	N NO. 3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitio)		5. TYPE OF REPORT & PERIOD COV
Lake Erie Water Level Study	, Appendix C,	Final
Coastal Zone		6. PERFORMING ORG. REPORT NUM
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(
- AUTHORES		o. contract on onant numbers
	•	,
9. PERFORMING ORGANIZATION NAME AND	ADDRESS	10. PROGRAM ELEMENT, PROJECT, AREA & WORK UNIT NUMBERS
International Lake Erie Reg	ulation Study Boar	1
11. CONTROLLING OFFICE NAME AND ADDRE	ESS	12. REPORT DATE
U.S. Army Engineer District	, Buffalo	July 1981
1776 Niagara Street Buffalo, N.Y. 14207	÷	13. NUMBER OF PAGES 238
14. MONITORING AGENCY NAME & ADDRESS	if different from Controlling Of	lice) 15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRA
16. DISTRIBUTION STATEMENT (of this Report	<u> </u>	
		. •
Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abetrac	t entered in Block 20, if differ	rent from (Control of
		() (f) o (g)
		E d'A
18. SUPPLEMENTARY NOTES		13 h
	₽ ••••••••••••••••••••••••••••••••••••	
		Acco
19. KEY WORDS (Continue on reverse side if nec	essary and identify by plock n	number)
) Tera
Coastal Zone Flooding, Erosi	ion, Lake Regulation	on, Water Levels, Great Lakes
	! -	
M. ABSTRACT (Continue on reverse side if near	seems and identify by block m	mber)
This appendix presents the re	esults of studies of	_ · · ·




20. evaluating alternative regulation plans for flood and erosion damage indicate by lake, interest and country, the amount and distribution of benefits or losses. Results of the evaluation of selected regulation plans are presented.

During the coastal zone evaluations a number of assumptions were necessary regarding physical processes, future levels and socio-economic conditions. Sensitivity analyses were conducted to evaluate the effect of altering some of these assumptions. Descriptions of these assumptions and the sensitivity analyses are contained in this appendix.

1949 J. J. 1980

ar daring Britis



LAKE FRIF REGULATION STUDY APPENDIX C COASTAL ZONE

REPORT TO THE

INTERNATIONAL JOINT COMMISSION

BY THE
INTERNATIONAL LAKE ERIT REGULATION STUDY BOARD
(UNDER THE REFERENCE OF 21 FEBRUARY 1977)

July 1981

SYNOPSIS

This appendix presents the results of studies completed by the Coarlal Zone Subcommittee of the International Lake Erie Regulation Sludy Board, which was established by the International Joint Commission in May 1977.

The purpose of the studies was to determine the economic effects of changes in levels and flows on the coastal zone. The methodologies used tor evaluating alternative regulation plans for flood and erosion damage indicate by take, interest and country, the amount and distribution of benefits or losses. Results of the evaluation of selected regulation plans are presented.

It was necessary to make a number of assumptions regarding physical processes, future levels and socio-economic conditions. Sensitivity analyses were conducted to evaluate the effect of altering some of these assumptions. Descriptions of these assumptions and the sensitivity analyses are contained in this appendix.

Water intakes were evaluated for effects of fluctuating lake levels by comparing pumping costs for basis-of-comparison and regulated lake level conditions.

Certain regulation plans were selected by the International Lake Frie Pegulation Study Board to be evaluated both qualitatively and quantitatively for the effects of lake levels provided by a specific plan as compared with the bases-of-comparison levels. The evaluations carried out for erosion, inundation and water intakes were completed for selected plans 25N, 15S, and 6L.

The results of the entire study, as well as findings and conclusions, are provided in the international Lake Erie Regulation Study Board's Report, "Lake Erie Regulation Study".

TABLE OF CONTENTS

		Page
	SYNOPSIS	
	TABLE OF CONTENTS	C-1
	LIST OF TABLES	C-v
	LIST OF FIGURES	C-v11
	LIST OF PHOTOGRAPHS	C-vii
	LEST OF ANNEXES	C-1x
	LIST OF APPENDICES	C-x
	Section 1	
	INTRODUCTION	·
. 1	General Control	C-1
1.2	Organization	C-1
1.3	Coastal Zone Study Process	C-2
1.4	land Use 1.4.1 United States Shoreline 1.4.2 Canadian Shoreline 1.4.3 Problem Areas	C-3 C-6 C-8 C-8
1.5	Basis-of-Comparison Conditions 1.5.1 Lake Superior Regulation 1.5.2 Take Ontario Regulation 1.5.3 Diversions	C-14 C-15 C-15 C-17
1.6	Development of Regulation Plans 1.6.1 Regulation Plan 25N 1.6.2 Regulation Plan 15S 1.6.3 Pegulation Plan 6L 1.6.4 Lake Outario Regulation Categories	C-17 C-18 C-18 C-18 C-18
1.7	Adjusted Basis-of-Comparison	C-19

1. 1

		Page
	Section 2	
	DATA UTILIZED	
2.1	Reach Data	C-20
2.2	Damage Data 2.2.1 United States 2.2.2 Canada	C-20 C-20 C-27
2.5	Physical Data 2.3.1 Water Level Data 2.3.2 Meteorological Data 2.3.3 Physiographic Data	C-31 C-31 C-37 C-37
	Section 3	
	EVALUATION PROCEDURES	
3.1	Inundation Evaluation Procedure 3.1.1 Data Utilized 3.1.2 Derivation of Stage-Damage Curve 3.1.3 Determination of Stormwater Levels 3.1.4 Calculation of Average Annual Damage	C-38 C-38 C-38 C-42 C-42
3.2	St. Lawrence River (Canadian Reach) inundation Procedure 3.2.1 Introduction 3.2.2 Determination of Montreal Region Levels and Flows 3.2.3 Collection of Input Data 3.2.4 Determination of Flow-Damage Curves 3.2.5 Evaluation of Regulation Plans	C-43 C-43 C-44 C-44 C-46
3.3	Erosion Evaluation Procedure 3.3.1 Data Utilized 3.3.2 Rationale of Use of Wave Hindcast 3.3.3 Offshore Wave Energy 3.3.4 Toe-of-bluff Wave Energy 3.3.5 Calibration Procedures 3.3.6 Evaluation of Regulation Plans	C-46 C-46 C-48 C-50 C-52 C-52 C-53
3.4	Marine Structures Evaluation Procedure 3.4.1 Introduction 3.4.2 Marinas 3.4.3 Timber Substructure Deterioration	C-55 C-55 C-56 C-56

		Page
3.5	Water Pumping Evaluation Procedure 3.5.1 Introduction 3.5.2 Calculation of Pumping Costs	C-56 C-56 C-57
3.6	Sensitivity Analyses 3.6.1 Assumptions 3.6.2 Wearoff Period Sensitivity 3.6.3 Coastal Zone Development and Affluence Sensitivity Analyses 3.6.4 Meteorological Sensitivity 3.6.5 Damage Data Sensitivity - U.S. Reaches 3.6.6 Damage Data Sensitivity - Canadian Reaches 3.6.7 Shore Profile Parameters 3.6.8 Summary of Sensitivity Analyses	C-57 C-59 C-60 C-63 C-64 C-67 C-68 C-69
	Section 4	
	EVALUATION OF REGULATION PLANS	
4.1	Regulation Plan 25N	C-70
1.2	Regulation Plan 158	C-70
4.3	Regulation Plan 6L	C-70
	Section 5	
	SUMMARY	
5.1	Genera I	C-77
5.2	Inundation	C-77
5.3	Crosion	C-79
5.4	Water Pumping	C-81
5.5	Regulation Filan 25N 5.5.1 Frosion 5.5.2 Inundation 5.5.3 Water Pumping 5.5.4 Total Benefits 5.5.5 Sensitivity Analyses	C-81 C-85 C-85 C-86 C-86 C-87

		Page
5.6	Regulation Plan 15S	C-87
	5.6.1 Erosion	. C-87
	5.6.2 Inundation	C-89
	5.6.3 Water Pumping	C-89
	5.6.4 Total Benefits	C- 8 9
	5.6.5 Sensitivity Analyses	C-90
5.7	Regulation Plan 6L	C-90
	5.7.1 Erosion	C-90
	5.7.2 Inundation	C-90
	5.7.3 Water Pumping	C-92
	5.7.4 Total Benefits	C-92
	5.7.5 Sensitivity Analyses	C-92

LIST OF TABLES

		<u>Page</u>
C-1	Length of Great Lakes Shoreline	C-4
n - 2	United States Land Use by Lake	C-7
0-3	Land Use Along Province of Ontario Shore	C-11
C-4	Land Use, St. Lawrence River, Cornwall-Trois Rivières Shore	C-11
C-5	Flood and Erosion Damage Data	C-26
C-6	United States Shoreline Damage Survey Results	C-28
C-7	United States Shoreline Survey Agencies	C-29
C-8	Canada-Ontario Shoreline Flood Damages	C-32
C-9	Canada-Ontario Erosion Damages	C-33
C-10	Financial Assistance to Quebec Flood Victims in 1974 and 1976	C-34
C-11	Canada-Quebec 1974 Shoreline Flood Damages	C-35
C-12	Canada-Quebec 1976 Shoreline Flood Damages	C-36
C-13	Wind and Water Level Stations	C-47
C-14	Wearoff Categories for U.S. Reaches	C-55
C-19	Effect of Wearoff Period Variation on Benefits Under Regulation Plan 25N	C-61
C-16	Summary of Average Annual Economic Effects by Lake and Country - Regulation Plan 25N	C-71
C-17	Summary of Present Value of Economic Effects by Lake and Country - Regulation Plan 25N	C-72
C-18	Summary of Average Annual Economic Effects by Lake and Country - Regulaton Plan 15S	C-73
C=10	Summary of Present Value of Economic Effects by Lake and Country - Regulation Plan 15S	C-74
C-20	Summary of Average Annual Economic Effects by Lake and Country - Regulaton Plan 6L	C-75

LIST OF TABLES (cont'd)

		<u>Page</u>
C-21	Summary of Present Value of Economic Effects by Lake and Country - Regulation Plan 6L	C-76
C-22	Summary of Coastal Zone Net Benefits	C-78
C-23	Summary of Enundation Benefits	C-80
C-24	Summary of Erosion Benefits	C-82
C-25	Summary of Pumping Economic Effects	C-83
C-26	Summary of Economic Evaluations for Coastal Zone Interests - Plan 25N	C-84
C-27	Summary of Economic Evaluations for Coastal Zone Interests - Plan 15S	C-88
C-28	Summary of Economic Evaluations for Coastal Zone Interests - Plan 6L	C-91

LIST OF FIGURES

		Page
C-1	Typical Shore Types	C-5
C-2	Great Lakes-St. Lawrence River Shoreline Subject to Flooding	C-12
C-3	Great Lakes-St. Lawrence River Shoreline Subject to Erosion	C-13
C-4	Lake Ontario Location Map	C-21
C-5	Lake Erie Location Map	C-22
C-6	Lake Huron Location Map	C-23
C-7	Lake Michigan Location Map	C-24
C-8	Lake Superior Location Map	C-25
C-9	Types of Flooding	C-39
C-10	U.S. Reach 4002 Inundation Stage-Damage Curve	C-41
C-11	Inundation Flow-Damage Curve, Quebec, Sector !!!	C-45
C-12	Ratio of Over-Water to Over-Land Winds Speeds	C-49
C-13	Average Beach Profile	C-49
C-14	Wave Refraction	C-51
C-15	U.S. Reach 3002 Wave Energy vs. Damage Curve	C-51
C-16	U.S. Reach 3002 Erosion Stage-Damage Curve	C-54

LIST OF PHOTOGRAPHS

	Page
Building Threatened By Erosion on Lake Michigan.	C-9
Building Destroyed By Flooding at Reno Beach, Ohio, on Lake Erie.	C-10
Control Works on the St. Marys River	C-16
Aerial view of St. Lawrence River Control Works at Cornwall, Ontario and Massena, N.Y.	C-16

LIST OF ANNEXES

	Page
Computer Software	Al
Stage-Damage Curves and Historic Rise Data	A2
Derivation of Flow-Damage Curve for the Canadian Reach of the St. Lawrence River	A3
References	A4
Membarship	A 5
Conversion Factors	A6

LIST OF APPENDICES (bound separately)

APPENDIX A - LAKE REGULATION

A detailed description of the various factors which govern the water supply to the Great Lakes-St. Lawrence River System and affect the response of the system to this supply along with documentation of the development and hydrologic evaluation of plans for limited regulation of Lake Erie.

APPENDIX B - REGULATORY WORKS

A description of design criteria and methods used and design and cost estimates of the regulatory and remedial works required in the Niagara and St. Lawrence Rivers to facilitate limited regulation of Lake Erie.

APPENDIX C - COASTAL ZONE

A documentation of the methodology developed to estimate in economic terms the effects of changes in water level regimes on erosion and inundation of the shoreline and water intakes and of the detailed economic evaluations of plans for limited regulation of Lake Erie.

APPENDIX D - COMMERCIAL NAVIGATION

A documentation of the methodology applied in the assessment of the effects on shipping using the Great Lakes-St. Lawrence navigation system as a consequence of changes in lake level regimes and the evaluation of the economic effects on navigation of regime changes that would take place under plans for limited regulation of Lake Erie.

. Y

LIST OF APPENDICES (bound separately)

APPENDIX E - POWER

A documentation of the methodology applied in the assessment of the effects of hydro-electric power production at installations on the outlet rivers of the Great Lakes and of the detailed economic evaluation of the effects of plans for limited regulation of Lake Erie on the capacity and energy output of these installations.

APPENDIX F - ENVIRONMENTAL EFFECTS

A documentation of the qualitative assessment of the effects of plans for limited regulation of Lake Erie on fish, wildlife, and water quality within the lower Great Lakes and the St. Lawrence River.

APPENDIX G - RECREATIONAL BEACHES AND BOATING

A documentation of the methodology applied in the assessment of the effects of plans for limited regulation of Lake Erie on beaches and recreational boating activities, along with a detailed economic evaluation, within the lower Great Lakes and the St. Lawrence River.

APPENDIX H - PUBLIC INFORMATION PROGRAM

A documentation of the public information program utilized throughout the study to inform the public of study activities and findings and provide a vehicle for public comment on the study.

Section 1

INTRODUCTION

1.1 General

The Governments of Canada and the United States jointly requested on February 21, 1977 that the International Joint Commission (IJC) undertake a study to determine the feasibility of limited regulation of Lake Erie. In particular, this study was to "... examine and report on the effects of such limited regulation with respect to:

- (a) Domestic water supply and sanitation;
- (b) Navigation:
- (c) Water supply for power generation and industrial purposes;
- (d) Agriculture;
- (e) Shore property, both public and private;
- (f) Flood control:
- (g) Fish and wildlife, and other environmental aspects;(h) Public recreation; and,
- (i) Such other effects and implications which the Commission may deem appropriate and relevant."

The Governments requested that the Commission, upon availability of adequate funding, proceed with the study as expeditiously as practicable and report to the Governments. This Appendix forms part of the Final Report of the International Lake Erie Regulation Study Board to the international Joint Commission.

1.2 Organization

In order to carry out the study, the Commission established the International Lake Eric Regulation Study Board which consisted of four Canadian and four United States members. The Study Board then appointed a Working Committee to expedite the study. Under the Working Committee, six Subcommittees were designated, each containing equal representation from both countries. In addition, the Working Committee established two work groups - the Ad-Hoc Economics Working Group and the Ad-Hoc Public Information Group. The six Subcommittees were:

- Regulation Subcommittee;
- 2. Coastal Zone Subcommittee;
- 3. Power Subcommittee;
- 4. Environmental Effects Subcommittee;
- 5. Navigation Subcommittee; and,
- 6. Regulatory Works Subcommittee.

It was the purpose of each Subcommittee to review all pertinent past studies to determine what data are available for use in the evaluations. The International Great Lakes Levels Board (IGLLB) Study, "Regulation of Great Lakes Water Levels," December 1973, was used as a starting point for updating and modifying previously developed methodologies. The 1977 Reference is outlined in the Study Plan for the International Lake Eric Regulation Study Board, approved September 14, 1977.

1.3 Coastal Zone Study Process

In accordance with the February 21, 1977 letter to the international Joint Commission from the Governments and the Directive of the International Joint Commission to the International Lake Eric Regulation Study Board, dated May 10, 1977, the Coastal Zone Subcommittee evaluated the economic effects of regulation plans on certain coastal zone interests on the Great Lakes, their connecting channels and St. Lawrence River. Factors to be evaluated included physical damage and property loss due to erosion and inundation, effects of varying water levels on marine structures, and, domestic and industrial water supply facilities. In carrying out its assigned work the Subcommittee accomplished the following tasks:

- Compiled and updated existing physical and economic data on the coastal zone;
- Prepared loss functions for erosion and inundation damages and water intakes pumping;
- Developed detailed methodologies for evaluating shoreline damages due to erosion and inundation and effects on water intakes pumping due to pressure head alteration from lake level changes;
- 4. Evaluated erosion and inundation damages in the coastal zone and determined effects of regulation plans on water intakes pumping costs using methodologies developed in "3" above.
- 5. Conducted sensitivity analyses on some of the major assumptions used in the development of the detailed methodologies;
- 6. Prepared coastal zone study reports;
- 7. Prepared information for the public participation program; and,
- 8. Compiled a detailed Appendix for the International Lake Erie Regulation Study Board's final report.

The above tasks were performed in accordance with a schedule determined by the Working Committee.

. . .

^{1.} Although marine structures were listed in the Directive for evaluation, they were eliminated after preliminary evaluation for reasons discussed in Section 3.4.

1.4 land Use

The total length of the Great Lakes-St. Lawrence River system shoreline, including islands, is approximately 12,100 miles. See Table C-1. In the United States there are about 5,300 miles of shoreline, which includes all the shoreline in eight states: Minnesota, Wisconsin, Michigan, Illinois, Indiana, Ohio, Pennsylvania, and New York. In Canada, there are about 6,800 miles of shoreline made up from the Provinces of Ontario and Quebec. The shoreline characteristics range from extremely flat lowland areas, highly susceptible to flooding (such as the St. Clair Flats), to high bluff areas, some of which are highly erodible till, (such as in southern Lake Michigan along the Michigan shore and the north central shore of Lake Erie) to impregnable rock bluffs (as are typical along most of the north shore of Lake Superior). See Figure C-1.

The Great Lakes basin economy is predominantly industrial, utilizing the transportation, power and water supply advantages offered by the Great Lakes - St. Lawrence River system. In addition, there is significant agricultural, mining and forestry production. Commercial fishing, historically one of the oldest activities, has declined in economic importance relative to increased tourism. Programs to rehabilitate fisheries are presently underway. While the entire basin is affected by the levels of the Great Lakes, the coastal zone is most directly impacted by fluctuating lake levels. The coastal zone contains valuable land which has been developed by many diverse and sometimes conflicting interests.

A major use of coastal land is for residential purposes, both permanent and seasonal. Residential uses incur most of the damage from storms due to either the absence or ineffectiveness of protective works constructed along shoreline that is susceptible to flooding and/or erosion. Another major use of the coastline is for public and private recreation. Parks, beaches, boating facilities, forest preserves, and other types of recreational developments abound along the shoreline. Recreational boating facilities are sensitive to fluctuations in lake levels in that their docks and ancillary structures may be inundated or left high and dry, preventing normal usage. Other users of coastal land include marine transportation facilities, industries and electric power plants.

Much of the basin land can accommodate each and every use. Availability for any particular use is determined by the characteristics of the shore type, land cover, accessibility, and the current uses of the specific area and adjacent land.

Table C-1 - Length of Great Lakes Shoreline
(Miles)

Shoreline	In Car	nada	<u>In United</u>	States
	Mainland	Islands	Mainland	Islands
Lake Superior	866	615	863	382
St. Marys River	66	63	29	89
Lake Michigan	0	0	1400	238
Lake Huron	1270	1720	580	257
St. Clair River	30	5	28	0
Lake St. Clair	71	43	59	84
Detroit River	30	33	30	39
Lake Erie	368	29	431	43
Niagara River	33	3	36	34
lake Ontario	334	50	300	28
St. Lawrence Rive	r -			
Above Power Dam	150	188	151	164
Below Power Dam	445	435	9	0

TYPICAL SHORE TYPES



FIGURE C-1

In the International Joint Commission report to the Governments of Canada and the United States, "Further Regulation of the Great Lakes," 1976 (LJC, 1976) one of the conclusions was that future damages can best be controlled by the enactment of land use controls. The Commission recommended that appropriate authorities act to institute land use zoning and structural setback requirements so as to reduce future Great Lakes shoreline damage. The Canadian and Ontario governments have completed flood and erosion susceptibility mapping which shows a 100year prosion limit based on long-term erosion rates and the 1% flood contour. These maps and a guide for their use have been distributed to municipalities and conservation authorities to aid them in developing land use regulations. Under the October 1976 Canada-Quebec Flood Risk Agreement, flood zones in the Montreal region were designated in May 1978. Future development in the flood prone areas has thereby been regulated by government policies and development in the susceptible areas will be restricted through land use zoning regulations. The United States has instituted a federal Coastal Zone Management Program which is administered on a voluntary basis by the individual States through the National Oceanic and Atmospheric Administration (NOAA). Even with these programs, however, there is concern that some development may continue in many of the inundation and erosion susceptible areas of the coastal zone.

Presented in the following sections is a summary of existing shoreline use and the problem areas which would likely be most affected by further regulation of Great Lakes water levels. A more complete description of the damage data is contained in Section 2 of this Appendix.

1.4.1 United States Shoreline

The Great Lakes Basin Commission (GLBC) was contracted, in 1977, by the U.S. Environmental Protection Agency to compile land cover information for the entire U.S. Great Lakes drainage basin utilizing LANDSAT satellite data collected during the Springs of 1976 and 1977.

The U.S. Army Corps of Engineers requested and funded the GLBC staff to reformat the data to cover all Great Lakes shoreline counties and approximately a 1,000-foot strip along the shoreline, corresponding roughly to the coastal zone. The work was completed in 1978 and is summarized by take in Table C-2.

As part of the contract, the GLBC compiled projected land-use by county based upon the best available information. The land-use data projections for the Great Lakes coastal counties were compiled essentially from the publications issued by water quality management agencies in the Great Lakes basin. At the time of the study not all of the twenty-nine agencies had completed their data collection. As a result, the projections were not of a consistent quality for the entire basin. However, the general trend along the coastal zone appears to be a slow increase in population with a gradually decreasing rate of development. Based on U.S. Great Lakes States data, coastal zone development during the next 20 to 50 years could increase from 10% to 30% in many areas throughout the Great Lakes, depending upon the effectiveness of coastal zone management programs.

Table C-2 - united States Land Use By Lake

#*1	45 6 79 4 6 1 137 - () 6 1 3		1	Aetland Forest	Brushland	Brushland Grassiand Barren Plowed	Sarren	Plowed	PERCENT Total Jrban* wed Residential	Residentia	Con Dersity Residentia, Cornersial	(Somercia)
e#01:3e/iS	e i gi	2.7	6. 0.	62.1	4.5	::	5.6	6.0	15.6	1.4	···	(4 ()
"ACTUAL SAY.	337.	6.	6.5	35.8	හ	5.6	2	5.6	86.9	7.1	25.3	"··
HERON	C) 05 41	7.7	7.5	31.6	9.6	4.1	3.0	7.4	×.	0.5	27.0	ŗ.;
ET. CLINE	717	0.0	8	4.2	4.4	1.2	0.0	5.8	73.6	24.4	22.5	26.7
ERIE	I E	۲.	6.7	10.6	0.6	4.8	2.0	7.6	57.8	23.4	21.7	12.7
O4TARI C	336	3.3	2.8	24.4	14.0	7.8	0.1	5.2	42.4	5.7	36.3	0.4
SEAT LAKES	3756	2.0	6.8	28.1	8.2	4.2	2.	5.8	43.6	8.11	24.5	7.3

a - includes St. Warys River 5 - includes St. Clair River, Lake St. Clair, and Detroit River c - includes Niagara River * - Total Urban Residential is the total of High Density Residential, Low Density Residential, and Commercial classes.

Source: Great Lakes Basin Commission, Summary of Existing and Projected Lake Use Information for the Great Lakes Coastal Counties, Contract # W74 RDV 78290 005 for U.S. Army Engineers, November 1978.

1.4.2 Canadian Shoreline

As part of the Canada-Ontario Great Lakes Shore Damage Survey, the land use of the shoreline was tabulated from Port Seve. 3 on Lake Huron to Cornwall on the St. Lawrence River. For the shore of Lake Superior and the remainder of Lake Huron, land use data from the international Great Lakes Levels Board study were used. The federal-provincial St. Lawrence River Study Committee collected land use information for the Canadian Reach of the St. Lawrence River. This information is presented in Tables C-3 and C-4.

It is not anticipated that there will be a major increase in property development along the Canadian shoreline. Land use regulations and construction setback requirements currently being implemented are expected to prevent large scale development in areas susceptible to flooding and erosion.

1.4.3 Problem Areas

United States: For the period 1972-1976, about 60% of the total damages were incurred on Lakes Erie and Michigan, with about \$119 million and \$91 million, respectively, including costs of protective measures. The Lake Erie shoreline is essentially all low lying erodible bluff with extensive development along the entire shoreline. It is this development, together with the shore type and elevation, which makes the Lake Erie shore so prone to damages. While Lake Michigan has a much greater variety of shore types with a higher level of undeveloped and forested land, the large damages incurred were primarily the result of its shoreline length.

in the United States, with the more intensive use of the coastal zone, the potential damages from erosion and inundation will increase both in developed areas that are currently experiencing problems as well as those areas which are presently being developed or will be developed in the future.

Figure C-2 shows the major areas which are affected by flooding and Figure C-3 shows the areas most affected by erosion and the degree of erosion severity along the Great Lakes shoreline.

Canada: Areas of the Canadian shoreline that are affected by erosion are shown in Figure C-3. The most severe problems are on western Lake Ontario, much of Lake Erie, and southern Lake Huron. These areas are mainly erodible bluff, with much of the erodible portion of the Lakes Ontario and Huron coastal zone heavily developed.

BUILDING THREATENED BY EROSION ON LAKE MICHIGAN (MARCH 1976) (B. MILLS, MICHIGAN DNR)



BUILDING DESTROYED BY FLOODING AT RENO BEACH, OHIO ON LAKE ERIE (APRIL 1973) (B. MILLS, MICHIGAN DNR)

Table C-3 - Land Use Along Province of Ontario Shore (Miles)


	Superior ^a	Hurona	St. Clair	Erie	Ontario ^b
Residential	12	244	3 5	164	269
Commercial & Industrial	106	169	5	8	34
Agricultural & Forest	1,250	2,169	33	145	422
Recreational	131	525	43	62	307


a - Approximate

Table C-4 - Land Use, St. Lawrence River, Cornwall-Trois-Rivières Shore
(Miles)

Urban	320
Industrial	30
Roads	70
Agricultural	210
Forest	250

b - Includes St. Lawrence River to Cornwall





Area: that had moderate to severe flooding problems are shown in Figure C-2. The Montreal area and the south shore of Lake St. Clair suffer the most severe damages. Both of these areas have extensive shoreline developments.

In Canada, land use controls and setback requirements are currently being implemented in many areas and will increase in the future as coastal zone management programs become more effective. It is anticipated that shoreline usage will not continue to shift from undeveloped to developed in susceptible areas.

Summary: Regulation of the Lake Erie levels can impact positively with respect to reducing the amount of damage caused by erosion and inundation. However, should adequate land use regulations be effectively implemented in both countries, lake level regulation would have a lesser impact in reducing future damages. While lake regulation can effect some change in the overall regime of levels and flows, it should be noted that this regime is primarily the result of the water supplies to the Great Lakes basin. Thus, flooding and erosion will continue to be permanently associated with the Great Lakes system. Restricting development on exposed bluffs, flood plains and similarly susceptible areas will play the largest role in minimizing future problems. This can best be accomplished through effective coastal zone management programs.

1.5 Basis-of-Comparison Conditions

The major goal of this Study was to determine the feasibility of limited regulation of Lake Erie. At the present time, Lakes Superior and Ontario are regulated. Moreover, there are a number of diversions into, within and out of the Great Lakes system, all of which impact on the levels and flows of the Great Lakes and St. Lawrence River system.

Over the years, man has changed some of the physical conditions on the Great Lakes and its connecting channels. In order to provide a uniform set of physical characteristics, certain conditions were assumed to be extant throughout the period of historic levels and flows considered (1900-1976). This set of physical characteristics, the basis-of-comparison (BOC), was also used to measure the relative costs and benefits of regulation plans. The basis-of-comparison conditions are:

- 1. Lake Superior regulated in accordance with Pian 1977;
- 2. Lake Ontario regulated during the period 1900-1959 in accordance with Plan 1958-D and during the period from 1960 to 1976 with Plan 1958-D with the discretionary deviations that occurred in actual practice;
- A constant diversion of 5,000 cubic feet per second (cfs), into Lake Superior from the Albany River Basin via the Long Lake and Ogoki Diversions;

- 4. A constant diversion of 3,200 cfs out of Lake Michigan at Chicago into the Mississippi River Basin;
- 5. A constant diversion of 7,000 cfs from Lake Erie into Lake Ontario through the Welland Canal;
- 6. 1962 conditions for Lake Huron's outlet channel;
- 7. 1953 conditions for Lake Erie's outlet channel; and,
- 8. Recorded conditions for the Ottawa River and local inflow through the St. Lawrence River.

The historical water supplies were routed through the Great Lakes system, using the above conditions. The effects of changes in channels, diversions and lake regulation were thus removed. These basis-of-comparison conditions are described further, below.


1.5.1 Lake Superior Regulation

By Orders of Approval dated 26 and 27 May, 1914, the International Joint Commission established the International Lake Superior Board of Control to oversee the regulation of Lake Superior on behalf of the Commission. Since the completion of the Compensating Works in the St. Marys River in 1921, the outflow of Lake Superior has been fully regulated. The Compensating Works, consisting of 16 gates, along with three hydropower diversions, allow outflows from the lake to be greater or less than those that would occur naturally.


On October 4, 1979, the Commission amended its 1914 Orders of Approval and changed the objective for regulating Lake Superior to take into consideration the downstream conditions on Lakes Michigan - Huron. To accomplish this, the Commission adopted Regulation Plan 1977. Although Plan 1977 was implemented in October 1979, the historic supply conditions from 1900 through 1976 were used to compute outflows and levels. These computed outflows and levels under Plan 1977, modified by dredging in the connecting channels in 1933 and 1962, constitute the basis-of-comparison condition for the upper Great Lakes.

1.5.2 Lake Ontario Regulation

The International Joint Commission, by Orders of Approval dated October 29, 1952, and a Supplementary Order, dated July 2, 1956, authorized the construction of certain works for power development in the International Rapids Section of the St. Lawrence River (the International Rapids Section is just downstream of Lake Ontario). As a result of these Orders of Approval, Lake Ontario's outflow has been controlled since July 1958 and the lake has been regulated since 1960. Regulation has been in accordance with criteria set forth in the October 29, 1952 Orders of Approval and subsequent directives. The current approved regulation plan is Plan 1958-D, and levels and flows associated with this plan are used as the basis-of-comparison for Lake Ontario and the St. Lawrence River.



Control Works on the St. Marys River at Sault Ste. Marie.



Aerial view of St. Lawrence River Control Works at Cornwall, Ontario and Massena, N.Y.

Successive man-made changes over the past have affected the recorded take Ontario levels and the St. Lawrence River flows. The two principal changes are diversions into and out of the Great Lakes basin and the alterations in the configuration of the channels of the St. Lawrence River. The basis-of-comparison was adjusted to account for this. These "recorded adjusted" levels take into account present diversion rates and use the March 1955 configuration of the Lake Ontario outflow channels. It should be noted that regulation of Lake Ontario has no effect on Lake Trie outflows due to the discontinuity between the two lakes, about 175 feet of which occurs at Niagara Falls.

1.5.3 Diversions

A number of diversions affect the levels of the Great Lakes. On Lake Superior, about 5,000 cfs are diverted into the Great Lakes system through the Ogoki and Long Lake projects. This water would normally flow north to Hudson Bay. At Chicago, about 3,200 cfs are diverted out of the Great Lakes basin into the Mississippi River basin. These diversions cause a net average inflow of 1,800 cfs into the Great Lakes.

Another diversion is into the New York State Barge Canal system. The Canal diverts about 700 cfs from the Niagara River to Tonawanda Creek. Also, between Lakes Erie and Ontario there is a diversion through the Welland Canal. This canal, which has a series of locks, allows ships to proceed between Lakes Erie and Ontario and provides water to the DeCew Falls hydroelectric stations. It runs from Port Colborne, Ontario on Lake Erie to Port Weller, Ontario, on Lake Ontario, thereby passing west of Niagara Falls. The International Great Lakes Diversions and Consumptive Uses Study Board has reported that since 1977 the usage has been about 9,400 cfs.

For the basis-of-comparison conditions, it was considered that all of the diversions were in operation for the period of record. The outflows and levels were adjusted accordingly. Appendix A - Lake Regulation -gives further details relating to diversions and basis-of-comparison conditions.

The effects of varying the rates of these diversions were studied by the International Joint Commission's International Great Lakes Diversions and Consumptive Uses Study Board. A report detailing its methodology, findings and conclusions is available.

1.6 Development of Regulation Plans

Limited regulation of Lake Erie would result in extra water from the lake being released during high water level conditions. A number of plans were developed to accomplish this end. The plans would release extra water during periods of high levels, but would not hold back water during low level periods. Therefore, the structural alternatives considered do not allow complete control of Lake Erie's outflow, such as a dam would provide. Three of the most promising plans were chosen for detailed analyses.

1.6.1 Regulation Plan 25N

This plan would involve placing a gated structure in the Niagara River near the Peace Bridge. The structure would extend part way across the river. Some dredging would be required in the Niagara River to allow an increased flow of up to about 25,000 cfs.

As in all of the regulation plans, the lakes which would be either partially or fully regulated are Superior, Erie and Ontario. The N for this plan denotes a Niagara River structure and the 25 refers to an increased outflow maximum of 25,000 cfs.

1.6.2 Regulation Plan 15\$

This plan would involve utilizing a diversion canal across Squaw island, as denoted by the S, controlled by a single gated structure. The structure would be designed to increase Lake Erie outflows by 15,000 cfs during periods of extreme supply conditions. However, due to backwater effects in the main channel of the Niagara River, and operation of the Black Rock Canal for commercial and recreational boating, the design discharge is effectively limited to a 9,600 cfs increase. No dredging would be required. Some bank protection at critical areas of the Black Rock Canal would be needed.

1.6.3 Regulation Plan 6L

This plan would modify the existing Black Rock Lock to permit diversion flow through the lock chamber. As with Plan 15S, some bank protection would be necessary. The Black Rock Lock is currently being used by both recreational and commercial vessels during the navigation season. Periodic (daylight) lockages, plus a slight backwater effect, would reduce the effective maximum Lake Erie outflow increase from the 6,000 cfs design discharge to about 3,700 cfs.

Appendix B, Regulatory Works, gives more details about the structures for these three plans.

1.6.4 Lake Ontario Regulation Categories

Limited regulation of Lake Erie would result in a higher supply of water to Lake Ontario when the levels of Lake Erie are high. This could result in supplies that are in excess of the supplies that Plan 1958-D was designed for. To account for the increased supplies, and to satisfy the criteria established for the regulation of Lake Ontario, a number of alternatives were considered. These were reduced to four categories.

Category 1: Category i considered no change in the regulation of Lake Ontario. It is the basis-of-comparison condition. The increased supply to Lake Ontario would be handled by using the discretionary authority in Plan 1958-D.

Category 2: Category 2 would change the regulation of Lake Ontario by modification of Plan 1958-D to accommodate Lake Erie regulation so that the Lake Ontario criteria are satisfied to the same degree that occurred under the historic test and under operation since 1960 as represented by the basis-of-comparison.

Category 3: Under Category 3 the St. Lawrence River channels would be altered (i.e., dredged) as necessary to accommodate combined regulation of Lakes Frie and Ontario. A new regulation plan for Lake Ontario is also considered which would satisfy all the Commission's criteria over the entire period (1900-1976).

Category 4: Category 4 would regulate Lake Ontario without regard to downstream conditions, as required in the present Orders of Approval. The St. Lawrence River channels and the Orders of Approval would be modified, if necessary. Since the project proved economically infeasible prior to Category 4 study initiation, a detailed evaluation of Category 4 was not attempted.

1.7 Adjusted Basis-of-Comparison

In order to meet the requirements for combined regulation of Lakes Frie and Ontario, channel excavations would be required in the St. Lawrence River. In Category 3 study, an adjusted basis-of-comparison was developed for the purpose of defining such excavations.

The adjusted basis-of-comparison was developed with the same conditions as for the basis-of-comparison, except that the regulation plan for Lake Ontario was modified so that the resulting water levels and outflows satisfy the IJC's criteria and other requirements. Channel enlargements were assumed to exist throughout the historic period (1900-1976) to facilitate the modified Lake Ontario regulation plan.

A detailed description of the adjusted basis-of-comparison is contained in Appendix A, Lake Regulation.

Section 2

DATA UTILIZED

2.1 Reach Data


The United States and Canadian shores of the Great Lakes and their connecting channels were divided into 37 and 45 reaches, respectively. Reaches were identified by numerical designations. The U.S. reaches are those used in the International Great Lakes Levels Board Study Report, 19/3. The Canadian reaches were the same as those used for Canada-Ontario Great Lakes Flood and Erosion Prone Area maps. Reaches were chosen so as to have similar onshore and offshore physiographic characteristics, orientation and fetch length. The reaches are shown on location maps for each of the Great Lakes (Figures C-4 to C-8).

2.2 Damage Data

The data used for the estimation of inundation and erosion damages differed greatly as different data bases were available. In the United States, estimates of shoreline flooding and erosion damages for the 1972-76 high water period were obtained from the U.S. Army Corps of Engineers' Great Lakes Shoreline Damage Survey. In Ontario, flood damages were obtained from the 1972-73 Canada-Ontario Great Lakes Shore Damage Survey (GLSDS). Future erosion damage was estimated based on property data figures available from the GLSDS, obtained from Regional Assossment Offices, and on recent erosion rates. In Quebec, flood damage estimates were based on government compensation payments for the 1974 and 1976 floods. Table C-5 briefly compares the three data sources.


2.2.1 United States


Shore property owners in the Great Lake States became concerned that damage estimates from the early 1950's did not adequately reflect the increased shoreline development that has occurred since 1952. As a result, the Corps of Engineers was asked to conduct a study that would determine the extent of damages due to the more recent high water levels. In the period of time between Labor Day 1972 and Labor Day 1976 some lakes reached historic high water levels. In an effort to determine the economic impact of water levels on damage to the shoreline, the U.S. Army Corps of Engineers initiated and implemented an extensive damage survey covering the entire U.S. shoreline. The results showed that during that 4-year period of time there were in excess of \$375 million in damages and costs of protection attributable to the combined effects of erosion and inundation along the coastal zone. During the period of high water, the U.S. Army Corps of Engineers spent some \$27 million in advanced temporary flood protection measures which prevented an additional estimated \$132 million in damages. The study, completed in 1978, was conducted under the continuing authority of 1952 legislation that has provided for a series of studies on Great Lakes water levels.



LAKE ONTARIO LOCATION MAP


Figure C4








LAKE HURON LOCATION MAP



LAKE MICHIGAN LOCATION MAP



C-25

Figure C8

Sector U.S. Shores - Great Lakes, Consecting Charvels, and St. Lawrence River	Onter to Shores - Great Lakes and Connecting Channels	<u> Nuebec Shores</u> - St. Lanrence Plyan
Data Source - Self-adelnistered questionnaire distributed to sample of residential properties. - Complete census with follow-up interview for commercial and industrial properties. - Comparison done of interview and self-adelnistered responses and respondents and non-respondents and results adjusted accordingly. - 1972-76 demagns.	Comprehensive field inventory of flood demages for 1972-73, ediusted. - Propulty values obtained from regional assessment offices for erosion losses. Assessed values were adjusted to current merket conditions using recent sets date. - Erosion rates for 1972-76 obtained from erosion monitoring program.	- Flood Compensation Layrer's Claims files by residents and reviewed by insurate alsessors 1974 and 1976 flood events.
Flood Demage to buildings and contents. - Demage to grounds and improvements. - Cleaning costs. - Lost income. - Other demage. - Costs of relocation. - Demage to profective structures.	Structural damage to protective works. Structural damage to marine structures. Structural damage to buildings. Loss-of-use for buildings. Damage to building contents. Landscaping damage.	- Damage to pervanent residence (\$5,000 max.) - Damage to contents (\$3,000 max.). - Damage to contents (\$3,000 max.). (\$5,000 max. in '76. - Damage to business structures equipment, livestock, and crops (\$5,000 max. in '76.) - Damage to business structures and contents (75 of '74 damages, \$1,000 deductible from '76 damages, \$40,000 max. \$20,000 max. for recreetional properties, \$10,000 maximum for rental losses - Institutional costs for buildings and contents and emergency massures. - Estimalss for seasor il residences in Montreal area estimated fror compensation payment; for permanent residences. - Some damages were not allgible for government compensation, i.e.: (a) coverad by private insurance or other assistance programs; (b) greater than maximum allowable contents of indicaping, fences, eccess reads, and outbuildings. An estimate of these damages was derived by compenting compensation payments against fotal damage estimates for the Montreal area obtained during the study of flooding in the Montreal Region.
Erosion Damage - Structures and contents Crounds and improvements Clearup Other damage Includes residential property, commercial-industrial, franspertation, utilities, institutions/government, and parks Costs of one protective structures were not included.	- Value of land and buildings in erosion- prone area calculated on a reach basis prone area calculated on 1979 market - Assessed values adjusted to 1979 market conditions Costs of new profective structures were not included.	- Although erosion losses are significant, there is insufficient data to evaluate them.

Damage Survey Organization and Participants: This survey was a cooperative effort between the Corps of Engineers and the involved States. To assure that the damage estimates would be acceptable to all parties, the States were fully involved in the survey process. The States' approval, through the Great Lakes Basin Commission's Standing Committee on Coastal Zone Management, was obtained for the survey methods used.

Pamage Survey Methods: Information about damages to residential properties was obtained by sending property owners an 8-page questionnaire. This questionnaire was designed to determine flooding and erosion damages, the costs of measures to prevent potential damage, and the nature of possible future damages.

When the damage survey began, questionnaires were sent to every shore property owner in an 11-county pilot area for survey. Subsequently, a 20% random sample of the owners in the remaining study area was surveyed.

Information about nonresidential properties was gathered through specialized interview forms. Because nonresidential properties are more diverse and less numerous than residential, the survey tor nonresidential locations aimed at 100% coverage for the entire survey. Initially, personal interviews were used to collect the data about nonresidential properties. Later, the information was obtained through telephone and mail procedures.

County property-tax records were the main source of addresses for the survey mailing lists. Those properties included on the master list are either on the shore front, or at elevations where flooding is estimated to have a 1% chance of occurring annually.

In accordance with the Federal Privacy Act, those surveyed were informed of the voluntary nature of their responses and also that the names and addresses compiled for the study would not be disclosed.

The Information was collected over the period from 1972 (when the high water levels began) to 1974, 1975, or 1976. Most of the data collected covered the period 1972 to 1976. Table C-6 shows the damages, by reach, for the survey period and Table C-7 shows the Agencies that participated in the Damage Survey.

2.2.2 Canada

Ontario: The high water levels of the early 1970's and the resulting shore property damage led the Federal and Provincial Governments to carry out an inventory of the damages. Known as the "Canada-Ontario Great Lakes Shore Damage Survey", the survey covered the 13-month period from November 1972 to November 1973. Since shore damages were not significant on Lake Superior and Georgian Bay, the survey extended from Port Severn, Simcoe County, on Georgian Bay to Gananoque, Leeds County, on Lake Ontario. The Damage Survey included the St. Clair and Detroit Rivers, but not the Niagara River. Only properties that had direct contact with the shore were considered. The estimated total damages, costs of new protective structures and flood related expenditures for the 13-month period totalled in excess of \$28.4

Table C-6 - United States Shoreline Damage Survey Results

Reach	Survey Period	Erosion Damage ^a	Inundation Damage ^a	Total Damage
2001	1972-75	4,229,000	28,600	4,257,600
2002	1972 -7 5	4,725,300	2,756,000	7,481,300
2003	1972 -7 5	3,928,900	547,200	4,476,100
2004	1972-76	311,000	0	311,000
2005	1972-76	5,009,900	729,600	5,739,500
Subtotal		18,204,100	4,061,400	22,265,500
3001	1972-76	18,644,500	6,783,400	25,427,900
3002	1972-76	10,710,600	21,382,000	32,092,600
3003	1972-76	7,826,800	1,589,600	9,416,400
3004	1972-76	4,292,700	1,782,000	6,074,700
Subtotal		41,474,600	31,537,000	73,011,600
4001	1972-76	1,730,500	7,046,000	8,776,500
400.	1972-76	1,372,300	2,537,400	3,909,700
Subtotal		3,102,800	9,583,400	12,686,200
5001	1972-76	812,700	2,990,100	3,802,800
5002	1972-76	355,300	60,200	415,500
5003	1972-76	2,690,000	372,400	3,062,400
5004	1972-76	953,000	4,899,200	5,852,200
5005	1972-76	155,000	708,600	863,600
200 6	1972-76	7,190,200	<i>557</i> ,700	7,747,900
Subtotal	•	12,156,200	9,588,200	21,744,400
7001	1972-76	159,500	133,700	293,200
7002	1972-76	1,573,200	81,200	1,654,400
700 4	1972-76	1,853,500	2,260,700	4,114,200
7004	1972-76	951,100	7,300	958,400
7005	1972-75	6,193,600	0	6,193,600
7006	1972-75	4,863,500	2,614,800	7,478,300
7007	1972-76	4,439,800	72,600	4,512,400
7008	1972-76	766,000	24,800	790,800
7009	1972 -7 6	4,959,300	305,600	5,264,900
7010	1972-76	113,700	82,100	195,800
7011	1972-75	996,900	354,300	1,351,200
7012	1972-74	134,200	343,800	478,000
7013 Subtotal	1972-75	1,262,500	359,700	1,622,200
30010101		28,266,800	6,640,600	34,907,400
9001	1972-75	333,300	23,600	356,900
9002	1972-75	462,500	1,355,200	1,817,700
9003	1972-75	474,800	261,700	736,500
9004	19/2-76	358,000	85,000	443,000
9005	1972-76	188,000	73,100	261,100
9006	1972-76	1,465,800	16,900	1,482,700
9007	1972-76	800,300	254,300	1,054,600
Subtotat Grand		4,082,700	2,069,800	6,152,500
Total		107,287,200	63,480,400	170,767,600

Table C-7 - U.S. Shoreline Survey Agencies

Area of Study	Responsible Agency
Minnesota	Minnesota Department of Natural Resources; sub-
	contracted to Ar. owhead Regional Development
	Commission
Wisconsin	Wisconsin Department of Natural Resources; sub-
	contracted to University of Wisconsin at
	Milwaukee, Department of Geological Studies
Michigan	Coastal Zone Laboratory, The University of Michigan
Illinois	Division of Water Resources, Illinois Department
	of Transportation
Indiana	Indiana State Planning Services Agency
Ohlo	Ohio State University
Pennsylvania	Edinboro State Coll ege
New York	St. Lawrence-Eastern Ontario Commission and the
	State University of New York at Buffalo

Note: Initial development of survey forms and procedures by the University of Michigan's Institute for Social Research and Department of Statistics.

million, consisting of \$8.9 million erosion, \$8.0 million flooding and \$11.5 million for construction of new shore protection.

Data collected in the inventory included property size, value, location and flood-induced damages. In compiling information on shoreline property for evaluation and analysis, specific data were required. The data required were as follows:

- I. amount of shore property damage;
- shore property information (land and building values, lot dimensions, exact location, etc.);
- 3. erosion-prone and flood-prone areas; and,
- 4. reach limits (defined by geographic considerations).

Flood damage estimates, as well as property characteristics, such as size and location of property, and length of frontage elong the shoreline, were obtained for the shore properties from the inventory previously mentioned.

trosion damage estimates were based on the determination of the damages to each reach that would result from the loss of one foot of land along the entire erodible portion of the reach. From the Flood and Erosion Prone Area Maps the property that is likely to erode over the next 50 years was delineated. The value, area and frontage of these properties were determined from the data inventory, from which the average value per foot of depth was calculated for the reach. This was combined with the amount of erosion that actually occurred during all or part of the period 1972 to 1976, resulting in the estimation of the damages that occurred for that period for each reach.

The values obtained from the inventory were in 1973 dollars which were adjusted to 1979 market conditions. Updating required different procedures for erosion and flood damages.

The evaluation of erosion damages were based on property assessment data. Adjustment to real market value and updating was accomplished by using data from the Ministry of Revenue Assessment Offices for shoreline properties sold between 1973 and 1978. The sales data for each year were totalled, and adjusted to the year 1978. This adjustment to 1978 values was done by using average housing sale values, complied by the Canadian Real Estate Association. The total sales value, adjusted to 1978 price levels, was then compared to the total 1973 assessment of these properties to derive an adjustment factor, which was:

Adjustment Factor = Total sales value (1978)
Total assessed value (1973)

The adjustment factor, which was developed for each reach, was used to adjust the prosion damages from 1973 to 1978 values. Since there was minimal change in the sales value of residential properties between 1978 and July 1979, no adjustment was made to the 1978 values to bring them to July 1979 values.

For flood damages the adjustment factor was calculated by using the residential building construction price index from the Canadian Statistical Poview, 1975 and 1979. This was calculated as:

residential building construction index, July 1979 residential building construction index, 1973

flood damages in each reach were multiplied by this factor to provide a July 1979 damage value. The flood damages by reach are shown in Table C-8, and erosion damages by reach are shown in Table C-9.

Quebec: The Quebec portion of the St. Lawrence River suffered severe flood damages in both 1974 and 1976. Following these flood events the Government of Quebec established the "Bureau d'aide financière—inondation 1974", and the "Bureau d'aide financière—inondation 1976". These bureaus were responsible for establishing procedures and criteria to be used in the compensation program, to receive requests for financial assistance, to assess these claims and to compensate the flood victims. This compensation program was carried out within the framework of a federal—Provincial disaster assistance program. Table C-10 briefly highlights the procedures and flood damage criteria used in the compensation for damages to permanent residences, small enterprises, farms, equipment and for emergency measures.

Total assistance and flood fighting costs were \$3,728,000 (Dec 1974) and \$9,335,000 (Dec 1976) for these two flood events. However, these figures only represent a portion of the actual damages, since the assistance programs involved the exclusion of some damages, upper limits for other damages, and deductible adjustments. Tables C-11 and C-12 include a summary by sector and by category of damages for 1974 and 1976, respectively, in July 1979 dollars. These figures are extracted (with required adjustments) from data compiled by the two "Bureaux d'aide financière".

2.3 Physical Data

 $^{\rm 1}{\rm he}$ data base used was common for both the United States and $^{\rm Canada}$.

2.3.1 Water Level Data

Three types of water level data were required: 1. Monthly mean water level data for each take and each regulation plan (these data were provided by the Regulation Subcommittee); 2. Hourly water level data (supplied by the responsible Federal agencies in Canada and the United States); and, 3. Monthly maximum storm rise (calculated from gage records of the closest stations to the reaches being evaluated).

Table C-8 - Canada-Ontario Shoreline Flood Demeges

(Sollars)

ERIE C L S D Survey G L S D Survey 1
Cosess adjusted
Values based Adjustment on 1973 Factor G L S D Survay 1.69 Reach 1 \$ 415,823 1.69 Reach 2 367,207 1.69 Reach 3 102,893 1.69 Reach 4 102,893 1.69 Reach 5 23,436 1.69 Reach 6 63,672 1.69 Reach 1 106,974 1.69 Reach 1 106,974 1.69 Reach 6 63,672 1.69 Reach 1 106,974 1.69 Reach 1 100 6,751 1.69 Reach 1 14442 1.69 Reach 14 90,603 1.69 Reach 15 164,442 1.69 Reach 15 16,442 1.69 Reach 15 16,442 1.69 Reach 15 16,442 1.69 Reach 15 16,442 1.69 Reach 16 1,913,025 1.69 Reach 17 1,913,025 1.6
Values based Adjustment on 1973 G L S D Survey LAKE ERIE G L S D Survey Feach 1 \$ 415,823 Reach 2 \$ 567,207 Reach 3 \$ 22,499 Reach 4 \$ 102,893 Reach 5 \$ 22,499 Reach 6 \$ 102,893 Reach 7 \$ 102,893 Reach 6 \$ 102,893 Reach 7 \$ 106,974 Reach 6 \$ 105,672 Reach 7 \$ 106,974 Reach 1 \$ 106,974 Reach 1 \$ 106,974 Reach 1 \$ 114,442 Reach 1 \$ 106,603 Reach 1 \$ 105,623 Reach 1 \$ 193,623 LAKE ONTARIO \$ 105,623 Reach 2 \$ 106,93 Reach 3 \$ 116,93 Reach 4 \$ 106,497 Reach 5
Survey Survey Survey Factor Factor Factor 1.69
Losses adjusted to July 1977 Variet Sonditions 175,300 135,300 141,400 285,200 141,400 285,200 141,400 285,200 141,400 285,200 141,400 285,200 141,400 285,200 141,400 285,200 141,400 285,200 141,400 285,200 180,000 180,

Table C-9 - Canada-Ontario Erosion Damages

_
è
=
9
9

Resch	Demogra/foot eroded (July 1979 Dollers)	Estimated 1973 Damages Cluly 1979 Dollars)	Resch	Deneges/foot eroded (July 1979 Dollars)	Estimated 1973 Carages (July 1979 Dollars)
LAKE HURON		•			
E establishment	\$ 71,300	5418,800	Reach 11	8	10,000
Peach 2	13,200	29,000	Resch 12	300	7,
Reach 3	•	0	Reach 13	28,500	030*951
Reach 4	19,600	48,400	Resch 14	22,500	26,200
Reach 5	29,100	96,500	Reach 15 & Peles	0	ဂ
Peeches 647	0	•			30, 400
		200	SUBTOTAL		22.72
38010181		207, 200	LAKE ONTARIO		
LAKE ST. CLAIR					
A	•	. •	- C	40, 800 40, 800	72.400
Parch 1	2. de 2.	118.3002	Reserve A	36,600	374,900
1	15,600	133,400	Rech 4	0	0
			Reach 5	330,000	223,000
Subtotal		251,700	Reach 6	239, 200	312,200
		•	Reach 7	201,400	377,400
LAKE ERIE			Reach 8	14,600	12,300
		,	Reaches 9-12	0	0
Reach 1	\$ 13,400	2,200			
Reach 2	24,400	106,300	Subtotal		1,872,200
Reach 3	8	13,100			
Reach 4	•	92	TOTAL		3,409,000
Reach 5	15,200	202,600	,		
Reach 6	24,300	35, 100,	C) The values rep	(1) The values represent estimated damages based on average wave energies	average wave energies
Reach 7	18,700	35,800	that would occ	that would occur with besis-of-comparison wester levels for 1975,	if levels for 1975.
Reach 8	3,400	13,100			4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
Reach 9	8.18	62,900	(Z) These estimate	These estimates are for beach areas, for which the determination of	The determination of
Reach 10	1,300	19,100	short term ero	short term erogion rates are subject to considerable inscruracy.	rabie i accuracy.
		•	(3) Estimated 1971 dampoes.	demages. (4) [ncluded in Reach 13.	Reach 13.

Table C-10 - Financial Assistance to Quebec Flood Victims in 1974 and 1976

- Procedures: Flood victies had to fit! a questionaire listing flood damages; -each application was evaluated by a professional reclamation synt (assessors) according to techniques and schadules used by insurance companies in case of damages caused by a fire. Also, maximum payments were set for category of goods: -no compensation given if damages are covered by a private insurance or another governmental program.
- 2. Flood demage compensation
- contents (total maximum: \$5,000): kitchen and dining room (chairs and table, stove, refrigeration, freezer, small electric appliances as foaster, heftile, vacuum cleener, etc.) (maximum \$1,000): -living room (furniture, T.V., lamp, table) (maximum \$600); bathroom and laundry room (mushing machine, dryer) (maximum \$600); bathroom and laundry room (furniture, tamp, alarm-clock) (maximum per bedroom \$100); miscellaneous (carpats, floor-covering, drujucs, etc.) (maximum \$500): -no compensation given for: cars; toys and sport articles; tools and motorized tools; furs; jewels, art collections, antiques, etc.; -in 1974, minimum payment of \$500 and maximum for structure and contents; \$10,000. In 1976, a deductible of \$200, and a maximum Permanent residences: -Demages to structure including foundations, walls, heating systems, water intakes, interior finishing (maximum \$5,700); -no compensation given if it is a seasonal residence or for loss of land, demages to landscape, fences, access road, out-buildings; -damage to payment of \$10,000. 2.1
- farms: Camages to permanent residence as above, plus: -maximum of \$5000 for damages to (\$40,000 in 1976): agricultural equipment; agricultural structures; live-stock and loss of cultures; stock and produces stored on the farm; -not covered: loss of land, loss of revenue due to late seeding or insufficient growth, (loss of culture, in 1976). 2:5
- Small enterprises: -Definition: 30 employees or less; gross annual income not exceeding \$1,000,000; main source of revenue of the owner; -structure including foundations, wells, floors, heating system, etc; -contents: furniture office equipment and accessories; machinery and equipment; stock or inventory (including raw material and final products); -compensation (in 1974, 75% of demages; in 1976. \$1,000 deductible): A) manufacturing, commercial and transport industries, hotel, restaurants, services stations: Maximum of \$40,000; B) recreation enterprises: maximum of \$20,000; C) building rented to one or more enterprise: maximum of \$10,000. 2.3
- **Covernment and institutional: Structure and contents of properties owned by: -municipal government (including infra-structures); -provincial government (including infra-structures); -school boards; -religious, cultural or educational organizations: Deductibles fixed on individual basis.** 7.7
- Emergency measures: Flood fighting expenditures including sand-bagging, temporary evacuation, temporary lodging, etc.

2.5

Required adjustments to residential damages: During the study carried out by the Committee on Flow Regulation, Montreal Region (CFRMR) the firms Dupuis Morin, Routhier et Ass., Estimateurs Associes Inc., and Société technique d'Aménagement régional were contracted to evaluate flood demages and relocation alternatives. These contractors used two methodologies to evaluate flood damajes for the 1974 flood event: 5.6

considered in this survey, e.g., seasonsi residences, ail contents, loss of use, landscaping damages, etc., in addition to damages of Method All damages were Mathod 1: Critaria as described above. Mathod 2: Critaria used by Ministera des Richesses naturalies for the 1973 flood event as applied to the 1974 flood event.

Results for the 1974 flood event (\$ Dec., 1974): Total demages using Method 2=54,706,000. Total demages using Method 1=51,690,000.

Total damages using Mathod 1 = \$1,890,000. Factor = \$ Method 2/\$ Method 1 = 2.49 This 2.49 factor was applied to the permanent residential demages and Tables C-11 and C-12 reflect this change, by sector, for, the 1974 and

Table C-11 - Canada-Quebec 1974 Shoreline Flood Damages (\$1,000)*

A. Contraction

		Residences	Farms	Smalf enterprises	Government & Institutional Equipment	Emergency Measures	Total
1 =	1) Lac des Deux Montagnes	2,797	37	305	182	339	3,660
5)	2) des Mille lles River	2,890	82	174	491	519	4,156
3)	des Prairies River	1,710	ω	85	204	218	2,225
4	4) Lake St. Louis	1,154	9	116	501	726	2,503
2	 St. Lawrence River between Repentigny and Trois-Rivieres 	436	723	126	375	:	1,671
TOTAL	AL	8,987	856	806	1,753	1,813	14,215

* July 1979 Dollars

Table 0-12 - Canada-Duebec 1976 Shoreline Flood Damages (11,000)*

,		Res I dences	Farms	Small enterprises	Government & Institutional Equipment	Emergency Messures	- c+c+
=	1) Lac des Deux Montagnes	3,456	38	387	232	353	4,465
5	2) des Mille lles River	4,973	82	264	540	577	6,436
3	3) des Prairies River	2,165	13	126	228	336	2,868
4	4) Lake St. Louis	1,363	56	149	557	808	2,903
2	5) St. Lawrence River between Repentigny and Trois-Rivières	3,727	781	572	559	114	5,753
	TOTAL	15,684	940	1,498	2,116	2,188	22,426

* July 1979 Dollars

2.3.2 Meteorological Data

Hourly wind speed and direction were acquired for twenty locations for the period 1966-1976 from the responsible Federal agencies in Canada and the U.S. The data were required for utilization in the erosion evaluation.

2.3.3 Physiographic Data

Overlake fetch length and lake depths for each reach were determined using appropriate maps. Average bluff toe elevations for each reach were determined by the Coastal Engineering Branch of the U.S. Army Corps of Engineers, North Central Division, in Chicago and by the Canadian Department of Public Works in Ottawa. Beach slopes were determined from survey reports on specific projects in the various reaches. Historic erosion data for the Canadian shore were obtained from the Department of Fisheries and Oceans.

Section 3

EVALUATION PROCEDURES

The evaluation procedures developed were designed with the aim of having identical procedures in both the United States and Canada, to the degree possible. The procedures were developed, for the most part, for use on high-speed computers; the software for the computer programs used in the evaluations is included in Annex B to this Appendix.

3.1 Inundation Evaluation Procedure

The procedure developed to evaluate inundation along the Great Lakes shoreline was based upon damage data, water level data, and the physical characteristics of the shore.

3.1.1 Data Utilized

Damage Data: The source of damage data varied for each of the three portions of the Great Lakes - St. Lawrence River system. See Table C-5 for a description of the damage data.

Water Level Data: Two types of water level data were used in this procedure: the monthly mean levels and the peak hourly level for each month. Storm rise was calculated by subtracting the monthly mean level from the peak hourly level for each month. The difference was the peak storm rise for that month.


Physiographic Data: Physical characteristics for the reaches were determined using the best available data. Topographic maps, flood studies, project reports, and measured profiles were among the major sources for this information.

Figure C-9 illustrates the types of flooding which are associated with the Great Lakes. Inundation is an event process. It occurs occasionally and without regularity. The evaluation procedure assumed that in any one month the mean water level could be combined with recorded short-term rises to generate a population of stormwater levels. This population was generated, by reach, for use in deriving the stage-damage relationship.

3.1.2 Derivation of Stage-Damage Curve


The most important aspect of the procedure was the determination of a stage-damage curve for each reach of shoreline. Guidelines to develop the stage-damage curves on a consistent basis include:

A. FLOODING DUE TO HIGH CALM WATER STAGES (MEAN MONTHLY)



NORMAL CALM WATER LEVEL BELOW LAND CREST. HIGH WATER EXCEEDS LAND HEIGHT.

B. STORM STAGE FLOODING



CALM WATER LEVEL BELOW LAND CREST. STORM WATER LEVEL EXCEEDS LAND HEIGHT.


THE PRINCIPAL DIFFERENCE BETWEEN A B IS THE DURATION IN A. THE DURATION MAY BE ONE TO SEVERAL MONTHS IN B. THE DURATION IS USUALLY ONLY SEVERAL HOURS, ALTHOUGH IT MAY REMAIN LONGER, DEPENDING ON DRAINAGE BACK INTO LAKE.

TYPES OF FLOODING

- 1. The shape of the stage-damage curves was based on the physical and land use characteristics of the shore;
- 2. For the St. Lawrence River Canadian Reaches, stage-damage curves were derived from 3 points: 1974 and 1976 damage events and a zero point which is the elevation at which significant damage will begin to occur;
- 3. For the Great Lakes reaches, stage-damage curves were developed based on one or more of the following information sources:
 - Operation Foresight (U.S. Army Corps of Engineers) stagedamage curves;
 - b. Canada/Ontario Great Lakes Shore Damage Survey results;
 - c. Elevation of structures on the shore;
 - d. Shore topography:
 - e. Other available flood studies; and,
 - f. Engineering judgment of the relative damages for levels below and above the 1973-74 high water levels;
- 4. The stage-damage curves cover the entire range of possible levels (i.e, they extend beyond the 1973-74 record or near-record levels).

Figure C-10 is the stage-damage curve for the U.S. Reach 4002 on lake St. Clair. It was developed using the Operation Foresight data as the physical basis and was calibrated to represent the actual damage during the damage survey period.

The inundation stage-damage curve for each reach was calibrated using recorded monthly peak stormwater levels, one per month, for the period of time corresponding to the Damage Survey. The shape of the stage-damage curve was established using the guidelines noted above. This curve was then calibrated to yield total recorded damages based on recorded monthly stormwater levels. To accomplish this, for each stormwater level for the Survey period, the damage corresponding to that stormwater level was obtained from the stage-damage curve and summed. By dividing the total of the damage units into the total recorded inundation damage for the reach, the damage scale was adjusted. The original damage scale was then replaced by the calibrated damage scale to give a calibrated inundation stage-damage curve which was used with monthly water level data.



3.1.3 Determination of Stormwater Levels

An assumption made in this evaluation was that the different regulation plans would affect only the mean water level and not the rise. This was considered reasonable due to the general acceptance of the Independence of these two factors. The combined mean water level and rise is referred to as the stormwater level.

In order to determine the stormwater level for each month by reach, historic rise data were combined with the mean water level for corresponding months. If, for example, there were 77 years of monthly mean water levels and 20 years of monthly rise data, then each of the 20 rises was added to each of the 77 mean water levels for the corresponding month to generate a population of stormwater levels consisting of 77 x 20, or 1,540 points for each month. It should be noted that several combinations of monthly mean levels and rises may give the same stormwater level. A tabulation of the frequency of each stormwater level being equalled or exceeded was completed, by month, for the points generated.

3.1.4 Calculation of Average Annual Damage

A computer program was written for the coastal zone inundation evaluation which utilized several files containing the following information:

- 1. Monthly rise data;
- 2. Monthly mean lake level data from the regulation plans;
- 3. Stage-damage curve for each reach; and,
- 4. A population of stormwater levels, generated from files 1 and 2, and their corresponding frequencies, as described above.

The program used the inundation stage-damage curve and the generated monthly stormwater levels population to calculate the damage corresponding with every monthly stormwater level. The calculated damage was multiplied by the frequency of exceedence (percentage) of the associated stormwater level. The process was repeated for each monthly stormwater level population to give an average monthly damage. The average monthly damages were summed to give the average annual damage.

It should be noted that monthly damages may be caused not only by a once-a-month stormwater level, but also by other lower levels during the month. Thus, the stormwater levels are an index of damage capacity. The average annual damages, determined as described above, are a good indication of the relative benefits or losses between the regulation plans.

3.2 St. Lawrence River (Canadian Reach) Inundation Procedure

3.2.1 Introduction

lilood damages associated with high St. Lawrence River flows have been broken down into five sectors. Damages in each sector can be related to a water level or discharge. The five sectors and the required hydraulic indicator in each sector are as follows:

- I- Lac des Deux Montagnes damages are a function of the level on Lac des Deux Montagnes at Sainte-Anne-de-Bellevue.
- II- Des Prairies River damages are a function of the des Prairies River flow at Rapides-du-Cheval-Blanc.
- III- Des Mille les River damages are a function of des Mille les River flow at Bois-des-Fillon.
- IV- Lac Saint-Louis damages are a function of the Lac Saint-Louis elevation at Pointe-Claire.
- V- St. Lawrence River between Repentigny and Trois-Rivières damages are a function of the addition of flows on the St. Lawrence at Lachine and des Mille IIes and des Prairies Rivers.

The required hydraulic parameters are:

Q(P)- Des Prairies River flow;

O(MI)- Des Mille lles River flow:

O(Local)-

E(SL)- Elevation of Lac Saint-Louis;

Q(R)- Addition of the flow at Lachine, Bois-des-Fillon and Rapides-du-Cheval-Blanc; and,

Local inflow to Lac Saint-Francois and Lac Saint-

Louis.

The above parameters are a function of the following input parameters:

- Q(Ont) lake Ontario outflow as measured at Cornwall:
- Q(Ott) Ottawa River flow measured at Carillon; and,
- Q(Local) Local inflows to Lac Saint-Francois and Lac Saint-Louis were estimated at 4 times the flow of the Chateauguay River.

The required parameters $\Gamma(IM)$, Q(P), Q(MI), E(SL) and Q(R) were culculated from the input parameters Q(Ont), Q(Ott), and Q(Local) using an existing one-dimensional hydrodynamic model for the Montreal region.

3.2.2 Determination of Montreal Region Levels and Flows

Several procedures can be used to evaluate the effects of Great Lakes regulation on flooding on the Canadian Reach. A procedure was used which determined the effects of Lake Ontario outflows at Cornwall on water levels and flows in the Montreal region based on the probability of occurrence of Ottawa River flows and local Inflows.

In order to calculate the probabilities of levels and flows resulting from various combinations of the input parameters, some assumptions were made regarding the relationship between the input data. It was assumed that the Lake Ontario outflows, the Ottawa River flows and local inflows are independent. This assumption is thought to be generally valid as the three flows result from very different hydrologic and unrelated hydraulic regimes. The Lake Ontario outflow depends on various response times (1-4 years) to meteorologic events. The Ottawa River is also a large basin, but with very much less storage capacity than the Great Lakes. Therefore, it has a much shorter response time. The local inflow results from the much smaller basins south of the St. Lawrence River.

3.2.3 Collection of Input Data

Hydrologic Data: Probability distributions of annual maximum peak flows for the Ottawa River and the local inflows were used. For the Lake Ontario outflows, the maximum flows at Cornwall, occurring during April through May, were used to establish probability distributions.

Economic Data: Stage-damage curves were derived for Sectors I and IV; for Sectors II, III and V flow-damage curves were used. These curves represent annual damage for peak annual level or flow. Figure C-11 shows the flow-damage curve for Sector III.

3.2.4 Determination of Flow-Damage Curves

Since only the effects of Great Lakes regulation are being evaluated, the outflows from Cornwall were fixed at a number of values throughout the range of expected flows. Since flooding seldom occurs below St. Lawrence River flows of 250,000 cfs, this was the lowest value used by the hydro-dynamic model. The maximum flow at Cornwall is 350,000 cfs and this was the highest value used. Intermediate flows were also used. The same approach was applied to the Ottawa River and the local inflows, the values ranging from 100,000 to 350,000 cfs, and from 0 to 120,000 cfs respectively.




Figure Ci

The hydrodynamic model was used to calculate the output parameters in the five sectors for the different combinations of input parameters. Stage-damage or flow-damage curves were used to associate these different combinations of hydraulic conditions and their expected level of damages. Applying the probability distribution of maximum annual peaks of the Ottawa River and of the local inflow to these expected levels of damages, the Cornwall outflow-damage curve was derived. (See Annex A-3)

3.2.5 Evaluation of Regulation Plans

The Cornwall outflow-damage curves developed from the above procedure were used to evaluate Great Lakes regulation plans. Since the original stage-damage and flow-damage curves represented damage for the peak annual flood event, which usually occurs in either April or May, the damages were estimated by using a probability distribution of the maximum Lake Ontario outflows at Cornwall which occurred during these two months.

For the Canadian Reach of the St. Lawrence River, no methodology was developed to determine the effect of the regulation plans on erosion. This decision was made in recognition of the unavailability of data needed to develop such a methodology. Since most of the damages in the Montreal region are due to flooding, this decision will not impact significantly on the results of this study. However, any future studies should develop such methodology and data.

5.3 Frosion Evaluation Procedure

The erosion evaluation procedure was developed using a wave hind-casting procedure which was applied to each reach of Great Lakes shoreline. The hindcasting procedure represents the state-of-the-art with regards to using hourly recorded water levels and wind speed and direction data to determine wave climates at the breaker zone. The basic components of the procedure are damage data, water level data, wind speed and direction data, and physiographic data. Although the hindcasting was done on a year-round basis, only the months of March through December were utilized in the evaluations. The months of January and February were not used since the near-shore area of the Great Lakes are generally ice-covered during this period, which minimizes wave attack on the shore.

3.3.1 Data Utilized

The erosion data utilized in this evaluation were obtained from the sources described earlier in the Appendix. These damage data were collected and compiled separately for erosion and inundation.

Water Level Data: Hourly water data for the period January 1967 thru December 1976 were acquired on computer tapes from the responsible Federal agencies for a number of stations throughout the Great Lakes system. A 10-year period of data was determined to be statistically representative for the purposes of this evaluation. Table C-13 lists the wind and water level stations used and the reaches associated with them.

Wind Data: The wind data were recorded at various stations during 1966-1976 for the periods shown in Table C-13. These data consisted of either hourly or 3-hourly values of wind speed and direction. Any gaps in the wind data of between 2 to 12 hours duration were filled by linear interpolation between values on either side of the gap. If the gap was larger than 12 hours, no analysis was undertaken during the periods of missing records.

Modification of Data: The values of wind speed, which were recorded at on-land stations, were modified to represent values of over-water wind speed by applying the curve shown in Figure C-12. The part of the curve representing higher values of wind speed is based on the work of Resio (Resio, 1976). For the lower values of wind speed, the curve was obtained as a result of a comparison of over-water and over-land wind speeds under-taken for this study. The curve shown in Figure C-12 was adopted by the Coastal Zone Subcommittee.

The water level data used were edited in a fashion similar to the wind data; however, gaps longer than 12 hours were filled by linear interpolation from values adjacent to the gap. If the gap in the water level data was greater than 30 days, a mean monthly level was substituted from the nearest available water level recording station.

Wind to Wave Hindcast: The edited and modified hourly values of wind speed and direction were input to a hindcast procedure developed by Public Works Canada. The procedure was based on equations presented by Bretschnelder (CERC, 1973). This hindcast procedure makes allowance for the history of wind speed prior to the hour under consideration. Wave decay resulting from changes in wind direction were considered. The results of the analysis were hourly values of significant wave height, peak period, and wave direction, corresponding to the wind direction.


3.3.2 Rationale of Use of Wave Hindcast

It is well recognized that wave attack is the primary cause of bluff erosion. This procedure assumes that the energy of the wave is the actual causative factor for erosion and that the rate of recession of the bluff is directly proportional to the amount of wave-energy which reaches the bluff toe. (See Figure C-13)

It is recognized that erosion is dependent on a number of factors, including wind, surface runoff, groundwater flow and the shore composition. However, there is no model currently available that takes into consideration all these factors and generates results suitable for this economic evaluation. Nevertheless, wave energy is the dominant factor in causing erosion and it was assumed to be the sole factor for the purpose of this study. In order to evaluate long reaches of shoreline, average values of several parameters (beach slope, toe-of-bluff elevation, center point of reach) were determined and applied to the whole reach.


Table C-13 - Wind and Water Level Stations

	Lake Ontario			Lake Muron		:	
Wind Station		Mater Level Station	Years of Interest	Wind Station	Resch	Mater Level Station	Years 04 13101951
		24	AC-7701	M annual M	10.5. \$001	Mackinst, Mi	1957-76
MOCINESTEL, IN		Contract of the	3C-1301		2003		1947-76
	0.5. 2003	Camago, MI	2C-10K1				91-1361
	U.S. 2004		95 506	•		Constitution Wil	947-76
	U.S. 2005	Kingston, ONT	9/-/961			ESSERVICE M	36°-136
•	U.S.	Port Meller, Off	1961-16				36 530
Toronto Is	3		1967-76	Windsor, ONT			9/- 36
OPT	2		1967-76		CAN. 500	Point Edward, ONT	1965-75
i	2		1967-76				1965-75
		Toronto, Off	1967-76			Goderich, ONT	1966-75
	2008		1967-76	•			1966-75
	CAM. 2007		1967-76	1	CAN. 5005		1967-76
Townston, Old	CM. 208	Cobours, Off	1967-76				
				Lake Michigen	higen		
	into Grita			Milvaukee, Wi	U.S. 7003	Mirackee, Wi	1967-76
	1	Tologo, OH	1967-76		u.s. 7004		1967-76
			9K-1961	il constitution	-	Calumet, it	1967-76
		Standard Off	3C-C307				1967-76
			22-7-20	Green Bax. VI		Mackiner, MI	1967-76
3			27-1301			Cturnent Falls Mi	1967-76
	CME. 3007		1/-/961				1067-76
	. ×008	Port Stanley, Oct	7-/8				AL-1961
	CM. 3009		97-1961		5. 701.		76-1961
	2. 3. 3. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.		967-76	Ireverse City, MI			9/-/96/
	Ca. 30=		1967-76			Mockinew, Mi	2-196
Dettelo. MY		Port Dover, Olf	1967-76				9/-/96
		•	1967-76		٠.	Ludington, Mi	. 92-796
	CM. 3015	Port Colborne, Off	7-1967	Muskegon, MI	u.s. 7007		1967-76
	u.s. 3004	Erie, PA	1967-76		•		
Madade, Off		Bar Point, Off	1967-76	Lake Superior			
		Kingsville, Off	1967-76	Seit.		Ociety, M	1967-74
	COM. NOO?		1967-76	•		Two Herbors, MN	1967-74
	CAN. YOU		1967-76				1967-74
	CAM. 3005		94-76			Marguette, MI	1967-74
				Secit Ste. Marie.	u.s. 9005		94-79
-	tate to Clair			D-60			1967-76
		Course Balas 1 Ct. Clafe	A7-7401				54-781
MINESOL, G	10.5. 4001 11.5. 4002	Shoras, Mi	1967-76				
•	CAN. 4003	Belle River, Off	1967-76				
	- FOOT		57-79				
						•	



RATIO OF OVER WATER TO OVER LAND WIND SPEED

Figure C12



AVERAGE BEACH PROFILE

Figure C13

3.3.3 Offshore Wave Energy

The total wave energy (E_O), per foot of wave crest, approaching the shore in 1 hour is equal to $36000 H_S^2 T$, where H_S is the significant wave height and T the wave period. This value was calculated for each hourly value of H_S and T. The resulting values were then added to provide estimates of total wave energy available by month, year and ice free season (March to December inclusive), regardless of wave direction.

Wave Refraction: As waves move into relatively shallower depths, their velocity and wave length are reduced. As a consequence, the direction of wave travel may be changed and wave energy may be concentrated or reduced at any selected point. For the study, it was assumed that the offshore contours are parallel to a straight shoreline. With that assumption, the following may be written:

$$\sin (\beta) = \frac{C}{C_o} \sin (\alpha)$$
 (See Fig. C-14)


where α is the angle of the offshore waves to the parpendicular of the beach, β is the angle of the waves at the point of breaking, C_O is the deep water wave velocity and C is the wave velocity at the depth at which breaking occurs. Now,

$$C = \underline{qT} \tanh (2\pi \underline{d}),$$

where d is the depth at breaking, T is the wave period and L the wave length (g is the gravitational constant of 32.2 feet/sec/sec). If the ratio of H_S to L_O (the deep-water wave length) is constant then it can be shown that tanh ($2\pi d/L$) is also constant for a given beach slope. A review of wave hindcast data showed that for storm waves on the Great Lakes, the ratio of H_S to L_O is relatively constant and approximately equal to 0.04. Therefore, this value was used for the analysis.


Hence, it follows that the direction of the wave, relative to the shore, at the point of breaking does not vary with wave period and is only dependent on the offshore wave direction. With the straight and parallel offshore contours, the wave height at the point of breaking (H_b) can be written as follows:

$$\frac{H_b}{H_o} = 0.303 \qquad \frac{L_o}{H_o} \quad 1/3$$



WAVE REFRACTION

Figure C14



U. S. REACH 3002 WAVE ENERGY VS. DAMAGE CURVE

Figure C15

The energy at point of breaking (Eb) may be written:

$$E_b = \frac{(\cos \beta)}{(\cos \alpha)} E_o$$

with angle α known, angle β was obtained from sin β = tanh (sin α). 🛵 -

Wave Energy at Point of Breaking: The wave energy at the point of breaking was calculated as described and was then resolved into components perpendicular and parallel to the beach as follows:

Perpendicular component = E_b cos β

Parallel component = $E_b \sin \beta$

3.3.4 Toe-of-Bluff Wave Energy

From the point the wave breaks, it was assumed that the energy was dissippated exponentially after breaking according to the following:

$$\frac{E}{E_b} = \frac{-3}{1.28H + 2.3} \frac{1.28H + Z}{\sqrt{H T \tan \alpha}}$$

where E is the energy at a point with elevation Z above the storm water level and $E_{\rm b}$ is the component of energy at the point of breaking perpendicular to the beach. H is the refracted wave height, T the wave period, and tan α , the beach slope. This equation was solved for all hourly values of wave data using the corresponding water level.

Wave Energy vs. Water Level Curves: By holding monthly mean water levels constant at one-half foot intervals, the breaker energies, wave data, and storm rises were used to derive 10 toe-of-bluff wave energies for each month. These 10 values were averaged to give curves of monthly mean water levels versus average toe-of-bluff wave energy.

3.3.5 Calibration Procedures

In order to be useful in the analysis of erosion damages, the toe-of-bluff energy values were related to dollar damages. For U.S reaches, toe-of-bluff wave energy was calculated for the period of damage data collection using historic water level data. Total accumulated toe-of-bluff energy for this period was equated to the dollar damages for the damage survey period. This, along with the assumption that dollar damages are a linear function of toe-of-bluff wave energies, i.e., a straight line through 2 points (zero energy-zero damage and total accumulated energy-total accumulated damage) permitted the replacement of the toe-of-bluff wave energy axis on the wave energy vs. water level curve with a dollar damage axis. Figure C-15 illustrates this assumption and calculation of the total energy at toe of bluff vs. total damages for a given damage period. The slope of the line is in dollars per unit of energy (\$/E).

For Canadian reaches, stage-energy curves were calibrated using erosion data and toe-of-bluff wave energy from the high water period (1972-1976). The toe-of-bluff wave energy which occurred during that period was equated to erosion damages which could cour in the future, based on property values and erosion rates from the high water calibration period. This resulted in a dollar damage per unit energy which was used to calibrate actual toe-of-bluff wave energy.

Figure C-16 is the stage-damage curve for U.S. Reach 3002 for the month of March as derived using the steps described above for the U.S. shoreline.


3.3.6 Evaluation of Regulation Plans

Erosion damage vs. water level curves were programmed for computer use and regulation plans were evaluated. Monthly mean water level data were inputs to the program and average erosion damages for each month were calculated. Summing the average monthly damages produced an average annual erosion damage value for each regulation plan.

Wearoff of the Effect of Regulation: It was assumed that the shore will, over a period of time, adjust to a change in mean water level, which will result in a reduction and eventual elimination of the effects of changing the mean lake levels. Due to a lack of research data, there is no consensus as to the period of time required for this "wearoff" to occur. Some evidence suggests it could occur as rapidly as 5 years; other evidence suggests it might take 50 years or more. In the absence of any conclusive data upon which to base a judgement, it was decided to assume a uniform rate of wearoff, as was done in the IGLLB Study. Further, this process, for most areas of the Great Lakes shoreline, was assumed to be complete in 50 years. The benefits or losses due to a change in mean water level are then reduced to zero after 50 years. Any benefits or losses due to a compression of the range of stages are not subject to this effect.

A procedure, similar to that utilized in the IGLLB Study, mentioned above, was employed in determining wearoff. If the long-term mean is changed by a regulation plan, wearoff is defined quantitatively as the change in long-term mean from the basis-of-comparison. If the regulation plan decreases the long-term mean, that difference was added to all the monthly mean levels for the period of record. The regulation plan was then reevaluated to calculate average monthly and average annual damages.

The new average annual damage represented the damage at the end of wearoff period (generally, year 50). Using the values of damage for years 1 and 50, and the assumption that wearoff is a straight line function, the average annual damages in the other years were calculated.



The average annual damages for the 50 years were discounted, using an 8.5% interest rate, to obtain a present worth value. From this present worth value an average annual damage was determined. For a reduction in the long-term mean water level, average annual damages after wearoff would be greater than the average annual damages before wearoff. The average annual damage reported for the regulation plan would be between the two calculated averages, due to discounting.

For the U.S. reaches, it was assumed that wearoff occurs at varying rates, dependent upon the shoreline composition. The wearoff was therefore broken down into three main categories: hard, semi-soft and soft. The first category is composed of hard rock bluffs which recede very slowly. For this category the wearoff was assumed to be zero. For the soft category, which included such shore types as sand dunes and glacial moralnes, the wearoff was assumed to occur completely within the 50-year project period. Thus, all of the wearoff (due to a change in mean level) was added to the monthly mean levels when reevaluating the plans. For the semi-soft category, one-half of the wearoff was added to the mean levels when reevaluating to determine average annual damages after wearoff. In other words, the shoreline was assumed to adjust half-way in the 50-year project life, with complete adjustment after 100 years. In Canada, all erodible shorelines were assumed to be soft. Table C-14 lists the wearoff categories for U.S. reaches.

Table C-14 - Wearoff Categories For U.S. Reaches

Lake	Reach	Category	Wearoff Period (years)
Ontario	2001-2005	soft	50
Erie	3001-3003	soft	50
	3004	sem!-soft	100
St. Clair	4001-4002	soft	50
Huron	5001-5005	soft	50
	5006	semi-soft	100
Michigan	7001	hard	-
•	7002-7013	soft	50
Superior	9001, 9006	hard	-
•	9002, 9007	soft	50
	9003-9005	semi-soft	100

3.4 Marine Structures Evaluation Procedure

3.4.1 Introduction

The analysis of effects of regulation plans on coastal marine facilities was based on techniques developed by the Shore Property Subcommittee for the International Great Lakes Levels Board (IGLLB) Study. The evaluation developed at that time consisted of two major categories - recreational boating facilities (marines) and the deterioration of timber substructures.

3.4.2 Marinas

As noted in Section 1.3, Coastal Zone Study Process, the Coastal Zone Subcommittee was given the task to evaluate effects of regulation on marinas. However, since the Environmental Effects Subcommittee (EES) undertook an inventory and comprehensive analysis of recreational boating facilities (marinas) and developed techniques to evaluate the effects of lake levels on these facilities, this evaluation was eliminated as a Coastal Zone Subcommittee responsibility to avoid double-counting this effect.

3.4.3 Timber Substructure Deterioration

The second m for category of the marine structures evaluation was to determine the effect of fluctuating water levels on timber substructures. In reconsidering the data and techniques used in the IGLLB Study, it was determined that dry-rot is no longer a major problem, as in previous years. Dry-rot deterioration occurs when untreated timbers are exposed to dry and wet cycles, which occurs due to lake level fluctuations. Most timber substructures (pilings) presently being installed are treated with crossote to prevent this problem. Those timber substructures that have already deteriorated are, in many cases, being cut off below the low water line and are capped with concrete, precluding a re-occurrence of the problem.

For these reasons this portion of the marine structures evaluation was eliminated as a Coastal Zone Subcommittee responsibility.

3.5 Water Pumping Evaluation Procedure

3.5.1 Introduction

Benefits to water pumping facilities in the form of reduced pumping costs derived from higher lake levels obtained through regulation can be calculated. Conversely, increased pumping costs due to lower lake levels can also be calculated. A pumping benefit will accrue from regulation when the average regulation plan levels are greater than the average levels occurring under basis-of-comparison conditions. Increased pumping costs accrue when the average regulation plan levels are lower than the average basis-of-comparison.

Several assumptions were necessary in order to provide an economic evaluation of the effects of the regulation plans on water pumping. First, it was assumed that extreme low levels do not affect the water treatment costs of the water being pumped. Also, it was assumed that there will be no significant changes in pumping technology during the evaluation period. Electrical power costs (1977) for pumping on the United States side were estimated to average \$0.10 per million foot-gallons. The Canadian evaluations used a rate of \$0.0527 per million foot-gallons, that is, about 5.27 cents to pump one million gallons of water a vertical distance of one foot. Finally, it was assumed that communities and industries would protect pumping and outfall facilities against flooding.

3.5.2 Calculation of Pumping Costs

The change in cost of pumping due to regulation, C, equals the change in average regulated lake stage, S, multiplied by the unit pumping cost per million gallons per foot of head, r, times the volume of water pumped, v. Expressed as a formula, C = rvS, where C is in dollars/year, r is in dollars/million gallons/foot, v is in millions of gallons/year, and S is in feet.

The following is a sample calculation:

Find the total pumping benefit C at Chicago for 1976 for Plan 25N.

Average pumping rate for 1977...991 Million Gallons Per Day (MGD).

Electric power cost per million gallons per foot.. \$0.10/MG feet.

Average 1976 Michigan-Huron Plan 25N stage..579.39 feet.

Average 1976 Michigan-Huron Basis-of-Comparison stage...579.77 feet.

S = 579.39 - 579.77 = -0.38 foot.

 $V = 991 \text{ MGD} \times 365 \text{ days/year} = 361,715MG/year.}$

 $C = $0.10/MG - feet \times 361,715 MG/year \times -0.38 foot = -$13,700/year.$

Since the average annual regulation plan stage is less than the basis-of-comparison stage, S is negative and C represents an increased pumping cost.

The methodology for water pumping was programmed to calculate average annual level comparisons and derive a cost difference between the regulation plan and the basis-of-comparison conditions for each lake.

Pumping volume data from the International Great Lakes Diversions and Consumptive Uses Study Board were utilized in this analysis. Future pumping costs, due to increased consumption, were not developed.

3.6 Sensitivity Analyses

In order to conduct the economic evaluations, it was necessary to make a number of general and specific assumptions regarding physical processes and future development. Sensitivity analyses were conducted to evaluate the effect of altering some of these assumptions. The assumptions used are summarized below.

3.6.1 Assumptions

General: Stormwater level data and wave-energy relationships can represent large reaches of the shore having similar physiographic characteristics and subject to similar storm set-up and wave conditions.

Flooding:

- 1. Flooding damage is a function of peak storm water level.
- 2. Storm rises and monthly mean levels on the Great Lakes are independent.
- 3. The recorded storm rises (generally numbering 20 years for most gages, but as few as 13 years for some gages) provide an adequate representation of the storm climate and occurrence of stormwater levels for the period of record, 1900-1976.
- 4. Lake Ontario outflows, Ottawa River flows, and local St. Lawrence River inflows are independent.
- 5. Stage-damage curves are a function of shore topography and level of development.

Erosion:

- 1. Amount of erosion or damage is directly proportional to the amount of wave energy striking the toe-of-bluff.
- 2. Wind climate over each fetch can be considered similar to the wind climate of the closest inland weather station adjusted to over water conditions.
- 3. Wave climate can be estimated accurately from wind climate using wave hindcasting techniques based on Bretschneider's equations.
- 4. Wind and storm set-up climates for a 10-year period can be used to adequately represent average annual wave-energy for the period of record, 1900-1976.
- 5. Wave energy reaching the toe-of-bluff at a specific representative point of the reach and a representative shore profile is a good indicator of the wave energy reaching the toe-of-bluff over the entire reach.

- 6. Changes in erosion damage resulting from a change in mean lake level will eventually wear off. This is due to the adjustment of the beach profile to the new water level regime.
- 7. Erosion evaluations were not made for the Canadian Reach of the St. Lawrence River since insufficient data were available.

3.6.2 Wearoff Period Sensitivity

Wearoff is the process by which a shore profile will adjust to changes in long-term water levels. If, for instance, the long-term water level decreases, more of the beach and toe-of-bluff area would be uncovered, resulting in less erosion in these areas, but increasing erosion in the nearshore waters. Wearoff is then the process by which the shore profile, over a period of time, builds back to its original configuration. It is not known at this time, due to lack of research in this area, how long it would take the shore profile to revert back to its original shape. To determine the effect of different periods, a sensitivity analysis was conducted which varied the wearoff period.

A sensitivity analysis procedure of varying the wearoff period, showing its effect on regulation benefits was undertaken. The calculations for one reach is presented in Table C-15. Regulation Plan 25N (increasing the Lake Erie outflow by a maximum of 25,000 cfs), which would decrease the long-term average level by 0.59 foot on Lake Erie, was chosen for this example as was U.S. Reach 3002, which has suffered high erosion damages.

The basis-of-comparison average annual erosion damages are about \$1,033,000. The average annual damages for Pian 25N are about \$601,000, before giving any consideration to wearoff. This gives an average annual benefit of \$432,000. The pian was then reevaluated with 0.59 foot added to all the levels and new erosion damages calculated. This gave an average annual damage of \$924,000, or a benefit of \$109,000. This shows that average annual benefits of \$432,000 at the start of the project life can be expected to decrease to \$109,000 after 50 years. It must be noted that these damages are the averages calculated before any discounting.

The wearoff period sensitivity was analyzed by varying the period in which the wearoff was assumed to occur in. That is, if the wearoff process is completed in 25 years, instead of 50, the benefits would be reduced to \$109,000/year after 25 years and the benefits remain at this level for the remainder of the project life. Similarly, if the wearoff process is completed in 5 years, the benefits remain at \$109,000 for the last 45 years of the project life. The benefits were assumed to decrease linearly from year 1 to the point in time when the wearoff process is complete, i.e., decrease from \$432,000 per year to \$109,000 per year in a straight line. It can be shown that this is equivalent to increasing damages in a linear manner.

If this wearoff process occurred instantaneously, there is, in effect, no decrease in erosion attributable to lower lake levels. The only benefits are those that accrue to decreasing the fluctuations of high levels. On the other hand, if the wearoff process takes ar infinite amount of time, i.e., never occurs, then benefits due to decreasing levels are permanent. The benefits are thus greater than with wearoff occurring.

As noted previously, the average annual benefits (before discounting over the project life) for U.S. Reach 3002 under Plan 25N are \$432,000 and \$109,000 before and after wearoff, respectively. The average annual benefits over the project life, when discounted to present worth, would be somewhere between these two and would vary with the interest rate and the length of the assumed wearoff period used. The average annual benefits which accrue when assuming various wearoff periods were calculated. These average annual benefits over the project life were compared to the discounted average annual regulation plan benefits that would accrue when assuming the wearoff process takes 50 years. The results are displayed in Table C-15.

From Table C-15, the discounted average annual benefits for a 50-year wearoff period are about \$355,000. If wearoff occurs instantaneously, erosion benefits would be reduced to \$109,000 per year, or, would be about 31% of the benefits for a 50-year wearoff period. Total benefits, inundation plus erosion, would be about 83% of those for a 50-year wearoff period. If the wearoff is assumed to occur in 25 years (twice as fast) the benefits to erosion for Plan 25N would be about \$290,000 (about 82% of those for a 50-year wearoff period) and the total benefits for erosion and inundation would be reduced by about 4%.

To account for uncertainty in estimating the wearoff period, the Coastal Zone Subcommittee determined that the use of a 5-year wearoff period for a sensitivity analysis was adequate. The results of this analysis were extrapolated to all the other Great Lakes reaches. As shown in Table C-15, erosion benefits would be reduced by 52% and total average annual benefits would be reduced by 13%.

A similar analysis of the effect of varying the wearoff period was done for the Canadian evaluations. It was found that reducing the wearoff period to 5 years would lower erosion benefits by 57% and total benefits by 10% for the Canadian portion of the Great Lakes.

3.6.3 Coastal Zone Development and Affluence Sensitivity Analyses

The international Lake Erie Regulation Study Board made a decision not to include future coastal zone development or increasing affluence in deriving average annual costs and benefits in the coastal zone economic analyses of various regulation plans. However, sensitivity analyses of the effect of future coastal zone development and affluence were done by the U.S. Section of the Coastal Zone Subcommittee at the direction of the Board.

Table C-15 - Effect of Wearoff Period Variation on Benefits Under Regulation Plan 25N U.S. Reach 3002

Wearoff Perlod		enefits ¹ 51,000)	Ratio of Erosion	Ratio of Total
(Yoars)	Eroston	Inundation	Benefits	Benefits
C	109	1,113	0.31	0.83
5	170	1,113	0.48	0,87
10	215	1,113	0.61	0.90
15	245	1,113	0.69	0.92
20	270	1,113	0.76	0.94
25	290	1,113	0.82	0.96
30	306	1,113	0.86	0.97
35	321	1,113	0.90	0.96
40	333	1,113	0.94	0.98
45	345	1,113	0.97	0.99
50	355	1,113	1.00	1.00

¹⁾ discounted over 50-year project life, using 8.5% interest rate.

The U.S. Section of the Coastal Zone Subcommittee determined average and maximum growth rates by lake basin specifically for use in a sensitivity analysis. Maximum growth rates for the basins took into account the remaining non-urban and residential land in the 1,000 foot wide coastal strip. Maximum development assumed the remaining space would be developed in 50 years and is then limited by the amount of open space available. Average growth rates took into account both available land and projected population growth.

The results of this analysis showed that the U.S. portion of Lakes Michigan, Huron, and Ontario could have maximum annual growth rates of about 2% per year over the next 50 years. Lake Superior's maximum annual growth rate was determined to be about 4% per year, while Lake Erie's is about 1% per year. The average annual growth rate for Lakes Superior, Michigan and Ontario was determined to be about 0.6%. Lake Erie and Lake Huron have corresponding rates of 0.9% and 1%, respectively. Lake St. Clair was included with Lake Erie for the purposes of these sensitivity analyses.

Using this information, the effect of average and maximum growth rates on regulation benefits was determined. The assumption was made that average annual damages would increase as the shoreline develops. The average annual damages for each basin and regulation plan were increased by the average and maximum annual growth rates for that basin. This was done for a period of 50 years and discounted. For the U.S. Reaches, average basin-wide growth would increase regulation benefits by a factor of about 1.11 (an 11% increase). If the maximum growth rates were obtained, benefits to the U.S. Reach would increase by a factor of about 1.15 (a 15% increase). It was assumed that there will be no future development in damage-susceptible areas along the Canadian shore. In other words, any future development will occur outside the damage-susceptible areas.

According to OBERS¹ studies, the average real income in the U.S. portion of the Great Lakes Region is expected to increase at a rate of 1.5% per year. This increasing affluence was assumed to be applicable in the Coastal Zone in the value of properties and their contents. The sensitivity analysis used a 1.5% per year increase in shore property value over a 50-year period, which was then discounted to present dollar values. This analysis showed benefits can increase by a factor of about 1.21 (21% increase) over the U.S. portion of the Great Lakes. It has been assumed that there will be no significant increase in property or content values in damage-susceptible areas in the Canadian portion of the Great Lakes-St. Lawrence system.

^{1.} An acronym derived from the Office of Business Economics (OBE), U.S. Department of Commerce and the Economic Research Service (ERS), U.S. Department of Agriculture.

3.6.4 Meteorological Sensitivity

The inundation evaluation procedures (see Section 3.1) used both monthly mean levels and stormwater rises. As wind set-up (stormwater rise) reflects meteorological conditions, two sensitivity analyses were conducted on the stormwater rises (rises). U.S. Reach 3002, on the western portion of Lake Erie, was chosen as a test reach.

The first sensitivity analysis varied the period of rise data. For most of the Great Lakes reaches, both U.S. and Canadian, 20 years of rise data were used. However, due to lack of a complete data base, as few as 13 years of data were used on some reaches. To see if a shorter or longer data base would affect the results, the data base was varied from 10 to 40 years.

The sensitivity analysis showed that by increasing the data base from 20 to 40 years the basis-of-comparison damages would decrease by about 0.5 to 1% and the benefits due to regulation would decrease by about 2.0%. When the 40 years of data were broken down into four 10-year data bases, the benefits for each data base showed similar decreases.

The second sensitivity analysis for meteorological data, in relation to inundation, utilized various frequency distributions for the rise and monthly mean lake level data in order to incorporate data extremes reflected in probability distributions which may not show up in a limited period of recorded data.

The combined rises and monthly mean lake levels, i.e., stormwater levels, (see Section 3.1.3) were represented individually by five frequency distributions. The Chi-square goodness of fit test was used to find the distribution which best represented the stormwater levels. Using that distribution and the stage-damage curve for Reach 3002, average basis-of-comparison damages were determined. It was found that these damages varied about plus or minus 8% from those determined using actual recorded data instead of probability distributions for storm rise and monthly mean water levels.

Based on these sensitivity analyses, it was determined that the use of as few as 10 years of meteorological data (rises), as applied in the inundation model, appears to adequately represent wind set-up conditions. It has been noted, however, that the fewest number of years of data used was 13. Further, based on the two sensitivity analyses described above, it was determined that the record of storm rises used provided an adequate representation of the storm climate and no adjustment was needed to the inundation damages/benefits.

With regard to the meteorological data used in the erosion evaluation, the wave hindcasting for the evaluation of erosion damages used 10 years of recorded wind data. A 10-year record has been stated as "generally accepted to be of sufficient length for wind frequency distribution analysis" in a publication of the Meteorological Branch of the Canadian Department of Transport. The wind data were used directly in wave hindcasting rather than for the calculation of a frequency analysis. This may have resulted in a slight underestimation of wave energies, but it was considered that this approach was satisfactory in light of the degree of accuracy of other data used as input to the wave hindcasting.

3.6.5 Damage Data Sensitivity - U.S. Reaches

In response to concerns raised by the Board's Ad Hoc Economics Working Group, and to clarify procedures utilized by the States in the 1972-1976 Shoreline Damage Surveys, a detailed and comprehensive review of the Damage Surveys of the States of New York, Ohio, and Michigan was carried out. The combined total damages of these three States represented over 80% of the total damages for the survey period between 1972 and 1976. Results of the review were applied to the remainder of the data for the other five States.

State of New York: There are nine counties in the State of New York which have Great Lakes shoreline. These counties were surveyed in three groups: Monroe County by the Buffalo District of the Corps of Engineers; Wayne, Cayuga, Jefferson and St. Lawrence Counties as a group by the St. Lawrence-Eastern Ontario Commission; and, Chautauqua, Erie, Niagara, and Orleans Counties as a group by the St. Lawrence-Eastern Ontario Commission.

The eight counties surveyed by the St. Lawrence-Eastern Ontario Commission were reviewed with respect to two major concerns. The first concern was with the extrapolation of the census data for the "non-normal" residential properties. The non-normal group represented the extreme (high) values of assessed property values, or 5% of all residential properties in a given reach. The remaining 95% of the residential properties were grouped as "normal" and were subjected to a random sampling process where a 20% random sample was determined and question-naires were mailed. For obtaining damages of the non-residential properties a census was conducted in all cases.

in conducting the census for the non-normal properties all properties selected were sent questionnaires. When the census results were totalled, they were extrapolated to a response rate of 100%, regardless of the actual response rate. If, for example, half of the mailed questionnaires for a region were completed, the total damages reported were then doubled to account for the remaining one-half who did not respond - assuming non-respondents had damages/property values comparable to respondents. This extrapolation of the actual reported non-normal damages added about 4.6% to the total damages (including residential and non-residential).

An adjustment to the total damages was applied to correct for (take out) this extrapolation of the non-normal census data as it is recognized that census data are not extrapolated. The stage-damage curves used reflect this adjustment.

The second area of concern regarding the U.S. damage data related to the handling of non-respondents in the extrapolation of the normal residential property damages. Response rates for completed questionnaires were calculated and the respective damages were linearly projected using the average damage per reported property applied to all properties in the reach. This assumed that the non-respondents to the survey had damages equal to the average damage of the respondents. This assumption was neither confirmed nor rejected through field testing. In order to determine the possible range of upward bias which may have been introduced by applying this assumption in the calculation of extrapolated damages an analysis using the assumption that all non-respondents had zero damages was carried out. The result of this analysis was that an amount equal to 15% of the total compiled damages in each State could be attributed to the use of the original assumption.

State of Ohio: The State of Ohio damage data were entirely for lake Erie. In reviewing the survey conducted by Ohio State University for the Corps of Engineers, an error in programming was located in the projection procedure used for the handling of non-respondents to the residential normal survey. This error was corrected and the program rerun to calculate an accurate extrapolation using the standard procedure. The difference between the original and recalculated extrapolated normal residential damages was 32% of the original total State compiled damages. That is, damages had previously been overestimated by 32%. The totals employed in the evaluations were adjusted to reflect the new totals. After making this correction, and in light of the concerns noted for the State of New York, two determinations were reached. First, the amount of damages attributable to the extrapolation of the non-normal residential survey damages was about 5.0% of the total State compiled damages. The damages used in the evaluation programs were adjusted to correct for this amount. Secondly, if all normal population non-respondents had vero damage, the maximum over-estimation of total damages would be about 36%.

State of Michigan: The State of Michigan has shoreline on five of the six Great Lakes. It accounts for more than 50% of U.S. shoreline damages. The same two areas of analysis were investigated in Michigan as in the two states described above. The extrapolation of censused non-normal residential damages was 4.6% of the total damages. The damage curves were adjusted to account for this amount.

The maximum range of possible overestimation of total damages for the State of Michigan is 33%, if all normal population non-respondents to the survey had zero damage. Upper Limit Analysis: In order to estimate an upper range of the damage data, Operation Foresight data were utilized. While the damages reported by each State from its surveys represent the best available information on damages which actually occurred, there is uncertainty inherent in any survey. As an indicator of the amount of damages which were not included in the damage surveys, the costs of Operation Foresight actions on a lake by lake basis were determined.

A total of almost \$27 million was spent on temporary shore protection for the high water period, which was the same period included in the damage surveys. An estimated additional \$132 million in damages were prevented by this temporary protection.

In other words, if it were not for the temporary protection provided by Operation Foresight, the total damages incurred would have been at least 50% more than that estimated by the damage survey. It was determined that, at a minimum, the \$27 million actually spent on temporary protective works could be used as an additional increment of damages (on the premise that the temporary projects prevented at least as much damage as the cost of the works) to indicate a possible upper limit to be applied to the damage estimates.

Based upon the Operation Foresight costs spent per lake, and the proportion of damages from the surveys, a weighted average upper limit damage estimate for the whole Great Lakes system was determined to be a 16% increase over the surveyed damage estimate.

It should be noted that costs of protection are not included in the stage-damage curves utilized in the evaluations. The reported costs of protection exceeded \$150 million during the four-year survey period and the \$27 million is being used here only as a conservative estimate of additional damages, not accounted for by the damage survey data, in order to estimate the possible upper limit uncertainty of the damage data estimates.

Summary: Detailed investigations into three State damage surveys were carried out within the constraints of the projects being conducted several years ago and each state being handled by a separate surveying agency. Many of the personnel involved with the survey were no longer available for comment and the Coastal Zone Laboratory of the University of Michigan (which handled the Michigan survey) has closed completely. The two areas of analysis gave similar results for all three states. The result of extrapolation of the non-normal censused residential population damages was about a 5% over-estimation. All stage-damage curves were adjusted accordingly. The range of possible over-estimation of damages due to the handling of nonrespondents in the normal residential survey was 15% to 36%. A weighted average for the total range of the three states damages was 30%. In other words, the maximum lower range of damages is 30% less than that used in the U.S. evaluations.

Based on the Operation Foresight cost and damage analysis, a weighted average upper limit damage estimate would be an approximate 16% increase in damages. Therefore, the range of U.S. shore Great Lakes damage data can be expected to fall within the upper and lower range of +16% and -30%, respectively.

in each case, for the three states evaluated, the damage data were reanalyzed, corrected where necessary, and determined to be the best extimate of Great Lakes damages for the U.S. shoreline. Because these data analyses represent 80% of the damages of the U.S. Great Lakes shoreline, the review results were considered applicable to the remainder of the damage data for the other five states surveyed.

3.6.6 Damage Data Sensitivity - Canadian Reaches

Great Lakes Flood Damages: The primary source of data for the evaluation of Great Lakes flood damages was the Canada-Ontario Great Lakes Shore Damage Survey conducted in 1973 which calculated flood damages of \$8.0 million for the period November 1972 to November 1973. A review of the basic data indicated that some damage items were open to interpretation as to whether a reduction in future high levels would create benefits due to prevention of a reoccurrence of these damages. The complete elimination of these items reduced the damages to \$4.4 million. It was felt that the best estimate of damages applicable to the evaluation of Lake Erie regulation lies between the two extremes. As a compromise, the midpoint of \$6.2 million was chosen, while the two extremes were chosen as the upper and lower limits of the sensitivity analysis. This gave a possible range of \pm 29% for the benefits from reduction of flood damages, which is equivalent to a range of ± 26% on the total benefits for the Canadian reaches of the Great Lakes. The inundation stage-damage curves were calibrated using the \$6.2 million damage total.

Quebec Flood Damages: The primary source of data for the evaluation of the Canadian reach of the St. Lawrence River were payments made under the governmental financial assistance program following the 1974 and 1976 flood events. Since these compensation programs excluded some damages, attached upper limits to others and had deductible amounts, payments were adjusted to determine total damage figures (see Table C-10). For the residential sector, a factor of 2.49 was used to evaluate total damage estimates; factors of 2.25 and 2.75 were used to determine the sensitivity of the adjustment factor. As a result of this analysis, it was determined that the average annual damages calculated for each regulation plan were only slightly affected by the damage adjustment factor.

Erosion Damages: Three major data items formed the basis of the erosion stage-damage curves - wave hindcast data, recorded erosion rates, and assessed property values. No easily-applicable, accurate method was available to estimate the effect of varying the assumptions inherent in the calculation and application of these data items. For this reason, no sensitivity analysis was performed for the evaluation of erosion damages.

3.6.7 Shore Profile Parameters

Section 3.6.4 discussed the effect of meteorological data on the inundation evaluation methodology. No similar analysis was done on meteorological data as they relate to the erosion evaluation methodology. However, some of the parameters inherent in the erosion evaluation methodology could impact on the determination of toe-of-bluff energies and are discussed below.

A number of assumptions were needed to define an erosion evaluation procedure. Among these were a simplified shore profile - single beach slope and toe-of-bluff elevation per reach. These were addressed in qualitative terms.

If the beach slope used on a particular reach were to be decreased (made more horizontal), this would cause incoming waves to break farther from the toe of the bluff. This would have the effect of decreasing the energy reaching the bluff, the energy being dissipated in turbulence and friction. Regulation plans that decrease the water levels would then cause the waves to break even further from the bluff toe with subsequent decreased energy reaching the bluff toe. This would cause a greater difference between the basis-of-comparison and the regulation plan, effectively increasing benefits. On the other hand, if the beach slope was increased, the opposite effect could be expected, with a subsequent decrease in benefits.

In a similar manner, the elevation of the toe of the bluff could affect erosion. The basic premise of the erosion methodology is that erosion is caused by wave energy striking the toe of the bluff. If the elevation of the toe is increased this makes it more inaccessible to wave energy. Those plans which decrease the water levels would, consequently, have even less energy striking the bluff toe. This would cause an increase in benefits. Conversely, if the toe of bluff elevation were lowered the relative difference between plans (the benefits) would be decreased. Note that with a single beach slope, raising the toe of bluff elevation has the same effect as decreasing the beach slope. Although these two parameters could have a significant impact on the determination of energy in the wave hindcasting, sensitivity analyses that varied these parameters were not carried out due to the time constraints.

3.6.8 Summary of Sensitivity Analyses

U.S. Reaches: The sensitivity analyses as discussed previously can be applied to the evaluation results as multiplicative factors. Two sets of factors are considered —— those that either increase or decrease the reported benefits/losses. The factors are:

	Lower Range	Upper Range
Wearoff Period	0.81	1.00
Development	1.00	1.15
Aff Luence	1.00	1.21
Damage Data	0.70	1.16
Cumulative Effect	0.57	1.61

These factors represent basin-wide effects, so that the total average annual benefits or losses for the U.S. portion for a regulation plan could be multiplied by a single factor. The factors would vary for individual lakes.

Canadian Reaches: The sensitivity analyses developed for Canadian reaches benefits/losses can similarily be summarized. The factors are:

	Lower Range	Upper Range
Damage Data - Great Lakes	0.74 0.90 ²	1.26
Wearoff Period Cumulative Effect	0.90-	$\frac{1.00}{1.26}$
Total (Canada and U.S.)	0.62	1.57

¹⁾ Sensitivity analyses carried out for damage data in the Canadian Reach determined these to have no significant impact.

²⁾ Varies slightly with lake and regulation plan.

Section 4

EVALUATION OF REGULATION PLANS

4.1 Regulation Plan 25N

Regulation Plan 25N was discussed in Section 1.6.1. As discussed in Section 1.6.4, Lake Ontario regulation was considered in four Categories. Of these, three were analyzed by the Coastal Zone Subcommittee. Tables C-16 and C-17 show the economic evaluations for Categories 1, 2, and 3 using average annual and present worth dollars, respectively, to show benefits and losses against the basis-of-comparison and Category 3 evaluations against the adjusted basis-of-comparison, described in Section 1.7. It can be seen from Table C-16 that Plan 25N would accrue net average annual benefits system-wide of about \$5 million. Sensitivity analyses show these net benefits can range from about \$3 million to \$8 million. Table C-17 presents the results of Table C-16 in present value dollars to the system. Section 5.5 presents a detailed discussion of the benefit or loss to the various interests for Plan 25N.

4.2 Regulation Plan 15S

Regulation Plan 15S was discussed in Section 1.6.2. Tables C-18 and C-19 show the economic evaluations for Categories 1, 2 and 3 using average annual and present worth dollars, respectively, to also show benefits and losses against the bases-of-comparison. It can be seen from Table C-18 that Plan 15S would accrue about \$2½ million net average annual benefits system-wide. Sensitivity analyses put a range on the net average annual benefits of about \$1½ million to \$3½ million. Table C-19 shows what the net average annual benefits over a 50-year project life would be worth at present. Section 5.6 presents a detailed discussion of the benefit or loss to the various coastal zone interests for Plan 15S.

4.3 Regulation Plan 6L

Section 1.6.3 of this Appendix discussed Regulation Plan 6L. Tables C-20 and C-21 show the economic evaluations for Categories 1, 2 and 3 using average annual and present worth dollars, respectively, to show benefits and losses against the bases-of-comparison. Table C-20 shows that about \$1 million net average annual benefits can be expected to accrue to coastal zone interests per year under Plan 6L. Sensitivity analyses place a range on the net average annual benefits of about \$\frac{1}{2}\$ million to \$1\frac{1}{2}\$ million. Table C-21 shows these net average annual benefits when expressed in present worth. Section 5.7 presents a detailed discussion of the benefit or loss to coastal zone interests under Plan 6L.

Table C-16 - Summary of Average Annual Economic Effects by Lake and Country - Regulation Plan 25N (\$000)

		Dama:	g es Plan	Calculated Benefit (+)	Sensitivi	ty Range
Lake/River	•	Comparison		or Loss (-)	Lower	Upper
Superior	U.S.	2,005	1,942	: + 63 :	+ 36	+ 101
•••	Can.	0	2	: - 2:	- 2	- 2
Michigan	u.s.	10,283	9,718	: + 565 :	+ 322	+ 910
Huron	U.S.	2,920	2,515	: + 405 :	+ 231	+ 652
C+ 01-1-	Can.	492	459	: + 33 :	+ 5	+ 44
St. Clair	U.S. Can,	858 442	366 101	: + 492 : : + 341 :	+ 262 + 238	+ 795 + 434
Erle	U.S.	11,689	8,516	: + 341 : : +3,173 :	+1,809	+5,109
LI 1 0	Can.	658	399	: + 259 :	+ 144	+ 326
Ontario	U.S.	4,420	4,551	: - 131 :	- 75	- 211
(Cat. 1)	Can.	780	796	: - 16 :	- 12	- 20
St. Law.	Can.	1,873	1,884	: - 11 :	- 11	- 11
(Cat. 1)						
Total (Cat	. 1)	36,420	31,249	: +5,171 :	+2,967	+8,127
Ontario	U.S.	4,420	4,682		- 149	- 422
(Cat. 2)	Can.	780	778	: + 2:	+ 19	- 2
St. Law.	Can.	1,873	1,959	<u>: - 86 :</u>	<u>- 86</u>	<u>- 86</u>
Total (Cat	. 2)	36,420	31,437	: +4,983 :	+2,849	+7,859
Ontario	u.s.	4,420	4,451		- 18	- 52
(Cat. 3)	Can.	780	751	: + 29 :	+ 34	+ 32
St. Law.	Can.	1,873	2,152	<u>: - 279 :</u>	<u>- 279</u>	<u>- 279</u>
Total (Cat	1. 3)	36,420	31,373	: +5,047 :	+2,802	+8,070
		Adjusted Basi	s-of-Com	nparison		
Ontario	U.S.	4,349	4,452	: - 103 :	- 58	- 166
(Cat. 3)	Çan.	754	759	:- 5:	+ 3	- 9
St. Law.	Can.	2,026	2,152	<u>: - 120 :</u>	- 126	- 126
Total (Cat	1. 3)	36,476	31,381	: +5,095 :	+2,884	+8,068

to the same of the same

Table C-17 - Summary of Present Value of Economic Effects by Lake and Country - Regulation Plan 25N (\$000,000)

		Dama Basis-of-		Calcaulated Benefit (+)	Sensitiv	ity Range
Lake/River	,	Compariso		or Loss (-)	Lower	Upper
						
Superior	U.S.	23.19	22.46	:+ 0.73:	+ 0.42	+ 1.18
	Can.	0	0.02	:- 0.02:	- 0.02	- 0.02
Michigan	U.S.	118.93	112.39	:+ 6.54:	+ 3.73	+10.53
Huron	u.s.	33.77	29.09	:+ 4.68:	+ 2.67	+ 7.53
	Can.	5.69	5.31	:+ 0.38:	+ 0.06	+ 0.51
St. Clair	U.S.	9.92	4.21	:+ 5.71:	+ 3.25	+ 9.19
	Can.	5.11	1.17	:+ 3.94:	+ 2.75	+ 5.02
Erie	U.S.	135.19	98.49	:+36.70:	+20.92	+59.09
	Can.	7.61	4.61	:+ 3.00:	+ 1.67	+ 3.77
Ontario	U.S.	51.12	52.63	:- 1.51:	- 0.87	- 2.44
(Cat. 1)	Can.	9.02	9.21	:- 0.19:	- 0.14	- 0.23
St. Law.	Can.	21.66	21.79	<u>:- 0.13:</u>	<u>- u.13</u>	- 0.13
Total (Cat	. 1)	421.21	361.39	:+59.83:	+34.31	+94.00
Ontario	U.S.	51.12	54.15	:- 3.03:	- 1.73	- 4.88
(Cat. 2)	Can.	9.02	9.00	:+ 0.02:	+ 0.22	- 0.02
St. Law.	Can.	21.66	22.66	:- 1.00:	- 1.00	- 1.00
Total (Cat	1. 2)	421.21	363.56	:+57.65:	+32.94	+90.90
Ontario	U.S.	51.12	51.49	:- 0.37:	- 0.21	- 0.60
(Cat. 3)	Can.	9.02	8.68	:+ 0.34:	+ 0.39	+ 0.37
St. Law.	Can.	21.66	24.89	<u>:- 3.23:</u>	<u>- 3.23</u>	<u>- 3.23</u>
Total (Ca	1. 3)	421.21	362.81	:+58.40:	+32.40	+93.34
		Adjuste	d Basis-of	F-Comparison		
Ontario	U.S.	50.30	51.49	:- 1.19:	- 0.67	- 1.92
(Cat. 3)	Can.	8.72	8.78	;- 0.06;	+ 0.03	- 0.10
St. Law.	Can.	23.43	24.89	:- 1.46:	- 1.46	- 1.46
Total (Ca	t. 3)	421.86	362.94	:+58.92:	+33.35	+93.32

Table C-18 - Summary of Average Annual Economic Effects by Lake and Country - Regulation Plan 158 (\$000)

		Damage	es Plan	Calculated Banefit (+)	Sensitivi	ty Range
Lake/River		Basis-of- Comparison		or Loss (-)	Lower	Upper
rave\!\!Aai		Compar 13011		<u> </u>		
Superior	u.s.	2,005	1,981	:+ 24:	+ 14	+ 39
	Can.	0	1	:- 1:	- 1	- 1
Michigan	U.S.	10,283	10,052	:+ 231:	+ 132	+ 372
Huron	U.S.		2,749	:+ 171:	+ 97	+ 275
	Can.	492	475	:+ 17:	+ 5	+ 23
St. Clair	U.S.		610	:+ 248:	+ 141	+ 399
	Can.	442	245	:+ 197:	+ 138	+ 252
Erle	U.S.	11,689	10,171	:+1,518:	+ 865	+2,444
	Can.	658	515	:+ 143:	+ 85	+ 179
Ontario	U.S.		4,534	:- 114:	- 65	- 184
(Cat. 1)	Can.	780	786	:- 6:	- 1	- 8
St. Law.	Can.	1,873	1,917	: <u>- 44</u> :	<u>- 44</u>	- 44
Total (Cat	. 1)	36,420	34,036	:+2,384:	+1,366	+3,746
Ontario	U.S.	4,420	4,600	:- 180:	- 103	- 290
(Cat. 2)	Can.	, 780	770	:+ 10:	+ 21	+ 8
St. Law.	Can.	1,873	1,953	: <u>- 80</u> :	<u>- 80</u>	<u>- 80</u>
Total (Cat	. 2)	36,420	34,122	:+2,298:	+1,314	+3,620
		•				
Ontario	U.S.	• .	4,406	:+ 14:	+ 8	+ 22
(Cat. 3)	Can.		750	:+ 30:	+ 31	+ 35
St. Law.	Can.	. <u>1,873</u>	2,164	: <u>- 291</u> :	<u>- 291</u>	<u>- 291</u>
Total (Cat	. 3)	36,420	34,119	:+2,301:	+1,224	+3,748
		Adjusted	Basis-of	-Comparison		
Ontario	u.s		4,406	:- 57:	- 32	- 92
(Cat. 3)	Can		758	:- 4:	0	- 5
St. Law.	Can	2,026	2,164	: <u>- 138</u> :	<u>- 138</u>	<u>- 138</u>
Total (Cat	t. 3)	36,476	34,127	:+2,349:	+1,306	+3,747

Table C-19 - Summary of Present Value of Economic Effects by Lake and Country - Regulation Plan 155 (\$000,000)

	Dam Basis-of-	ages Plan	Calculated Benefit (+)	Senel+lv	ity Range
Lake/River	Comparison		or Loss (-)	Lower	Upper
Superior U.S.	23.19	22.91	:+ 0.28:	+ 0.16	+ 0.45
Can.	0	0.01	:- 0.01:	- 0.01	- 0.01
Michigan U.S.	118.93	116.26	:+ 2.67:	+ 1.53	+ 4.30
Huron U.S.	33.77	31.79	:+ 1.98:	+ 1.12	+ 3.18
Can.	5.69	5.49	:+ 0.20:	+ 0.06	+ 0.27
St. Clair U.S.	9.92	7.05	:+ 2.87:	+ 1.63	+ 4.61
Can.	5.11	2.83	:+ 2.28:	+ 1.60	+ 2.91
[rie U.S.	135.19	117.63	:+17.56:	+10.00	+28.27
Can.	7.61	5.96	:+ 1.65:	+ 0.98	+ 2.07
Ontario U.S.	51.12	52.44	: - 1.32:	- 0.75	- 2.13
(Cat. 1) Can.	9.02	9.09	:- 0.07:	- 0.01	- 0.09
St. Law. Can.	21.66	22.17	: <u>- 0.51</u> :	<u>- 0.51</u>	<u>- 0.51</u>
Total (Cat. 1)	421.21	393.65	:+27.57:	+15.80	+43.32
Ontario U.S.	51.12	53.20	:- 2.08:	- 1.19	- 3.35
(Cat. 2) Can.	9.02	8.90	:+ 0.12:	+ 0.24	+ 0.09
St. Law. Can.	21.66	22.59	: <u>- 0.93</u> :	<u>- 0.93</u>	<u>- 0.9</u> 3
Total (Cat. 2)	421.21	394.62	:+26.59:	+15.19	+41.86
Ontario U.S.	51.12	50.96	:+ 0.16:	+ 0.09	+ 0.25
(Cat. 3) Can.	9.02	8.67	:+ 0.35:	+ 0.36	+ 0.41
St. Law. Can.	21.66	<u>25.03</u>	: <u>- 3.37</u> :	<u>- 3.37</u>	<u>- 3.37</u>
Total (Cat. 3)	421.21	394.59	:+26.62:	+14.15	+43.34
	Adjus	ted Basi	s-of-Comparison		
Ontario U.S.	50.30	50.96	:- 0.66:	- 0.37	- 1.06
(Cat. 3) Can.	8.72	8.77	:- 0.05:	٥	- 0.06
St. Law. Can.	23.43	25.03	: <u>- 1.60</u> :	- 1.60	- 1.60
Total (Cat. 3)	421.86	394.69	:+27.17:	+15.10	+43.33

Table C-20 - Summary of Average Annual Economic Effects by Lake and Country - Regulation Plan 6L (\$000)

		Damages Basis-of-	Plan	Calculated Benefit (+)			lvity Range
Lake/Rive	<u> </u>	Comparison	6L	or Loss (-)		Lower	Upper
Superior	U.S. Can.	2,005 0	1,998 0	+ 7	+	4 0	+ 11 0
Michigan	U.S.	10,283	10,194	+ 89	+	51	+ 143
Huron	U.S.	2,920	2,853	+ 67	+	38	+ 108
1101 011	Can.	492	484	+ 8	+	3	+ 10
St. Clair		858	758	+ 100	+	57	+ 161
	Can.	442	356	+ 86	+	60	+ 110
Erie	U.S.	11,689	11,085	+ 604	+	344	+ 972
_, ,,	Can.	658	595	+ 63	+	38	+ 78
Ontario	U.S.	4,420	4,449	- 29	-	17	- 47
	Can.	780	771	+ 9	+	10	+ 10
St. Law.	Can.	1.873	1,855	+ 18	+	18	+ 18
Total (Ca	†. 1)	36,420	35,398	+1,022	+	606	+1,574
Ontario	u.s.	4,420	4,510	- 90	-	51	- 145
(Cat. 2)	Can.	780	760	+ 20	+	26	+ 21
St. Law.	Can.	<u>1,873</u>	1,870	+ 3	+	3	+ 3
Total (Ca	<u>†. 2)</u>	36,420	35,463	+ 957	+	573	+1,472
Ontario	U.S.	4,420	4,366	+ 54	4	31	+ 87
(Cat. 3)	Can.	780	44	+ 36	+	35	+ 42
St. Law.	Can.	1,873	2,035	<u>- 162</u>	=	162	<u>- 162</u>
Total (Ca	t. 3)	36,420	35,468	+ 952	+	499	+1,560
		Adj	usted Ba	sis-of-Compariso	n		
Ontario	U.S.	•	4,366	- 17	-	10	- 27
(Cat. 3)	Can.		751	+ 3	+	5	+ 3
St. Law.	Can	2,026	2,035	<u>- 9</u>	=	9	<u>- 9</u>
Total (Ca	t. 3	36,476	35,475	+1,001	+	581	+1,560

Table C-21 - Summary of Present Value of Economic Effects by Lake and Country - Regulation Plan 6L (\$000,000)

			eges	Calculated	Caralti.	
Lake/Rive		Basis-of- Comparison	Plan 6L	Benefit (+) or Loss (-)	Lower	ity Range Upper
Careyitte	! -	Compat 13011		01 LOSS (-/	LOWEI	Opper
Superior	U.S.	23.19	23.11	:+ 0.08:	+ 0.05	+ 0.13
	Can.	0	0	:+ 0:	+ 0	+ 0
Michigan	U.S.	118.93	117.90	:+ 1.03:	+ 0.59	+ 1.65
Huron	U.S.	33.77	33.00	:+ 0.77:	+ 0.44	+ 1.25
	Can.	5.69	5.60	:+ 0.09:	+ 0.03	+ 0.12
St. Clair	U.S.	9.92	8.77	:+ 1.15:	+ 0.66	+ 1.86
	Can.	5.11	4.12	:+ 0.99:	+ 0.69	+ 1.27
Erle	U.S.	135.19	128.20	:+ 6.9 9:	+ 3.98	+11.24
	Can.	7.61	6.88	:+ 0.73:	+ 0.44	+ 0.90
Ontario	U.S.	51.12	51.46	:- 0.34:	- 0.20	- 0.54
	Can.	9.02	8.92	:+ 0.10:	+ 0.12	+ 0.12
St. Law.	Can.	21.66	21.45	<u>:+ 0.21:</u>	+ 0.21	+ 0.21
Total (Ca	†. 1)	421.21	409.41	:+11.80:	+ 7.01	+18.21
Ontario	U.S.	51.12	52.16	:- 1.04:	- 0.59	- 1.68
(Cat. 2)	Can.		8.79	:+ 0.23:	+ 0.30	+ 0.24
St. Law.	Can.	21.66	21.63	<u>:+ 0.03:</u>	+ 0.03	+ 0.03
Total (Ca	† . 2)	421.21	410.16	:+11.05:	+ 6.62	+17.01
Ontario	U.S.	51.12	50.49	:+ 0.63:	+ 0.36	+ 1.01
(Cat. 3)	Can.	9.02	8.60	:+ 0.42:	+ 0.40	+ 0.48
St. Law.	Can.	21.66	<u>23.53</u>	<u>:- 1.87:</u>	<u>- 1.87</u>	<u>- 1.87</u>
Total (Ca	t. 3)	421.21	410.20	:+14.01:	+ 5.77	+18.04
	•					
		Ad	usted Ba	sis-of-Comparison		
Ontario	u.s.		50.50	:- 0.20:	- 0.12	- 0.31
(Cat. 3)	Can.	8.72	8.70	:+ 0.02:	+ 0.05	0
St. Law.	Can.	23.43	23.53	<u>:- 0.10:</u>	- 0.10	- 0.10
Total (Ca	<u>†. 3)</u>	421.86	410.31	:+11.55:	+ 6.71	+18.01

Section 5

SUMMARY

5.1 General

The purpose of this appendix has been to identify and analyze the processes causing damage to the coastal zone of the Great Lakes and their connecting channels. Having identified and analyzed these processes, the benefits and losses of limited control of lake level fluctuations through limited regulation of Lake Erie were analyzed.

In identifying the processes that cause inundation, it was determined that the coastal zone inundation damages vary with the still-water (mean) level and the wind-generated temporary increase in water level at a specific location. The total elevation of these two levels has been termed the stormwater level. In identifying the processes that cause erosion in the coastal zone, it was assumed that erosion varies directly with the amount of the wave energy reaching the toe of the shore bluff.

Water pumping facilities are also affected by lower water levels, resulting in increased pumping costs.

Three regulation plans were selected to be evaluated and the results of these evaluations on inundation, erosion and water pumping are summarized in this section. The economic evaluations are average annual losses or benefits, rounded to the nearest one thousand dollars. Table C-22 presents the total net benefits for the Great Lakes-St. Lawrence system under the three regulation plans.

5.2 Inundation

The methodology used to evaluate inundation differs from previous studies in that stormwater levels were used as an index of inundation damages. For the United States coastal zone, damage data were based on the four-year damage survey of Labor Day, 1972 to Labor Day, 1976. For the Canadian portion of the Great Lakes, the Canada-Ontario Great Lakes Shore Damage Survey, covering the period of November, 1972 to November, 1973, provided the inundation damage data. The Canadian Reach of the St. lawrence River used the 1974 and 1976 inundation damage events as the basis for damages. No money spent on construction of new protective works to prevent or alleviate inundation and/or erosion damages were included in the data utilized.

Table C~22 - Summary of Coastal Zone Net Benefits 1

	Λverage	Annual Bene (\$000)	ofits		Value of E (\$000,000)	
			Cate	gory (
	6L	158	25N	6L	158	25N
U.S. Can.	838	2,073 306	4,567	9.70	24.03	52.83
Total	184 1,022	2,384	604 5,171	2.12 11.82	3.54 27.57	<u>6.98</u> 59.81
10141	1,022	2,304		gory 2	21,31	77.03
				•		
U.S. Can.	777 <u>180</u>	2,012 286	4,436 <u>547</u>	9.00 2.07	23.28 <u>3.31</u>	51.31 <u>5.32</u>
Total	957	2,298	4,983	11.07	25.59	57.63
			Categ	ory 3		
U.S.	921	2,206	4,666	10.65	25.51	53.97
Can.	31	95	381	0.36	1.10	4.40
Total	952	2,301	5,047	11.01	26.61	58.37
		Categor	y 3 (Adjuste	d Basis-of-Com	nparison)	
U.S.	850	2,135	4,595	9.83	24.69	53.14
Can.	151	214	500	1.75	2.48	5.78
Total	1,001	2,349	5,095	11.58	27.17	58.92
		•				
		Sens	itivity Anal	yses - Uppar t	_Imit	
Cat. 1	1,574	3,746	8,127	18.21	43.32	94.00
Cat. 2 Cat. 3	1,472 1,560	3,620 3,748	7,859 8,070	17.02 18.04	41.86 43.35	90.09
Cat. 3 ²	1,560	3,747	8,068	18.04	43.34	93.33 93.31
		Sen	sitivity Ana	lyses - Lower	Limit	
Cat. 1	605	1,366	2,967	7.01	15.80	34.31
Cat. 2	573	1,314	2,849	6.63	15.20	32.94
Cat. 3	499	1,224	2,802	5.77 6.72	14.16	32.41
Cat. 3	581	1,306	2,884	6,72	15.10	33.36

⁽¹⁾ Comprising reduced erosion, inundation and pumping costs.(2) Using the adjusted basis-of-comparison.

for the Great Lakes, stormwater stage-damage curves were developed from a number of information sources. These curves were calibrated to the survey period damages by using the recorded stormwater levels of the damage survey periods. Development of a relationship between stormwater levels and damages assumes that the two elements of a damaging event, acting independently or in combination, are capable of producing damage to the coastal zone real estate. In other words, even at low or average mean lake levels, severe storms can cause inundation damage; conversely, at high mean lake levels a small storm can damage the coastal zone. Monthly damages may be caused not only by a once-a-month peak stormwater level, but also by other lower levels during the month. Thus, the stormwater levels are only an index of damage capacity. Estimated average inundation damages were determined for each month and added to obtain an average annual damage. The average annual damages developed by this methodology are thus an indication of the relative benefits or losses between regulation plans.

For the evaluation of the effects of the regulation plans to the Canadian Reach of the St. Lawrence River, a slightly different inundation methodology was developed. For this methodology like effect of local inflow and Ottawa River inflow to the Montreal region were taken into account. It was assumed that the outflow from Lake Ontario under the regulation plans, the local inflow to the Cornwall-Montreal section of the St. Lawrence River and the Ottawa River flow are independent. Average damages were determined based on the combined probability of these events. Table C-23 summarizes the effect of the regulation plans on inundation.

In determining average annual damages, neither the effect of future development of presently undeveloped land, nor the effect of increasing value of presently developed land were taken into account. It was assumed that for the Canadian reaches of the Great Lakes-St. Lawrence system there would be no future development or increasing affluence (value) of property. For the United States reaches, sensitivity analyses of the effect of these two factors on average annual damages or benefits were conducted.

Sensitivity analyses were conducted on the damage data utilized by both the United States and Canada. The effect on average annual damages and benefits were determined.

5.3 Eroston


The erosion damages evaluation methodology utilized a "wave energy" approach in the development of stage-damage curves. Wave energy was considered to be the main source of coastal erosion damage, based on average monthly wave energy reaching the shore. Using hindcast wave climates, mean beach slopes and toe of bluff elevations above a reference level, an index of damage was determined. This index computed, for each reach, was used to convert stage-energy curves to stage-damage curves.

Table C-23 - Summary of Inundation Benefits

	Avorage Annual Benefits (\$000)				Value of ∩∩.000)	Benefits	
Lake/Piver		6L	155	25N	6L	158	25N
Superior	U.S. Can.	+ 4 NE	+ 14 NE	+ 39 NE	+0.05 NE	+ 0.16 NE	+ 0.45 NE
Michigan	U.S.	+ 29	+ 74	+ 177	+0.34	+ 0.86	+ 2.05
Huron	U.S.	+ 40	+ 100	+ 235	+0.46	+ 1.16	+ 2.72
	Can.	+ 8	+ 20	+ 41	+0.09	+ 0.23	+ 0.47
St. Clair	U.S.	+ 85	+ 208	+ 406	+0.98	+ 2.41	+ 4.70
	Can.	+ 82	+ 187	+ 319	+0.95	+ 2.16	+ 3.69
Irie	U.S.	+332	+ 815	+1,761	+3.84	+ 9.43	+20.37
	Can.	+ 56	+ 127	+ 231	+0.65	+ 1.47	+ 2.67
Ontario	U.S.	- 7	- 29	- 50	-0.08	- 0.34	- 0.58
(Cat. 1)	Can.	+ 3	- 7	- 13	+0.03	- 0.08·	- 0.15
St. Law.	Can.	+ 18	- 44	<u>- 11</u>	+0.21	- 0.51	- 0.13
lotal (Cat	. 1)	+650	+1,465	+3,135	+7.52	+16.94	+36.26
Ontario	u.s.	- 9	- 28	- 58	-0.10	- 0.32	- 0.67
(Cat. 2)	Can.	+ 3	- 4	- 14	+0.03	- 0.05	- 0.16
St. law.	Can.	+ 3	- 80	<u>- 86</u>	+0.03	<u>- 0.93</u>	- 0.99
Total (Cat	. 2)	+633	+1,433	+3,051	+7.32	+16.57	+35.29
Ontario	U.\$.	+ 42	+ 37	+ 15	+0.49	+ 0.42	+ 0.17
(Cat. 3)	Can.	+ 21	+ 17	+ 11	+0.24	+ 0.20	+ 0.13
St. law.	Can.	-162	- 291	- 279	<u>-1.87</u>	<u>- 3.37</u>	- 3.23
lotal (Cat	3)	+537	+1,308	+2,956	+6.21	+15.13	+34.19
			Adjuste	d Basis-of-	-Comparisor	1	
Ontario	U.S.	- 4	- 9	- 31	-0.05	- 0.10	- 0.36
(Cat, 3)	Can.	+ 1	- 3	- 9	+0.01	- 0.04	- 0.10
St. Law.	Can.	- 9	- 138	- 126	-0.10	- 1.60	- 1.46
Total (Cat	t. 3)	+624	+1,395	+3,043	+7.22	+16.14	+35.20

(NE) Not evaluated. The inclusion of these evaluations would not significantly affect the results.

INTERNATIONAL LAKE ERIE REGULATION STUDY BOARD LAKE ERIE WATER LEVEL STUDY, APPENDIX C. COASTAL ZONE.(U) JUL 81 AD-A114 586 F/G 13/2 UNCLASSIFIED NL · 2 ° 3



For the United States, the erosion damages utilized were based on the same damage survey as the inundation damages. For the Canadian portion of the Great Lakes, potential future damages were determined based upon long-term erosion rates. These potential damages, along with wave energies for the 1972-1976 period were used to calculate damage Indices. Stage-energy curves were then converted to stage-damage curves.

While it is known that significant erosion damages occur along the Canadian Reach of the St. Lawrence River, there were insufficient data to quantitatively evaluate the impact of the regulation plans on these damages. It is likely, however, that increased extreme flows, as would occur under the regulation plans, would cause increased erosion damages along the Canadian Reach of the St. Lawrence River. The omission of these damages does not have a major impact on the overall results of this Study. Table C-24 summarizes the effect of the regulation plans on erosion.

Sensitivity analyses on the effect of assuming a shorter wearoff period and varying interest rates were conducted and applied to both the United States and Canadian reaches. Other sensitivity analyses, similar to those for inundation, were conducted only for the United States reaches.

5.4 Water Pumping

Many communities near the shoreline of the Great Lakes and their connecting rivers have water pumping facilities to serve the needs of both industry and population centers. These facilities were surveyed, for the 1973 International Great Lakes Levels Board Study Report to determine the effects on them of extreme variations in lake levels. The same methodology was adopted for this study.

The methodology for water pumping compares pumping costs between the basis-of-comparison and the regulation plans. The difference in pumping costs between the two conditions represents a benefit or loss attributable to the regulation plan. No increase in water use was projected in the economic evaluations of the plans.

The results of the evaluation, displayed in Table C-25, show relatively small economic effects on water pumping.

5.5 Regulation Plan 25N

The evaluations of average annual benefits/losses on inundation, erosion and water pumping are summarized in Table C-26.

Table C-24 Summary of Erosion Benefits

	A	verage	Annual Bene (\$000)	ofits	Present Value of Benefits (\$500,000)		
Lake/River		6L	158	25N	6L	15S 25N	
Superior	U.S.	+ 3	+ 10	+ 25	+0.03	+ 0.12 + 0.29	
	Can.	NE	NE	NE	NE	NE NE	
Michigan	u.s.	+ 69	+ 183	+ 453	+0.80	+ 2.12 + 5.24	
Huron	U.S.	+ 27	+ 71	+ 170	+0.31	+ 0.82 + 1.97	
	Can.	+ 4	+ 9	+ 23	+0.05	+ 0.10 + 0.27	
St. Clair	U.S.	+ 15	+ 40	+ 86	+0.17	+ 0.46 + 0.99	
_	Can.	+ 4	+ 10	+ 22	+0.05	+ 0.12 + 0.25	
Eric	U.S.	+295	+ 763	+1,571	+3.41	+ 8.82 +18.17	
	Can.	+ 14	+ 35	+ 76	+0.16	+ 0.40 + 0.88	
Ontario	U.S.	- 23	- 85	- 81	-0.27	- 0.98 - 0.94	
(Cat. 1)	Can.	+ 3	- 5	- 3	+0.03	- 0.06 - 0.03	
St. Law.	Can.	NE	NE	<u>NE</u>	<u>NE</u>	NE NE	
Total (Cat	. 1)	+411	+1,031	+2,342	+4.75	+11.92 +27.09	
Ontario	U.S.	- 82	- 154	- 206	-0.95	- 1.78 - 2.38	
(Cat. 2)	Can.	+ 1	- 8	- 12	+0.01	- 0.09 - 0.14	
St. Law.	Can.	NE	NE	<u>NE</u>	NE	NE NE	
Total (Cat	. 2)	+350	+ 959	+2,208	+4.05	+11.09 +25.54	
Ontario	u.s.	+ 12	- 24	- 48	+0.14	- 0.27 - 0.56	
(Cat. 3)	Can.	+ 6	0	- 1	+0.07	0 - 0.01	
St. Law.	Can.	NE_	<u>NE</u>	<u>NE</u>	NE	NE NE	
Total (Ca	t. 3)	+449	+1,097	+2,377	+5.19	+12.69 +27.49	
			Adjusted	Basis-of-	-Comparison		
Ontario	U.S.	- 13	- 49	- 73	-0.15	- 0.57 - 0.85	
(Cat. 3)	Can.	- 1	- 7	- 8	-0.01	- 0.08 - 0.09	
St. Law.	Can.	NE	NE	NE	<u>NE</u>	NE NE	
Total (Ca	t. 3)	+417	+1,065	+2,345	+4.82	+12.31 +27.12	

(NE) Not evaluated. The inclusion of these evaluations would not significantly affect the results.

Table C-25 - Summary of Pumping Economic Effects

	A		Annua I (\$000)	Benefits	,	Pres		of Benefits
Lake/River		6L	155	25N		6L	158	25N
							·	
Superior	U.S.	0	0	- 1		0	0	- 0.01
	Can.	0	- 1	- 2		0	- 0.01	- 0.02
Michigan	U.S.	- 9	- 26	- 65		- 0.10	- 0.30	- 0.75
Huron	U.S.	A	Α	Ą.		Α	A	A 0.76
C4 01-1-	Can.	- 4	- 12	- 31		- 0.04	- 0.14 0	- 0.36 0
St. Clair	U.S.	0	0	0		0	0	0
Erie	Can. U.S.	0 - 23	- 60	-159		- 0.27	- 0.69	- 1.84
Life	Can.	- 7	- 19	- 48		- 0.08	- 0.22	- 0.56
Ontario	U.S.	+ 1	ó	0		+ 0.01	0	0
(Cat. 1)	Can.	+ 3	+ 6	Ŏ		+ 0.03	+ 0.07	Ö
St. Law.	Can.	NE	NE	NE		NE	ΝĒ	NE
Total (Cat	. 1)	- 39	-112	-3 06		- 0.45	- 1.30	<u>- 3.54</u>
		_						
Ontario	U.S.	+ 1	+ 2	+ 2		+ 0.01	+ 0.02	+ 0.02
(Cat. 2)	Can.	+ 16	+ 22	+ 28		+ 0.19	+ 0.26	+ 0.32 NE
St. Law.	Can.	NE	NE	NE		NE_	<u>NE</u>	NE_
Total (Cat	. 2)	- 26	- 94	-276		- 0.30	- 1.09	- 3.19
Ontario	u.s.	0	+ 1	+ 1		0.00	+ 0.01	+ 0.01
(Cat. 3)	Can.	+ 9	+ 13			+ 0.10	+ 0.15	+ 0.22
St. Law.	Can.	NE	NE	NE_		<u> </u>	NE_	NE
Total (Cat	t. 3)	- 34	-104	-286		- 0.39	- 1.20	- 3.31
		Adjust	ed Basi	s-of-Com	par	Ison		
Ontario	U.S.	0	+ 1	+ 1		0.00	+ %	+ 0.01
(Cat. 3)	Can.	+ 3	+ 6	+ 13		+ 0.03	+ 0.07	+ 0.15
St. Law.	Can.	NE	NE_	NE_		NE	<u>NE</u>	<u>NE</u>
Total (Ca	t. 3)	- 40	-111	-292		- 0.46	- 1.28	- 3.38

⁽A) Included in Lake Michigan.(NE) Not Evaluated. The inclusion of these evaluations would not significantly affect the results.

Table C-26 - Summary of Economic Evaluations For Coastal Zone Interests - Plan 25N

		Avera	ge Annual Be (\$000)	Present Value of Benefits (\$ 000,000)		
Lake/River		Erosion	Inundation	Pumping	<u>Total</u>	Total
Superior	u.s.	+ 25	+ 39	- 1	:+ 63:	+ 0.73
	Can.	NE	NE	- 2	:- 2:	- 0.02
Michigan	U.S.	+ 453	+ 177	- 65	:+ 565:	+ 6.54
Huron	U.S.	+ 170	+ 235	A	:+ 405:	+ 4.68
	Can.	+ 23	+ 41	- 31	:+ 33:	+ 0.38
St. Clair	U.S.	+ 86	+ 406	0	:+ 492:	+ 5.69
	Can.	+ 22	+ 319	0	:+ 341:	+ 3.94
Erie	U.S.	+1,571	+1,761	-159	:+3,173:	+36.70
	Can.	+ 76	+ 231	- 48	:+ 259:	+ 3.00
Ontario	U.S.	- 81	- 50	0	:- 131:	- 1.51
(Cat. 1)	Can.	- 3	- 13	0	:- 16:	- 0.19
St. Law.	Can.	NE	<u>- 11</u>	NE_	<u>:- 11:</u>	- 0.13
Total (Cat	. 1)	+2,342	+3,135	-306	:+5,171:	+59.81
Ontario	U.S.	- 206	- 58	+ 2	:- 262:	- 3.03
(Cat. 2)	Can.	- 12	- 14	+ 28	:+ 2:	+ 0.02
St. Law.	Can.	<u>NE</u>	<u>- 86</u>	NE	<u>:- 86:</u>	- 1.00
Total (Cat	. 2)	+2,208	3,051	-276	:+4,983:	+57.63
			,			
Ontario	U.S.	- 48	+ 15	+ 1	:- 32:	- 0.37
(Cat. 3)	Can.	- 1	+ 11	+ 19	:+ 29:	+ 0.33
St. Law.	Can.	<u>NE</u>	<u>- 279</u>	NE	<u>:- 279:</u>	- 3.23
Total (Cat	. 3)	+2,377	+2,956	-286	:+5,047:	+58.37
		Adj	usted Basis-	of-Compart	son	
Ontario	U.S.	- 73	- 31	+ 1	:- 103:	- 1.19
(Cat. 3)	Can.	- 9	- 9	+ 13	:- 5:	- 0.06
St. Law.	Can.	NE	- 126	NE	<u>:- 126:</u>	<u>- 1.46</u>
Total (Cat	. 3)	+2.344	3,043	-292	:+5,095:	+58.93

⁽A) Included in Lake Michigan.
(NE) Not Evaluated; the Inclusion of these would not significantly affect the results.

5.5.1 Erosion

The evaluation of the effects of regulation plans on unprotected coastal zone property is based on erosion damage to structures and loss of land through erosion. All lakes upstream of Lake Ontario show net benefits being accrued to Plan 25N. That is, average annual erosion damages would be decreased if Plan 25N were implemented. Further, erosion damages would not be eliminated but would be decreased. The benefits are then due to decreased, not eliminated, damages. Lake Erie, which is most affected by the limited regulation plans, would show net average annual benefits to the United States coastal zone of about \$1,571,000 and to the Canadian coastal zone of about \$76,000. Lake Ontario under Category 1 regulation would show average annual losses of about \$81,000 and \$3,000 to the United States and Canadian coastal zones, respectively. Total system-wide net annual benefits for Category 1 erosion would amount to about \$2,342,000.

For Category 2 regulation, Lake Ontario would show increased erosion damages relative to both Category 1 and the basis-of-comparison. The average annual losses to the United States portion of Lake Ontario would be about \$206,000. The Canadian portion of Lake Ontario would show erosion losses of about \$12,000, for a total of \$218,000.

For Plan 25N, under Category 3 regulation, total erosion losses on Lake Ontario would be about \$81,000 when compared to the adjusted basis-of-comparison, with the U.S. coastal zone showing losses of \$73,000. Category 3 would cut erosion losses on Lake Ontario by a factor of three, when compared to Category 2, and is also somewhat lesser than Category 1. In all three categories, erosion on the Canadian Reach of the St. Lawrence River was not calculated, but could be expected to reduce system-wide benefits.

5.5.2 Inundation

Inundation damages for the Great Lakes system would be reduced by Plan 25N. For the United States, Lake Erie would show the greatest reduction in average annual inundation damages, with an average annual benefit of about \$1,761,000. For the Canadian portion of the system, Lake St. Clair would produce the greatest benefits, averaging about \$319,000 per year. All lakes upstream of Lake Ontario would show reduced inundation damages. The total system-wide net average annual benefits would be about \$3,135,000.

As regulated under Category 1, Lake Ontario would show a loss of about \$63,000 per year; downstream, the St. Lawrence River losses would be about \$11,000 per year. Under Category 2, Lake Ontario inundation losses would increase slightly to about \$72,000 per year, while downstream losses in the Canadian Reach of the St. Lawrence River would be about

\$86,000 per year. Under Category 3, Lake Ontario's annual losses would be reduced to \$40,000 while St. Lawrence River losses increase to \$126,000, relative to the adjusted basis-of-comparison. When compared to the basis-of-comparison for Categories 1 and 2, Lake Ontario's inundation changes from losses to a small average annual benefit of \$26,000. This is more than offset, however, by average annual losses downstream of \$279,000.

The regulatory works for Category 3 would include the dredging of material from the Lachine Rapids at Montreal to permit greater releases of water from Lake Ontario without increasing flood damages on Lac Saint-Louis. While such dredging would reduce flood damages on Lac Saint-Louis for a given flow, it would be at the expense of increased flood damages downstream on the St. Lawrence River and on Lac Saint-Pierre. The hydrodynamic model used in the evaluation of flood damages could not practically be modified to accommodate dredging in the Lachine Rapids, but it was estimated that, for any given Lake Ontario outflow, total flood damages in the Canadian Reach would not be significantly altered by the proposed dredging. Since one stage-damage curve was used to represent all five sectors (see Section 3.2), the reduction in damages in the Lac Saint-Louis area along with an increase in damages in the downstream (Repentigny to Trois-Rivieres) area would result in no change in the overall stage-damage curve. Therefore, Canadian Reach damages under Category 3 plans were determined in the same manner as damages under Category 1 and 2 plans.

5.5.3 Water Pumping

All of the Great Lakes except Ontario would show minor losses in average annual pumping costs. System-wide, the average annual losses for Category 1 would be about \$306,000, with Lake Erie showing the greatest loss, about \$207,000. Under Category 2, Lake Ontario would show a benefit of about \$30,000 per year and under Category 3, about \$20,000 and \$14,000 in benefits for the basis-of-comparison and adjusted basis-of-comparison, respectively.

5.5.4 Total Benefits

For Category 1, Plan 25N would show an average annual benefit to the coastal zone of about \$5,171,000. Of this, Lake Erie would derive the greatest benefit of about \$3,432,000 per year. About 60% of the system-wide benefits would be due to reduced inundation damages. The rest of the benefits would be due to decreased erosion, with water pumping showing a loss. The only Lake to show net losses would be Ontario with \$147,000 in average annual losses.

Category 2, which differs from Category 1 only in how it affects Lake Ontario and the St. Lawrence River, would decrease the system-wide benefits to about \$4,983,000. Lake Ontario and downstream show increased losses of about \$188,000 over Category 1.

Under Category 3 regulation, the system-wide net annual benefits would be about \$5,047,000. This is \$124,000 less than Category 1, but \$64,000 greater than Category 2. Lake Ontario would show average annual losses of about \$3,000 under Category 3, while downstream the St. Lawrence River would show \$279,000 in losses. When comparing Category 3 to the adjusted basis-of-comparison, Lake Ontario average annual losses are about \$108,000, for a net system-wide benefit of about \$5,095,000.

5.5.5 Sensitivity Analyses

By applying the sonsitivity analyses discussed in Section 3, upper and lower limits were determined for these benefits. By using the sensitivity analyses for Category 1 regulation, annual benefits derived from Plan 25N could decrease to \$2,967,000 or increase to \$8,127,000. This represents a range of -43% and +57%. Similar ranges occur for Categories 2 and 3 and are shown in Table C-16.

5.6 Regulation Plan 15S

The evaluation of average annual benefits/losses to inundation, erosion and water pumping for Plan 155 is summarized in Table C-27.

5.6.1 Erosion

Plan 15S would reduce the system-wide erosion relative to the basis-of-comparison. In general, those lakes which show erosion benefits under Plan 15S, but to a lesser degree.

For Category 1 regulation, the system-wide average annual benefits would be about \$1,031,000. Again, Lake Erie would derive the greatest benefit, with erosion being reduced an average of \$798,000 per year, of which \$763,000 accrues to the United States shoreline. Lake Ontario erosion damages would increase by about \$90,000 per year. The greatest benefits to the Canadian shoreline would occur on Lake Erie, with erosion being reduced by an average of \$35,000 annually.

Under Category 2, erosion on Lake Ontario would increase over both Category 1 and the basis-of-comparison, with a subsequent lowering of system-wide benefits. System-wide annual erosion benefits would be about \$959,000. Category 3 would show an improvement over Categories 1 and 2. Lake Ontario erosion would show losses of about \$24,000 and \$56,000 relative to the basis-of-comparison and adjusted basis-of-comparison, respectively. System-wide average annual erosion benefits would be about \$1,097,000 and \$1,065,000, respectively, for the two Category 3 bases-of-comparison.

Table C-27 - Summary of Economic Evaluations For Coastal Zone Interests - Plan 15S

			Average	Annual Be (\$000)	nefits	Present Value of Benefits (\$ 000,000)
Lake/River	<u> </u>	Erosion	Inundation	Pumping	Total	<u>Total</u>
Superior	u.s.	+ 10	+ 14	0	:+ 24:	+ 0.28
	Can.	NE	NE	- 1	:- 1:	- 0.01
Michigan	U.S.	+ 183	+ 74	- 26	:+ 231:	+ 2.67
Huron	U.S.	+ 71	+ 100	Α	:+ 171:	+ 1.98
	Can.	+ 9	+ 20	- 12	:+ 17:	+ 0.20
St. Clair	U.S.	+ 40	+ 208	0	:+ 248:	+ 2.87
	Can.	+ 10	+ 187	0	:+ 197:	+ 2.27
Erie	U.S.	+ 763	+ 815	- 60	:+1,518:	+17.56
	Can.	+ 35	+ 127	- 19	:+ 145:	+ 1.65
Ontario	U.S.	- 85	- 29	0	:- 114:	- 1.32
(Cat. 1)	Can.	- 5	- 7	+ 6	:- 6:	- 0.07
St. Law.	Can.	NE	<u>- 44</u>	NE	: <u>- 44</u> :	<u>- 0.51</u>
Total (Ca	t. 1)	+1,031	+1,465	-112	:+2,384:	+27.57
						•
Ontario	U.S.	- 154	- 28	+ 2	:- 180:	- 2.08
(Cat. 2)	Can.	- 8	- 4	+ 22	:+ 10:	+ 0.12
St. Law.	Can.	NE	- 80	<u>NE</u>	: <u>- 80</u> :	<u>- 0.93</u>
Total (Ca	t. 2)	+ 959	+1,433	- 94	:+2,298:	+26.59
		-				
Ontario	U.S.	- 24	+ 37	+ 1	:+ 14:	+ 0.16
(Cat. 3)	Can.	0	+ 17	+ 13	:+ 30:	+ 0.34
St. Law.	Can.	NE	- 291	<u>NE</u>	: <u>- 291</u> :	<u>- 3.36</u>
Total (Ca	t. 3)	+1,097	+1,308	-104	:+2,301;	+26.61
		Adju	usted Basis	-of-Compari	son	
Ontario	U.S.	- 49	- 9	+ 1	:- 57:	- 0.66
(Cat. 3)	Can.	~ 7	- 3	+ 6	:- 4:	- 0.05
St. Law.	Can.	NE	<u>- 138</u>	<u>NE</u>	: <u>- 138</u> :	<u>- 1.60</u>
Total (Ca	t.3)	+1,065	+1,395	-111	:+2,349:	+27.16

⁽A) Included in Lake Michigan.
(NE) Not evaluated; the inclusion of these would not significantly affect the results.

5.6.2 Inundation

All lakes upstream of Lake Ontario would show decreased inundation damages for Plan 15S. On Lake Erie, annual inundation damages would be lowered about \$942,000, relative to the basis-of-comparison. Lake St. Clair would show inundation benefits of about \$395,000 per year, which consists of \$208,000 and \$187,000 for the United States and Canada, respectively. Lake Ontario's annual loss would be about \$36,000 and downstream, on the St. Lawrence River, annual losses would be about \$44,000 for Category 1 regulation. System-wide, the inundation benefits that would accrue to Plan 15S, Category 1, are about \$1,465,000.

Category 2 would not show as great a loss on Lake Ontario as Category 1, but downstream the losses would increase. System-wide, Category 2 inundation benefits would be reduced by \$32,000, to about \$1,433,000. As with erosion, Lake Ontario would show improvement under Category 3; however, downstream on the St. Lawrence River the losses increase. System-wide, Category 3 benefits of reduced inundation would be about \$1,308,000 and \$1,395,000 for the basis-of-comparison and adjusted basis-of-comparison, respectively.

5.6.3 Water Pumping

Water pumping would be relatively unaffected by Plan 15S. Minor losses would be shown on Lakes Michigan-Huron and Erie. Total Category 1 losses would be about \$112,000 per year.

Category 2 would show a benefit to water pumping on Lake Ontario, due to somewhat higher levels. Consequently, the system-wide losses under Category 2 would be reduced to about \$94,000 per year. Under Category 3 the system-wide benefits would be about \$104,000 and \$111,000 per year, respectively, for the basis-of-comparison and adjusted basis-of-comparison.

5.6.4 Total Benefits

Plan 15S would show an average annual benefit to the coastal zone of the Great Lakes-St. Lawrence system of about \$2,384,000 for Category 1. Lake Erie would derive the greatest benefit with about \$1,661,000 in reduced damages annually. Lake St. Clair would show average annual benefits of about \$445,000. Benefits to the United States coastal zone would be about \$2,078,000 and to the Canadian coastal zone would be about \$306,000. Lake Ontario would have an average annual loss of about \$120,000. The Canadian Reach of the St. Lawrence River would have an average annual loss of about \$44,000, due to increased flooding.

Category 2 would increase the average annual losses on Lake Ontario and downstream by about \$86,000, relative to Category 1. This is due to increased erosion on Lake Ontario and increased inundation on the St. Lawrence River. The system-wide benefits for Category 2 regulation of Plan 15S are about \$2,298,000 per year.

Under Category 3, the coastal zone interests on Lake Ontario would show benefits that total \$44,000. However, with losses downstream of \$291,000 the system-wide average annual benefits would be about \$2,301,000. With the adjusted basis-of-comparison, system-wide benefits for Category 3 would be about \$2,349,000 annually.

5.6.5 Sensitivity Analyses

By applying sensitivity analyses to the results, a range of possible benefits were obtained. As a result, Category 1 benefits could be as low as \$1,366,000 and as high as \$3,746,000, system-wide. This is a variation of -\$1,018,000 and +\$1,362,000, or -43% and +57%, respectively. Lake Erie would show the greatest effect, where benefits could decrease to \$950,000 or increase to \$2,623,000. Categories 2 and 3 show similar ranges. The ranges by Lake and Category are shown in Table C-18.

5.7 Regulation Plan 6L

The evaluation of average annual benefits/losses to inundation, erosion and water pumping for Plan 6L is summarized in Table C-28.

5.7.1 Erosion

Plan 6L is expected to reduce Great Lakes average annual erosion damages by about \$411,000 with a loss of about \$20,000 per year using Category 1 regulation on Lake Ontario. Lake Erie would account for about 75% of the erosion benefits, with \$309,000 in reduced damages. Under Category 2, Lake Ontario erosion damages would increase by another \$61,000 to show an annual loss of about \$81,000. System-wide erosion benefits under Category 2 would be about \$350,000 per year. Under Category 3, system-wide benefits due to reduced erosion would be about \$449,000 and \$417,000 annually for the basis-of-comparison and adjusted basis-of-comparison, respectively.

5.7.2 Inundation

Inundation is affected to a greater degree than erosion under Plan 6L. System-wide, the average annual benefits for Category 1 would be about \$650,000. Lake St. Clair would show benefits of about \$167,000 annually and Lake Erie about \$388,000 annually. Lake Ontario would have slight annual losses amounting to about \$4,000 while downstream, the annual benefits would be about \$18,000.

Under Category 2, inundation benefits would be reduced in relation to Category 1. Lake Ontario would show losses of about \$6,000 while downstream a net annual benefit of \$3,000 is accrued. This would result in total system-wide Plan 6L benefits to inundation of about \$633,000, which is \$17,000 less than Category 1.

and the state of the state of the state of

Table C-28 - Summary of Economic Evaluations For Coastal Zone Interests - Plan 6L

				Annual Ben (\$000)	efits	of Benefits (\$ 000,000)
Lake/Rive	<u>r</u>	Erosion	Inundation	Pumping	Total	Total
Superior	u.s.	+ 3	+ 4	Ó	:+ 7:	+ 0.08
	Can.	NE	NE	0	: 0:	0.00
Michigan	U.Ş.	+ 69	+ 29	- 9	:+ 89:	+ 1.03
Huron	U.S.	+ 27	+ 40	A	:+ 67:	+ 0.77
_	Can.	+ 4	+ 8	- 4	:+ 8:	+ 0.09
St. Clair		+ 15	+ 85	0	:+100:	+ 1.16
	Can.	+ 4	+ 82	0	:+ 86:	+ 0.99
Erie	u.s.	+ 295	+332	-23	:+604:	+ 6.99
	Can.	+ 14	+ 56	- 7	:+ 63:	+ 0.73
Ontario	U.S.	- 23	•	+ 1	:- 29:	- 0.33
(Cat. 1)	Can.	+ 3	+ 3	+ 3	:+ 9:	+ 0.10
St. Law.	Can.	NE	+ 18	NE_	<u>:+ 18</u> :	+ 0.21
Total (Ca	t. 1)	+411	+650	-39	:+1,022:	+11.82
Ontario	u.s.	· - 8 2	- 9	+ 1	:- 90:	- 1.04
(Cat. 2)	Can.	+ .1	+ 3	+16	:+ 20:	+ 0.23
St. Law.	Can.	NE	+ 3	<u>NE</u>	<u>:+ 3</u> :	+ 0.04
Total (Ca	t. 2)	+350	+633	-26	:+957:	+11.07
Ontario	u.s.	+ 12	+ 42	0	:+ 54:	+ 0.62
(Cat. 3)	Can.	+ 6	+ 21	+ 9	:+ 36:	+ 0.42
St. Law.	Can.	NE	<u>-162</u>	NE.	:-162:	- 1.87
Total (Ca	t. 3)	+449	+537	-34	:+952:	+11.01
		•				
		1	Adjusted Bas	is-of-Comp	arison	
Ontario	U.S.	- 13	- 4	٥	:- 17:	- 0.20
(Cat. 3)	Can.	- 1	+ 1	+ 3	:+ 3:	+ 0.04
St. Law.	Can.	NE	<u>- 9</u> .	NE	<u>:- 9</u> :	<u>- 0.10</u>
Total (Ca	t. 3)	+417	+624	-40	:+1,001:	+ 11.58

⁽A) included in Lake Michigan

⁽NE) Not evaluated; the inclusion of these would not significantly affect the results.

Under Category 3, Lake Ontario shows a net benefit of \$63,000 while losses downstream would be about \$162,000. Total system-wide Plan 6L benefits due to reduced inundation would be \$537,000 annually. When comparing Category 3 to the adjusted basis-of-comparison, the system-wide inundation benefit would be about \$624,00.

5.7.3 Water Pumping

Water pumping would be virtually unaffected by Plan 6L. The total losses system-wide for Categories 1 and 2 would be about \$39,000 and \$26,000, respectively, and for Category 3 about \$34,000 and \$40,000 for the basis-of-comparison and adjusted basis-of-comparison.

5.7.4 Total Benefits

Plan 6L would show a net average annual benefit to coastal zone interests of about \$1,022,000 under Category 1 regulation of Lake Ontario. Over 60% of these benefits would be due to decreased inundation damages. Water pumping would show a very small loss with the remainder of the net benefits being accrued to reduced erosion damages. About 82% of all benefits would accrue to the United States coastal zone.

Under Category 2 regulation of Lake Ontario, the system-wide benefits would decrease slightly, to about \$957,000. As with Category 1, Lake Erie would accrue the greatest net benefits - about \$667,000 annually, of which \$604,000 would accrue to the United States coastal zone interests. The decrease in benefits, relative to Category 1, would be due mainly to increased erosion damages on Lake Ontario.

For the United States reaches of Lake Ontario, Category 3 regulation would show marked improvement over Categories 1 and 2. Relative to the basis-of-comparison, the U.S. reaches would show average annual benefits of about \$54,000. Relative to the adjusted basis-of-comparison, the U.S. reaches would sustain average annual losses of about \$17,000. The Canadian reaches of Lake Ontario would show average annual benefits of \$36,000 and \$3,000 relative to the basis-of-comparison and the adjusted basis-of-comparison, respectively. The Canadian Reach of the St. Lawrence River would show average annual Category 3 losses of \$162,000 and \$9,000 when compared to the two bases-of-comparison. Total system-wide average annual benefits for Category 3 would be about \$952,000 for the basis-of-comparison and \$1,001,000 for the adjusted basis-of-comparison.

5.7.5 Sensitivity Analyses

By applying sensitivity analyses to the evaluation results, a range of possible results were obtained. Table C-20 details these analyses by Lake and regulation category. For Category 1, total system-wide benefits could be expected to range from \$606,000 to \$1,574,000. This is a range of -\$416,000 and +\$552,000 from the calculated benefits of \$1,022,000. This is a range of -41% and +54%, respectively. Similar results were obtained for Categories 2 and 3.

ANNEX A1 COMPUTER SOFTWARE

COMPUTER SOFTWARE

In the course of executing its assigned tasks, the Coastal Zone Subcommittee developed and used a number of computer programs. These programs made it possible to accomplish detailed evaluations of the proposed regulation plans.

The Coastal Zone Subcommittee evaluations fell into three categories: erosion, inundation and water intakes pumping. Each evaluation has its own computer program, written in Fortran. The U.S. Section has combined the three programs into one package to more efficiently evaluate the proposed regulation plans. This annex will address the evaluation programs as they are contained in that package.

The evaluation package (CZSEVAL - for Coastal Zone Evaluations) consists of a short main program and eight subroutines. Figure A1-1 shows the flow chart for CZSEVAL and Figure A1-2 is a listing of the program. The main program inputs the regulation plan name and levels and calls for the execution of the desired evaluations. All three evaluations can be executed in one run. The main program calls an evaluation if a flagging variable is set to a value greater than zero; otherwise the evaluation is skipped (see Figure A1-1).

Some data are common to all of the evaluations - such as regulation plan name, levels, and years in the period-of-record. These data are contained in a COMMON block. Other needed data are input from the individual subroutines (evaluations).

The first evaluation called by the main program is erosion. The erosion subroutine (EDE2-Erosion Damage Evaluation) calls for the input of erosion stage-damage curves and wearoff values. The stage-damage curves are read in from their assigned tape, TAPE7, and the wearoff is input from the same tape as the regulation plan levels, TAPE10. (The erosion stage-damage curves for the U.S. Section are listed in Figure A2-1, and for the Great Lakes portions of the Canadian Section in Figure A2-2).

The first line of data in each erosion stage-damage curve contains the Reach number, number of levels and the lake number. The lakes are numbered one through five, going upstream from Lake Ontario to Lake Superior. Lakes Michigan and Huron, with common monthly mean levels, are assigned the same lake number. The monthly mean levels for the period of record for the regulation plan are printed out before the first reach of each lake. Each year has ten damage values associated with it - one each for the months of March through December. The monthly mean levels and damage values are read in from alternating lines - the level from lines two, four, etc and the damages from lines three, five, etc; as many pairs of lines as indicated from line one. The stage-damage curve and the wearoff are then output.

After the erosion program calculates the damage for a month it calls another subroutine, DAW (<u>Damage After Wearoff</u>). This subroutine increments the monthly mean level by an amount equal to the wearoff. The damages for that month are then calculated. Subroutine AMD (<u>Average Monthly Damage</u>) calculates the monthly mean damages for the period-of-record for the wearoff-incremented mean water levels.

After calculating all of the monthly and average annual damages for the period-of-record, the average annual damages before and after the wearoff increments are input to subroutine EC (Economic Calculations). The difference between the two average annual damages is uniformly distributed over fifty years and the present worth calculated. From the present worth an average annual damage is calculated. The present worth and average annual damages over the fifty years are output.

The second evaluation called by the main program is inundation. The inundation program (INUNDAT) inputs the inundation stage-damage curves and the historic storm rises. The storm rise data are input from TAPE8 and the stage-damage curves from TAPE5, the normal input tape. The historic storm rises are input as integers (in hundredths of a foot), 20 for each month. The stage-damage curve lists stormwater and damage. (Figure A2-3 and A2-4 list the inundation stage-damage curves for the U.S. and Canadian Sections, respectively. Figures A2-5 and A2-6 list the historic storm rises for the U.S. and Canadian Sections, respectively).

Subroutine INUNDAT calls subroutine FREQ (<u>Frequency</u>) to derive a stormwater-frequency curve. Each historic rise is added to each monthly mean level to obtain stormwater levels. These are then ordered and an empirical frequency determined. The damage for each stormwater level is multiplied by the frequency of occurence of that level. This is done for all the combinations of stormwater levels for the month and summed to give average monthly damages. This process is repeated for each month and summed to give average annual damages.

The inundation subroutine also calls subroutine STATS (Statistics) to compute intermediate damages between the points on the stage-damage curve. The stage-damage curve is output, along with the average monthly damages and average annual damage.


The erosion and inundation evaluations are done on a Reach basis. The total damage for each lake is obtained by adding the damages for the Reaches on that lake. The erosion and inundation evaluations execute until there are no more stage-damage curves to input.


The third, and final, evaluation called by the main program is the effect of the regulation plans on pumping water out of the lakes (Subroutine PUMPING). The subroutine PUMPING calculates the annual mean level for the regulation plan for each year. The annual mean level for the Basis—of-Comparison is also calculated, with the values input from TAPE9.


This evaluation requires no additional data input. The cost of pumping water per foot of lift to a point ten feet above datum is already in the subroutine, as is the amount of water pumped per lake. It was determined in the IGLLB Study that, generally, on the Great Lakes most treatment plants require the water to be pumped about ten feet above Low Water Datum. The subroutine calculates and prints out the cost of pumping the water for the Basis-or-Comparison and the regulation plan for each year of the period-of-record. The total costs and average annual costs are determined and output.


The Canadian Section did not use subroutine PUMPING for the evaluation of regulation plans. Instead, this was performed with the aid of a calculator using the method outlined above.


PROGRAM CZSEVAL
































FIGURE A1-2 PROGRAM LISTING

PROGRAM CZSEVAL (INPUT, OUTPUT, TAPES=INPUT, TAPE6=OUTPUT, TAPE7, TAPE8, TAPE9, TAPE10)

C C

C

C

THIS PROGRAM WILL TIE TOGETHER THE VARIOUS EVALUA-TIONS USED IN THE ECONOMIC ANALYSES OF THE COASTAL ZONE SUBCOMMITTEE. THE ANALYSES ARE:

- 1. INUNDATION USING FREQUENCY ANALYSIS OF RISE DATA
- USING WAVE ENERGY HIND-CASTING 2. EROSION
- 3. WATER FUMPING

С

C

C

C

C

C

C

THE TAPE INPUTS ARE:

TAPES: INPUT OF INUNDATION STAGE-DAMAGE CURVES

TAPE6: OUTPUT OF RESULTS

TAPE7: INFUT OF EROSION STAGE-DAMAGE CURVES

TAPER: INPUT OF RISE DATA, USED IN EVALUATION 1

TAPES: INPUT BASE CASE LEVELS FOR EVALUATION 3

TAPE10: INPUT REGULATION LEVELS FOR EVALUATIONS 1,283, AND INFUT OF WEAROFF FOR THE EROSION EVALUATION

C

C

C

C

C

C

THE DAMAGES GENERATED WILL BE IN JULY 1979 DOLLARS. FOR THE UNITED STATES SECTION, INUNDATION AND EROSION STAGE-DAMAGE CURVES ARE IN AVERAGE 1975 DOLLARS. AN ENR INDEX WAS USED TO UPDATE INUNDATION AND EROSION CURVES ---1975 AVERAGE ENR INDEX: 1306.

JULY 1979 **ENR INDEX: 1826.5**

FACTOR TO UPDATE TO JULY 1979 = 1826.5/1306. = 1.39855

PUMPING IS IN AVERAGE 1977 DOLLARS. 1977 ENR INDEX :1515.

FACTOR TO UPDATE TO JULY 1979 = 1826.5/1515. = 1.2056

FOR THE CANADIAN SECTION, INPUT DATA ARE IN JULY 1979 DOLLARS AND NO UPDATING WAS NECESSARY.

ε C

C

C

C

C

COMMON/A/NCASES

COMMON/B/REGNAM(8), LEV, ALEV, BFWL(79, 12, 5), RPWL(79, 12, 5) DIMENSION REGNBAS(8), AFLG(3)

USE THE ARRAY AFLG (A FLAG) TO CALL THE ANALYSES.

DATA AFLG/11.,12.,13./

READ IN REGULATION PLAN NAME AND LEVELS READ IN BASE CASE NAME AND LEVELS

READ (9,1000) LEV, (REGNBAS(II), II=1,8)

A1-16

```
READ ( 10,1000 ) LEV, (REGNAM(I), I=1,8)
 1000 FORMAT ( 12,8A7 )
      LAK = 0
      ALEV = FLOAT(LEV)
  100 LAK = LAK + 1
      IF ( LAK .GT. 5 ) GO TO 140
      DO 120 I = 1, LEV
             READ ( 9,1010 ) ( BPWL(I,K,LAK),K=1,12 )
             READ ( 10,1010 ) ( RPWL(I,J,LAK),J=1,12 )
 1010
             FORMAT ( 12F6.2 )
  120 CONTINUE
      GO TO 100
  140 CONTINUE
C
C
C
         CALL THE EROSION EVALUATION
      IF ( AFLG(1) .GT. 0.0 )
                              CALL EDE2
C
C
         CALL THE INUNDATION EVALUATION
      IF ( AFLG(2) .GT. 0.00 ) CALL INUNDAT
C
         CALL THE PUMPING EVALUATION
      IF ( AFLG(3) .GT. 0.00 ) CALL PUMPING
C
      STOP
      END
      SUBROUTINE PUMPING
      THIS SUBROUTINE CALCULATES THE RELATIVE EFFECT OF THE
    REBULATION PLANS ON PUMPING WATER OUT OF THE LAKES.
    PREMISE OF THE EVALUATION IS THAT THE HIGHER THE LAKE
    LEVELS, THE LESS DISTANCE THAT THE WATER WILL HAVE TO BE
    PUMPED VERTICALLY TO THE TREATMENT PLANTS.
C
       THE AMOUNT OF WATER PUMPED OUT OF EACH LAKE IS LISTED
    IN THE ARRAY PUMP. THE SUBROUTINE CALCULATES THE AVERAGE
    ANNUAL LEVEL FOR THE REGULATION PLAN (ARRAY RPWL) AND FOR
    THE BASE CASE (ARRAY BPWL). IT THEN CALCULATES THE AVER-
    AGE COST OF PUMPING THE WATER FOR BOTH THE REGULATION PLAN
C
    AND THE BASE CASE. THE EVALUATION THEN OUTPUTS THE YEAR,
    AVERAGE LEVELS, COSTS AND BENEFITS (DIFFERENCE IN COSTS)
    EACH YEAR OF THE PLANS. THE TOTAL COSTS AND PERIOD-OF-
    RECORD AVERAGES ARE PRINTED OUT AT THE END, ALONG WITH:
    THE AVERAGE DIFFERENCE (BENEFIT OR LOSS).
       THE CANADIAN SECTION OF THE COASTAL ZONE SUBCOMMITTEE
```

```
DID NOT USE THIS SUBROUTINE. INSTEAD, A CALCULATOR WAS
    USED AND COSTS AND BENEFITS DETERMINED BY HAMD.
C
      DIMENSION AVER(100,2), DUMMY(100,5)
      COMMON/B/REGNAM(B), LEV, ALEV, BPWL(79, 12, 5), RPWL(79, 12, 5)
      DIMENSION PUMP(5,2), ALAKE(5)
      DATA ALAKE/BHONTARIO , BHERIE
                                       ,8HST CLAIR,8HMICH HUR,
     . BHSUPERIOR /
      DATA PUMP/150970.,2238590.,0.,2511040.,151555.,
     1242.8,568.6,0.,576.8,600.0/
      DO 111 ILAK=1,5
      WARD1=0.
      WARD2=0.
C
C
    CALCULATE YEARLY AVERAGE LEVEL AND PUT IN ARRAY AVER(N,2)
      AVER(N:1) = BASIS-OF COMPARISON AVERAGE LEUF! FOR YEAR N
C
      AVER(N_{2}) = REGULATION PLAN AVERAGE LEVEL FOR YEAR N
C
      DO 2 I=1, LEV
      SUM = 0.
      100 \ 3 \ J=1,12
    3 SUM=SUM+ BPWL (I,J,ILAK ).
      AVER(I,1)=SUM/12.00
      SUM=0
      DO 4
             J=1,12
    4 SUM=SUM+RPWL (I,J,ILAK )
    2 AVER(I,2) = SUM/12.00
      SUMB=0.
      10 42 I=1,LEV
      A=AVER(I,2)
      B=AVER(I,1)
C
C
    CALCULATE PUMPING COST FOR YEAR I TO A DATUM 10 FEET
    ABOVE LWD.
      C= (PUMP(ILAK,1))*.10*(PUMP(ILAK,2)+10.-B)
      DD=(PUMP(ILAK,1))*.10*(PUMP(ILAK,2)+10.-A)
C
C
    ADJUST PUMPING COSTS TO JULY 1979 $.
      C = C * 1.20561
      DD=DD * 1.20561
      EE=C-DD
      WARD1=WARD1+C
      WARD2=WARD2+DD
      SUMB=SUMB+EE
      DUMMY(I,1)=A
      DUMMY(I,2)=B
      DUMMY(I,3)=DD
      DUMMY(I,4)=C
```

```
DUMMY(I,5)=EE
 42 CONTINUE
    SUMB SUMB/ALEV
    PRINT
          900, REGNAM, ALAKE(ILAK), PUMP(ILAK,2),
   1 PUMP(ILAK,2)+10. ,PUMP(ILAK,1)
900 FORMAT (1H1 34X *COASTAL ZONE SUBCOMMITTEE * // 32X+
   1 "FUMFING BENEFITS TO WATER INTAKE FACILITIES",//,30%,
   2 8A7,//,43X,*LAKE *,A8,//,43X,*LWD*,F10.2,//,*PUMPING*,
    * ELEVATION*,F10,2,//32X,*WATER PUMPED 1977 CONDI*,
    "TIONS", F10, 2, //, 2("
                                 REGULATED.,
   5
         R/A
               REGULATED
                           R/A
                                  BENEFIT"),
   6 /,2( YEAR
                   STAGE
                            STAGE
                                     COST',
                   DOLLARS*),/ )
           COST
   KHALF=LEU/2
    10 977 I=1,KHALF
    K=1899+KHALF+I
    M=KHALF+I
977 PRINT 901, I+1899, (DUMMY(I,J), J=1,5), K, (DUMMY(M,L),L=1,5)
901 FORMAT(2(16,2F9.3,3F9.0))
           .EQ. 2*KHALF) GO TO 904
    IF (LEV
    M=LEV
    PRINT 902, M+1899, (DUMMY(M,L),L=1,5)
902 FORMAT(51X,16,2F9,3,3F9.0)
904 A=WARD1/ALEV
    B=WARD2/ALEV
    C=SUMB/ALEV
    FRINT 905, WARD1, WARD2, A, B, SUMB
905 FORMAT(//,21X, TOTAL COSTS
                                 ",F15.0," (R/A)",F14.0,
   1 " (REGL)",/,22X, "AVERAGE ANNUAL", F14.0, " (R/A)",
   2 F14.0,*
              (REGL)*,F12.0,*
                               (DIFF JULY 1979 DOLLARS) )
111 CONTINUE
   .RETURN
    ENT
     SUBROUTINE INUNDAT
    THIS SUBROUTINE EVALUATES THE EFFECT OF THE REGULATION
  PLANS ON INUNDATION. THE FREMISE OF THE EVALUATION IS
  THAT THE SHORT-TERM RISES WILL NOT BE AFFECTED BY LAKE
  REGULATION.
              THEN, THE HISTORIC RISES CAN BE USED TO DE-
  TERMINE STORM-WATER LEVELS FOR EACH REGULATION PLAN.
  THIS IS ACCOMPLISHED BY ADDING EACH HISTORIC RISE FOR A
  PARTICULAR MONTH TO THE MONTHLY MEAN LEVELS FOR THE COR-
                     THIS GIVES THE STORM-WATER LEVELS. FOR
  RESPONDING MONTH.
  20 YEARS OF RISES AND 77 YEARS OF LEVELS, THERE IS A POS-
  SIBILITY OF 20 TIMES 77, OR 1540, STORMWATER LEVELS.
  PROCESS IS DONE IN THE SUBROUTINE FREQ.
```

C

THE STAGE-DAMAGE CURVES ARE READ IN ON TAPES. THE SUB-ROUTINE STATS CALCULATES THE SLOPE BETWEEN THE POINTS ON

THE CURVE AND CALCULATES THE INTERCEPT OF THE LINE BETWEEN EACH PAIR OF ADJACENT POINTS. THE SUBRINE STAIS ALSO OUT-PUTS THE STAGE-DAMAGE CURVES, SLOPES AND INTERCEPTS.

THE HISTORIC SHORT-TERM RISES ARE READ IN ON TAPES AND ARE USED IN SUBROUTINE FREQ. ONCE THE STORMWATER LEVELS ARE DETERMINED, THE NUMBER OF OCCURENCES OF EACH STORMWATER LEVEL ARE COUNTED AND THE FREQUENCY OF THAT LEVEL DETERMINED BY DIVIDING THE OCCURENCES BY THE TOTAL NUMBER OF STORMWATER LEVELS.

C

C

C

C

C

THE DAMAGES ARE DETERMINED BY FINDING THE DAMAGES ASSOCIATED WITH EACH STORMWATER LEVEL, USING THE STAGE-DAMAGE CURVE. THE DAMAGE FOR THAT STORMWATER LEVEL IS MULTIPLIED BY THE FREQUENCY ASSOCIATED WITH THAT LEVEL. THIS IS DONE FOR EACH STORMWATER LEVEL AND SUMMED. THE PROCESS IS REPEATED FOR EACH MONTH. FOR THE UNITED STATES EVALUATIONS, THE TOTAL DAMAGES FOR EACH MONTH ARE MULTIPLIED BY ABOUT 1.4 TO UPDATE THE DOLLAR VALUE FROM 1975 TO JULY 1979.

C

```
COMMON/A/NCASES
      COMMON/B/REGNAM(8), LEV, ALEV, BPWL(79, 12, 5), RPWL(79, 12, 5)
      PARAMETER NOYRST=79, NOYRRS=20, NOCOUR=5000, IASIZE=20
      DIMENSION ISTAGE(NOYRST, 12,5), IRISE(NOYRRS, 12),
     1 VALUE(12), NRISE(12), IFREQ(NOCOUR), AYINT(50),
     2 ASUMPR(12), MTHNAM(12), ASTAGE(50), ADAMAGE(50),
     3 ASLOPE(50)
      INTEGER COUNT(16), HSTRIS(16,20,12), RCHLAK(38),
     1 RCHGAG(38)
      DATA RCHLAK /5*1,4*2,2*3,19*4,8*5/
      DATA MTHNAM / 10H JANUARY, 10H FEBRUARY,
                                                    MAY,
                  MARCH, 10H
                                  APRIL, 10H
         10H
                                                 AUGUST,
                   JUNE, 10H
                                   JULY, 10H
         10H
         10H SEPTEMBER, 10H
                                OCTOBER, 10H
                                               NOVEMBER,
              DECEMBER /
      DATA RCHGAG /2,2,1,1,1,5,5,4,3,6,6,9,9,7,8,8,7,9,13,12,
     . 12,11,11,10,10,9,13,13,13,13,16,15,14,14,14,14,14,14/14/
      REWIND 8
      READ (8) COUNT
      READ (8) HSTRIS
      100 100 I = 1.5
      DO 100 J = 1,LEV
                 DO 90 K = 1,12
                 ISTAGE ( J_{\uparrow}K_{\uparrow}I ) = 100. * RPWL(J_{\uparrow}K_{\uparrow}I) + 0.5
   90
  100 CONTINUE
11000 READ ( 5,5050, END=9999 ) NREACH, NMRCH
 5050 FORMAT ( 12,7X,A4 )
      WRITE ( 6,6000 )
 6000 FORMAT (1H1,48X,"***** INPUT DATA *****",// >
```

```
WRITE ( 6,6010 ) NMRCH
6010 FORMAT ( 55X, "REACH", X ,A4, // )
     WRITE ( 6,6020 )
6020 FORMAT(32X, "STAGE", 13X, "DAMAGE", 11X, "SLOPE", 11X,
    . "Y-INT",//)
     NCASES = 0
777 READ ( 5,5020 ) S.D
5020 FORMAT ( F6.2, F10.2 )
     IF (S .LE. O. .OR. D .LE. O. ) GO TO 203
     NCASES = NCASES + 1
     ASTAGE ( NCASES ) = S
     ADAMAGE (NCASES ) = D
     GO TO 777
 203 NGUAGE = RCHGAG ( NREACH )
     ILAKE = RCHLAK ( NREACH )
     NOUNT = COUNT ( NGUAGE )
     DO 150 J = 1,12
            NRISE(J) = KOUNT
            DO 150 I = 1 \cdot KOUNT
 150 IRISE ( I, J ) = HSTRIS ( NGUAGE, I, J )
     CALL STATS ( ASTAGE, ADAMAGE, ASLOPE, AYINT )
     INDX = 0
     TOTER = 0.00
     DO 500 IMONTH = 1,12
            INDX = INDX + 1
     CALL FRED (ISTAGE(1, IMONTH, ILAKE), LEV, IRISE(1, IMONTH),
    NRISE(IMONTH), IFREQ(1), NFREQ, KSTAGE, FRQ )
            STAGE = .01*FLOAT(KSTAGE)
            SUMFR = 0.0
            SUMPR = 0.0
            ICNT = 0
        DO 300 I = 1.NFREQ
                IF ( IFREQ(I) .EQ. 0) GO TO 300
                ICNT - ICNT + 1
                FR = FRQ*FLOAT(IFREQ(I))
                SUMFR = SUMFR + FR
                IF ( STAGE .LE. ASTAGE(1) )
                                               M = 2
                IF ( STAGE .LE. ASTAGE(1) )
                                               GO TO 95
            DO BO M = 2, NCASES
              IF(STAGE.GT.ASTAGE(M-1).AND.STAGE.LE.ASTAGE(M))
              GO TO 95
           CONTINUE
  80
                M = NCASES
  95
                DAMAGE=(STAGE-AYINT(M))/ASLOPE(M)
                IF ( DAMAGE .LT. O. ) DAMAGE = O.
                PRODUCT = DAMAGE*FR
              PRODUCT = PRODUCT * 1.39855
                SUMPR = SUMPR + PRODUCT
        STAGE = STAGE + 0.01
 300
             ASUMPR (IMONTH) = SUMPR
```

```
TOTER = TOTER + SUMPR
 500 CONTINUE
      WRITE ( 6,6616 )
                         REGNAM, NMRCH
 6616 FORMAT ( 12X,8A7,12X,A5 )
      DO 666 JJ = 1,12
             WRITE ( 6,6860 ) MTHNAM(JJ), ASUMPR(JJ)
 6860
             FURMAT ( 47X, A10, 2X, F10.0 )
 666 CONTINUE
      WRITE ( 6,6865 ) TOTPR
 6865 FORMAT ( /, 36x, "AVERAGE ANNUAL DAMAGE = ", F10.0 ,
     . * JULY 1979 DOLLARS * )
      GO TO 11000
9999 RETURN
      END
      SUBROUTINE FREQ(ISTAGE, LEV, IRISE, NRISE, IFREQ, NFREQ,
       KSTAGE, FRQ)
C
C
      THIS SUBROUTINE CALCULATES STORMWATER LEVELS AND THEIR
   FREQUENCIES. THE HISTORIC RISES WERE READ IN FROM TAPES
    AND ARE IN THE ARRAY IRISE. THE CALCULATED STORMWATER
    FREQUENCIES ARE IN THE ARRAY IFREQ.
      DIMENSION ISTAGE(1), IRISE(1), IFREQ(1)
      MAXRISE = 0
      MINRISE = 99999
      J = 0
      DO 10 I = 1,NRISE
            IF ( IRISE(I) .EQ. 0)
                                              GD TO 10
            IF ( IRISE(I) .LT. MINRISE ) MINRISE = IRISE(I)
            IF ( IRISE(I) .GT. MAXRISE ) MAXRISE = IRISE(I)
            J = J + 1
            IRISE(J) = IRISE(I)
   10 CONTINUE
      NRISE = J
      MAXSTG = ISTAGE(1)
      MINSTG = ISTAGE(1)
      DO 20 I = 2, LEV
            IF ( ISTAGE(I) - MAXSTG ) 15,20,12
   12
            MAXSTG = ISTAGE(I)
            GO TO 20
   15
            IF ( ISTAGE(I) - MINSTG ) 17,20,20
   17
            MINSTG = ISTAGE(I)
   20 CONTINUE
      KSTAGE = MINSTG + MINRISE
      NFREQ = MAXSTG + MAXRISE - KSTAGE + 1
      DO 30 I = 1,NFREQ
   30 \text{ IFREQ(I)} = 0
      DO 50 I = 1.NRISE
            IBASE = IRISE(I) - KSTAGE + 1
        DO 40 J = 1, LEV
              ISUB = IBASE + ISTAGE(J)
```

```
IFREQ(ISUB) = IFREQ(ISUB) + 1
   50 CONTINUE
      FRQ = 1.00/FLOAT(NRISE*LEV)
      RETURN
      END
      SUBROUTINE STATS (ASTAGE, ADAMAGE, ASLOPE, AYINT )
C
      THIS SUBROUTINE CALCULATES THE SLOPES AND INTERCEPTS
C
    BETWEEN EACH PAIR OF ADJACENT POINTS ON THE INUNDATION
    STAGE-DAMAGE CURVE. IT ALSO DUTPUTS THE STAGE-DAMAGE
C
    CURVES, SLOPES AND INTERCEPTS.
      DIMENSION ASTAGE(20), ADAMAGE(20), ASLOPE(20), AYINT(20)
      COMMON/A/ NCASES
      ICNT = 1
      WRITE ( 6,6020 ) ICNT, ASTAGE (ICNT), ADAMAGE (ICNT)
 6020 FORMAT ( 22X, I5, 5X, F6.2, 6X, F12.2 )
      DO 100 ICNT = 2,NCASES
         ASLOPE(ICNT) = ( ASTAGE(ICNT) - ASTAGE(ICNT-1) ) /
                        ( ADAMAGE(ICNT) - ADAMAGE(ICNT-1) )
         AYINT(ICNT) = ASTAGE(ICNT)-ASLOPE(ICNT)*ADAMAGE(ICNT)
                                             AYINT (ICNT)
         WRITE ( 6,6111 )
                           ASLOPE (ICNT),
 6111
         FORMAT ( 62X, F10.B, 10X, F6.2 )
         WRITE ( 6,6020 ) ICNT, ASTAGE (ICNT), ADAMAGE (ICNT)
  100 CONTINUE
      RETURN
      END
      SUBROUTINE EDE2
      THIS SUBROUTINE CALCULATES THE EFFECT OF THE REGULATION
    PLANS ON EROSION.
                       THE STAGE-DAMAGE CURVES WERE DERIVED
    FROM MONTHLY TOE-OF-BLUFF WAVE ENERGY CALCULATIONS, SUP-
C
    PLIED BY GROUP 5, CANADA.
                               EROSION IS ASSUMED TO OCCUR IN
C
    THE MONTHS OF MARCH TO DECEMBER.
                                       JANUARY AND FEBRUARY ARE
C
    ASSUMED TO BE ICE COVERED AND NOT SUBJECT TO EROSION.
C
      THE STAGE-DAMAGE CURVES ARE READ IN FROM TAPE7 AND ARE
C
C
    IN THE ARRAY DAML. THE ARRAYS USED IN THE EVALUATION ARE:
C
    DAML
             STAGE-DAMAGE CURVES
    DAMX
             MONTHLY DAMAGES FOR PERIOD-OF-RECORD
    ADAM
             AVERAGE MONTHLY DAMAGE FOR A MONTH FOR PERIOD-OF-
C
             RECORD
    DAMM
             TOTAL DAMAGES BY MONTH FOR PERIOD-OF-RECORD
    ADAW
             SAME AS ADAM EXCEPT LEVELS ADJUSTED BY WEAROFF
    DAMW
             SAME AS DAMM EXCEPT LEVELS ADJUSTED BY WEAROFF
             TOTAL DAMAGES FOR A YEAR ( BEFORE WEAROFF )
C
      WEAROFF IS DEFINED AS THE DIFFERENCE IN LONG-TERM LAKE
    LEVEL AVERAGE BETWEEN THE REGULATION PLAN AND THE BASE
    CASE.
           IT IS READ IN FROM TAPE10 IN THIS SUBROUTINE.
```

```
STAGE-DAMAGE CURVES, MONTHLY MEAN LEVELS, MONTHLY DAMAGES,
    AVERAGE MONTHLY DAMAGES, TOTAL DAMAGES PER YEAR, AVERAGE
C
    ANNUAL DAMAGES BEFORE AND AFTER WEAROFF AND THE DISCOUNTED
C
    AVERAGE ANNUAL DAMAGES ARE PRINTED OUT.
C
      COMMON/B/REGNAM(8), LEV, ALEV, BPWL(79,12,5), RPWL(79,12,5)
      DIMENSION DAML(19,11) , DAMM(10), DAMW(10), DAMX(79,10)
      DIHENSION ADAM(10), LAKE(2), ADAW(10), K(79), SUM(79)
      WRITE (6,602)
  602 FORMAT (1H1,//,40X, "REGULATION PLAN MONTHLY MEAN WATER",
     . " LEVELS" )
      WRITE (6,612) (REGNAM(IK), IK=1,8)
  612 FORMAT (//,33X,16HREGULATION PLAN ,8A7)
 10
       READ ( 7,581, END = 1999 ) IRENO, NL, LN
  581 FORMAT ( 15,13,13 )
      IF ( IRENO .EQ. 2001 ) GO TO 833
      IF ( IRENO .EQ. 3001 ) GO TO 833
         ( IRENO .EQ. 4001 ) GO TO 833
      IF ( IRENO .EQ. 5001 ) GO TO 833
      IF ( IRENO .EQ. 7001 ) GO TO 833
      IF ( IRENO .EQ. 9001 ) GO TO 833
      GO TO 832
  833 DO 830 IS = 1,LEV
        WRITE (6,829) (RPWL(IS,I,LN),I=3,12)
        FDRMAT (X,10(4X,F6.2))
  829
  830 CONTINUE
  832 CONTINUE
      TDAM = 0.00
      TDAW = 0.00
      READ(10,1081) WEAR
 1081 FORMAT( F6.3)
      WRITE ( 6,604 ) WEAR
  604 FORMAT ( //,50X,10HWEAR-OFF= ,F6.3 )
      WRITE (6,605) IRENO
  605 FORMAT (////,43x,28HSTAGE-DAMAGE CURVE FOR REACH ,15)
      WRITE (6,606)
  606 FORMAT (//2X,5HSTAGE,55X,6HDAMAGE )
      WRITE (6,678)
  678 FORMAT (/,X,120(1H*))
      WRITE (6,607)
  607 FORMAT (/,16X,5HMARCH,6X,5HAPRIL,7X,3HMAY,8X,4HJUNE,7X,

    4HJULY, 5X,6HAUGUST,2X,9HSEPTEMBER,4X,7HOCTOBER,3X,

     . BHNOVEMBER, 3X, BHDECEMBER )
      WRITE (6,678)
      DO 100 IA=1,NL
      READ(7,551) DAML(IA,1)
  551 FORMAT(X,F6.2)
  509 FORMAT( 10(F8.0))
      READ(7,509) (DAML(IA, ID), ID=2,11)
```

```
WRITE(6,609) (DAML(IA,IL),IL=1,11)
  609 FORMAT (/,2X,F6.2,2X,10(2X,F9.0))
  100 CONTINUE
      DO 200 JX=3,12
      JA = JX - 2
      DAMW(JA)=0.0
      DAMM(JA) = 0.000
      DO 210 JB=1,LEV
      IF(RPWL(JB, JX, LN). LE. DAML(1,1)) DAMX(JB, JA) = DAML(1, JA+1)
      IF(RFWL(JB, JX, LN) . LE. DAML(1,1) ) 60 TO 209
      DWAT=RPWL(JB,JX,LN)*2.0
      IWAT = DWAT
      XWAT=FLDAT(IWAT)/2.0
      NWAT = (XWAT-DAML(1,1)) * 2.00 + 1
      XINT=(RPWL(JB,JX,LN)-XWAT)#2.0
      DAMX(JB, JA) = DAML(NWAT, JA+1)+(DAML(NWAT+1, JA+1)-
         DAML(NWAT, JA+1)) *XINT
C
    UPDATE TO JULY 1979 DOLLARS---
   AVERAGE 1975 ENR INDEX FOR PRESENT DAMAGES: 1306.
C
    JULY 1979 ENR INDEX FOR UPDATE OF DAMAGES: 1826.5
C
       FACTOR TO UPDATE = 1826.5/1306. = 1.39855
C
      DAMX(JB_{*}JA) = DAMX(JB_{*}JA)* 1.39855
  209 DAMM(JA) = DAMM(JA) + DAMX(JB,JA)
      IF (ABS(WEAR).LT.0.0001) GD TD 210
      CALL DAW(RPWL, WEAR, DAML, JA, JB, DAMW, LN)
  210 CONTINUE
      ADAM(JA)=DAMM(JA)/ALEV
      TDAM=TDAM+ ADAM(JA)
     · IF(ABS(WEAR).LT.0.0001) GO TO 200
      CALL AMD(JA,DAMW,ADAW,TDAW)
  200 CONTINUE
      DO 267 JA=1.LEV
      0.00 = (AL)MU2
      DO 276 JB = 1,10
      SUM(JA) = SUM(JA) + DAMX(JA,JB)
  276 CONTINUE
  267 CONTINUE
      L=0
      K(1) = 1900
      DO 906 I=2,LEV
      L=L+1
      K(I) = K(1) + L
  906 CONTINUE
      WRITE(6,678)
      WRITE(6,654)
  654 FORMAT(X,1H*,110X,9HYEARLY
```

. : *

```
WRITE (6,690)
 690 FORMAT (//,x,6H* YEAR,7X,5HMARCH,5X,5HAPRIL,6X,3HMAY,7X,
     4HJUNE,6X,4HJULY,4X,6HAUGUST,3X,7HSEPTEHB,3X,7HOCTOBER,
      3X,7HNOVEMBR,2X,8HDECEMBER,4X,7HTOTAL * ,/)
     WRITE (6,678)
     WRITE(6,1002)
     DO 808 I=1,LEV
     WRITE(6,615) K(I), (DAMX(I,JA), JA=1,10), SUM(I)
 615 FDRMAT (X,1H*,15,1X,10(FB.0,2X),X,FB.0,X,2H *)
 808 CONTINUE
     WRITE(6,1002)
     WRITE(6,1002)
      WRITE(6,910)(ADAM(I),I=1,10),TDAM
1002 FORMAT(X,1H*,118X,1H* )
     WRITE(6,1002)
 910 FORMAT(X,1H*,3X,3HAVE ,10(F8,0,2X),XX,F8.0,X,2H *)
      WRITE(6,1002)
      IF (ABS(WEAR).LT.0.00010) TDAW=TDAM
      WRITE(6,710)TDAM, TDAW
 710 FORMAT(X, "*", 10X, "AVE. ANNUAL DAMAGE BEFORE WEAROFF= ",
     . F12.0, " JULY 1979 DOLLARS", /, X, "*", 10X, "AVE. ANNUAL",
     . * DAMAGE AFTER WEAROFF= *,F12.0, *JULY 1979 DOLLARS* )
      CALL EC(TDAM, TDAW, SPW, AAV)
      WRITE(6,1002)
      WRITE(6,5000)SPW
      WRITE(6,1002)
5000 FORMAT(X,1H*,10X, PRESENT VALUE OF DAMAGE FOR 50 YEAR",
        * FERIOD= *, F11.0)
      WRITE (6,613) AAV
  613 FORMAT(/,1H*,9X, "AVERAGE ANNUAL DAMAGE FOR THE 50-YEAR",
     . * PERIOD=* , F12.0,* JULY 1979 DOLLARS* )
      WRITE(6,1000)
      WRITE(6,678)
1000
      FORMAT(1H1)
      GO TO 10
 1999 RETURN
      END
      SUBROUTINE DAW(RPWL, WEAR, DAML, JA, JB, DAMW, LN)
C
      THIS SUBROUTINE CALCULATES THE MONTHLY DAMAGES AFTER
    THE MEAN LEVELS ARE ADJUSTED BY THE WEAROFF.
C
      DIMENSION RPWL(79,12,5), DAML(19,11), DAMW(10)
      JX = JA + 2
      THRESH = RPWL(JB,JX,LN) + WEAR
      IF ( THRESH .LE. DAML(1,1) ) DAMX = DAML(1,JA+1)
      IF ( THRESH .LE. DAML(1,1) ) GO TO 987
      DWAT= (RPWL(JB,JX,LN)+WEAR) # 2.0
      IWAT = DWAT
      XWAT = FLOAT(IWAT)/2.00
```

```
NWAT = (XWAT-DAML(1,1)) * 2.00 + 1.00
      XINT = (RPWL(JB,JX,LN)+WEAR-XWAT) * 2.00
      DAMX=DAML(NWAT, JA+1)+(DAML(NWAT+1, JA+1)-DAML(NWAT, JA+1))
       *XINT
C
\mathbf{C}
       UPDATE THE DOLLARS TO JULY 1979---
C
    AVE. 1975 ENR INDEX FOR PRESENT DAMAGES: 1306.
C
    JULY 1979 ENR INDEX FOR UPDATE OF DAMAGE: 1826.5
    FACTOR TO UPDATE=1826.5/1306. = 1.39855
      DAMX = DAMX * 1.39855
  987 DAMW(JA) = DAMW(JA)+ DAMX
      RETURN
      END
      SUBROUTINE AMD(JA, DAMW, ADAW, TDAW)
C
C
      THIS SUBROUTINE TAKES THE TOTAL DAMAGES FOR A MONTH
C
    ( AFTER WEAROFF ) AND CALCULATES THE AVERAGE MONTHLY DAM-
    AGES. IT ALSO CALCULATES THE AVERAGE ANNUAL DAMAGES AFTER
C
    WEARDFF.
C
      COMMON/B/REGNAM(8), LEV, ALEV, BPWL(79, 12, 5), RPWL(79, 12, 5)
      DIMENSION DAMW(10), ADAW(10)
C
      ADAW(JA) = DAMW(JA)/ALEV
      TDAW = TDAW+ ADAW(JA)
      RETURN
      END
      SUBROUTINE EC(TDAM, TDAW, SPW, AAV)
     THIS SUBROUTINE TAKES THE AVERAGE ANNUAL DAMAGES BEFORE
    AND AFTER WEAROFF AND CALCULATES AN AVERAGE ANNUAL DAMAGE
    FROM THE TWO. THE DIFFERENCE BETWEEN THE TWO DAMAGES IN-
    PUT ARE AMORTIZED OVER A PERIOD OF 50 YEARS AT AN INTEREST
    RATE OF 8.5%. THE PRESENT WORTH OF 50 YEARS OF DAMAGES
    IS DETERMINED AND AN AVERAGE ANNUAL DAMAGE IS CALCULATED.
      SPW=0.0
      'AAV = 0.00
      DO 100 I=1,50
      T=FLOAT(I)
      A=(TDAW-TDAM)/50.0
      D=A*T+ TDAM
      PW=D/(1.085**T)
      SPW=SPW+ PW
100
      CONTINUE
      DR = 0.085
      AAV = SPW*DR / (1.00 - (( 1.00 + DR )**(=T)))
      RETURN
```

ANNEX A2 STAGE-DAMAGE CURVES AND HISTORIC RISE DATA

jo ‡					n2-1				
CH LEVELS 2001 18 3	21 T		U.S. ERO	EROSION STA	Stage-damage	E CURUES			
175	44872.	10169.	8193.	5358.	5023.	5816.	13864.	25383.	53545.
942	53188.	12479.	9912.	6631.	6362.	7233.	16755.	30283.	62553.
242.50 58635.	63211.	15393.	12033.	. 8238.	8093.	9041.	20304.	36244.	73235.
69764.	75345.	19065.	14678.	10281.	10314.	11307.	24691.	43488.	95971.
83292	.06006	23731.	17993.	12892.	13205.	14276.	30126.	52362.	101208.
99823	108151.	29714.	22168.	16241.	16967.	18071.	36891.	63301.	119558.
120184.	130420.	37471.	27515.	20595.	21933.	23005.	45407.	76852.	141805.
245.00	158091.	47652.	34424.	26298.	28519.	29490.	56180.	93818.	168984.
245.50 177312.	192860.	61180.	43511.	33900.	37360.	38107.	69964.	115294.	202527.
217864.	237097.	79520.	55677.	44202.	49426.	49728.	87869.	142820.	244452.
270416.	294292.	104913.	72399.	58557.	66237.	65745.	1111499.	178741.	297652.
339990.	369725.	141079.	96173.	79240.	90335.	88427.	143490.	226727.	366578.
434757	471993.	194579.	131591.	110628.	126513.	121947.	188362.	292930.	458432.
569161.	616198.	278340.	188351.	162555.	185237.	175179.	255157.	389115.	586183.
769523	829977.	418482.	287516.	257155.	290117.	268150.	362560.	538499.	773652.
210.1	129582.	624135.	429432.	385263.	431453.	396660.	511252.	746305.	746305.1030339.
. 386 . 1	477552. APR	848272. MAY	578849. JUN	507133. JUL	573034. AUG	528106. SEP	673315. OCT	979138. NOV	979138.1320222. NOV DEC

FIGURE A2-1(CONT'D)

				TOOME NET	TELECONIE TO				
1400000	1400000	0.1040000.	710000	620000.	610000.	640000	830000	830000.1210000.1620000.	1620000.
2002 17						; ; ;			
42.0					!	1	!	1	1 1
33527.	36330.	7459.	8594.	3995.	3679.	4153.	11512.	23697.	40282.
242.50							İ	!	į
41719.	45312.	9887	10807.	0317	5044.	5576.	14730.	29475.	49508.
243.00						i	,		
52081.	56751.	13178.	13681.	7114.	6941.	7544.	18926.	36789.	61048.
243.50					1				1 1
65259.	71352.	17647.	17432.	9571.	9600.	10246.	24431.	46131.	75578
244.00									
82145.	90135.	23813.	22390.	12948.	13351.	14026.	31731.	58117.	94001.
244.50									
103932.	114508.	32350.	29043.	17690.	18726.	19329.	41460.	73623.	117569.
245.00									
132357.	146412.	44407.	38141.	24402.	26486.	26888.	54610.	93872.	148022.
245.50			Í						
169880.	188706.	61724.	50874.	34102.	37911.	37839.	72588.	120631.	187901.
240.00								1	
220337.	245673.	87261.	.69268.	48488.	55041.	54106.	97680.	156572.	241117.
246.50		!	1	1	•	•	!!		1
289892.	324153.	126350.	97077.	70734.	81642.	79112.	133723.	200002	313993.
247.00								:	1
389958.	436506.	190086.	142287.	107668.	125243.	119983.	188290.	276916.	418025.
247.50									
546128.	608627.	305902.	225754.	177741.	204341.	195086.	280250.	387458.	577916.
248.00								1	1
785348.	863915.	498574.	222277.	291876.	335520.	319195.	423529.	554951.	821333.
248.50									
_	1197682.	741100.	538497.	429220.	503891.	474948.	600220.	764870.1142569.	1142569.
249.00									
1450052.1	593518.	992837.	714542.	571163.	688315.	640517.	800265.1	800265.1004751.1502176.	1502176.
249.50	•	700	0000		707010	. 34000	¥0000+V	1010001 000000 10101701	020140
_	2028184.	.123147/.	8/2808.	102197	8/0003	117243.			• ^ • 7 ^ / • 1
250.00	00000	. 00000101	000000	010000101000000	00000	940000	1220000.1	940000.1220000.1540000.2240000.	2240000
2003 18		71000011	•						
) ;	ì								

•			FIGURE		A2-1(CONT'D)				
57519.	45997.	12213.	7854.	.0909	5610.	. 2609	16988.	31697.	. 29699
66710.	54045.	14837.	9294.	7403.	6927.	7501.	20114.	37302.	76941.
77561.	63661.	18080.	11112.	9073.	8576.	9268.	23895.	44008.	88617.
90410	75179.	22107.	13351.	11169.	10666.	11492.	28480.	52068.	102322.
243.50 105688.	89037.	27143.	16128.	13817.	13361.	14310.	34070.	61776.	118475.
123937.	105775.	33465.	19601.	17179.	16722.	17911.	40920.	73534.	137606.
145828.	126089.	41458.	23987.	21487.	21113.	22532.	49373.	87844.	160363.
172233.	150870.	51637.	29582.	27056.	26835.	28521.	59870.	105355.	187588.
204274.	181281.	64701.	36806.	34341.	34372.	36349.	73001.	126929.	220351.
245.00	218860.	81644.	46289.	43999.	44429.	46699.	89590.	153698.	260062.
246.50 291616.	265667.	103874.	58959.	57007.	58072.	60562.	110765.	187198.	308583.
351542.	324538.	133492.	76264.	74892.	76951.	79457.	138148.	229593.	368450.
426967.	399496.	173739.	100616.	100180.	103787.	105801.	174191.	283987.	443217.
248.00 523515.	496602.	230081.	136345.	137467.	143430.	143769.	222810.	355139.	538116.
650259	625596.	312385.	191912.	195729.	205232.	201155.	290899.	451005.	661381.
817005.	795610.	427930.	272496.	278259.	294879.	283342.	383640.	578876.	821652.
249.50	1006623.	568651.	366764.	373158.	399322.	380730.	497899.	737385.1	737385.1020327.
230000.1 2004 18 241.50	.1210000. 8 1	710000.	460000.	470000.	505000.	480000.	620000.	895000.1	895000.1220000.

₹ "

4359.	1338.	FIGURE		A2-1(CONT'D) 270. 202.	387.	873.	2622.	4135.
.609	1554.	374.	330.	250.	460.	1019.	2994.	4665.
5542.	1809.	452.	406.	309.	100	1191.	3423.	5272.
6265.	2110.	546.	499.	386.	661.	1396.	3920.	5968.
7096.	2465.	663.	617.	481.	796.	1643.	4500.	6769.
8052.	2887.	808.	764.	604.	963.	1937.	5177.	7693.
9156.	3389.	988.	952.	761.	1170.	2293.	5971.	8763.
0436.	3991.	1215.	1191.	966.	1428.	2725.	.9069	10006.
1926.	4716.	1500.	1498.	1233.	1753.	3253.	8011.	11458.
3668.	5593.	1866.	1899.	1584.	2169.	3902.	9326.	13160.
5715.	6663.	2338.	2424.	2054.	2704.	4710.	10899.	15167.
8138.	7982.	2957.	3123.	2691.	3403.	5725.	12798.	17553.
21029.	9627.	3784.	4075.	3570.	4337.	7020.	15112.	20410.
24522.	11723.	4925.	5408.	4821.	5618.	8706.	17970.	23875.
28827.	14482.	6289.	7377.	6693.	7464.	10978.	21578.	28152.
34202.	18167.	9021,	10282.	9501.	10167.	14093.	26222.	33527.
40791.	22824.	12197.	14143.	13298.	13790.	18150.	32078.	40182.
47000.	26000.	15000.	18000.	16500.	16000.	22000.	38000.	47000.
2328.	15704.	5287.	5496.	4425.	7221.	11513.	24621.	36748.

242.00 53227. 50844. 242.50 64419. 61242. 243.00 78150. 73998. 243.50 95062. 89707. 244.00	0000	1007	7	E 7 7 A		1447	30258.	44401
6124 7399 8970 10914		• >>>	1153.	• • • • • • • • • • • • • • • • • • • •	9146.	17701		
7399 8970	24285.	8804.	9277.	7577.	11645.	18164.	37294.	54006.
7399 8970 10914			• • •			1		
8970	30331.	11450.	12142.	10004.	14895.	22945.	46118.	65754.
10914	4000	1 4072	15077	12382	10174.	29108	57232	80327
10914		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	. 70704				
AA AAC	47867.	19705.	21147.	17760.	24840.	37108.	71318.	98453.
		•		1		L		•
141921. 133335.	60536.	26126.	28192.	23933.	32436.	47590.	87269.	121168.
174331. 163617.	76990.	34945.	37893.	32553.	42727.	61432.	112320.	149804.
	i i	1	•	1			•	1
215055. 201813.	98265.	47224.	51438.	44748.	56881.	79937.	142169.	186187.
250425	127239.	64638.	70690.	62309.	76703.	105036.	181241.	232845.
1120212	144034	80041	98704.	AR231	105103	139761	233089	293425
395011.	219987.	128053.	141077.	127960.	147192.	189247.	303233.	373450.
505313.	298351.	188798.	209165.	192687.	212853.	263269.	401052.	482013.
487040	410004	281714	212175.	201405	312710.	77118S.	537788.	629771
		• • • • • • • • • • • • • • • • • • • •						
880771. 843482.	552669.	399478.	441635.	417677.	442390.	510596.	715746.	819558.
1070085.	715667.	527030.	581080.	554252.	583429.	669116.	928404.	928404.1048452.
47.50 84018.1327317.	886823.	645304.	713519.	681165.	713825.	827374.1	827374,1163579,1303554	1303554.
250.00 1600000.1570000.1	.1040000.	760000.	840000.	B10000.	840000.	980000.1	980000.1400000.1550000.	1550000.
3001 14 2 568.00 38642. 34092.	24642.	9030.	1680.	2590.	3570.	8051.	10781.	21981.

$\overline{}$
•
-
z
0
CON
~
74
AN
•
IGURE A

			בי בי	TERM BURGE	AL TROUNDER				
8.00 29.50	46273.	34512.	12881.	2590.	3851.	5320.	11691.	15261.	30732.
69.0 7308	63213.	48583.	18481.	3990.	5671.	7981.	17081.	21841.	43262.
101367	86875.	68674.	26742.	6161.	8471.	12181.	25201.	31781.	61394.
141548	120617.	97655.	38922.	9730.	12810.	18901.	37662.	47323.	88275.
198602.	169200.	139799.	57403.	15541.	19531.	29402.	56913.	70144.	128318.
280507	239625.	201962.	85615.	25201.	30381.	46693.	87575.	102836.	186422.
399724.	341551.	295068.	129858.	41793.	48303.	75184.	136509.	154149.	275116.
576975	489399.	436757.	201332.	71614.	79594.	124397.	216803.	235634.	412045.
845581.	712363.	658040.	322860.	128528.	138678.	214003.	355902.	370673.	626188.
~ ·	1061824.	4.1013732.	540363.	245785.	256006.	382223.	606727.	594756.	968368.
•	1605057.	7.1584196.	917755.	480719.	486809.	696962.	696962.1060564.	965078.1499421	1499421.
o m	2413816.	6.2444968.1502501.	1502501.	856362.	846911.	1191962.	846911.1191962.1751436.1500541.2234115	1500541.2	2234115.
~ : S	271	0.3617889.2228584.1231304.1232564.1759417.2530723.2120288.3050224.	2228584.	1231304.1	1232564.	1759417.	2530723.2	2120288.3	3050224.
\sim	7			ļ	1	!	. !	•	\$!
M M	20747.	7489.	3233.	1489.	1954.	4977.	5931.	11281.	16653.
3 SO C	27702.	10373.	4629.	2209.	2884.	6838 .	8141.	14723.	22352.
•	37145.	14490.	6675.	3280.	4280.	9466.	11257.	19305.	30097.
640	50007.	20398.	9722.	4931.	6420.	13211.	15677.	25492.	40773.
570.50 63311. 570.50	67707.	28934.	14304.	7489.	.6696	18654.	22026.	33958.	55612.
 - 									

			FIGURE		A2-1(CONT'B)				
712	92246.	41448.	21282.	11560.	14793.	26678.	31284.	45704.	76453.
571.00			1	1		1	i d		
121227.	126646.	60125.	32097.	18096.	22854.	38720.	4500%	62288.	106225.
170815.	175560.	88524.	49216.	28888.	35936.	57403.	65847.	86292.	149603.
572.00			1	7	1011		0 4 3 0 0	400400	214842
572.50	246361.	132833.	/6//4	4/332.	0//0	.0478	48044.	122320.	• 1 # O # C •
357842.	351492.	204331.	122925.	80337.	95688.	137322.	152371.	179398.	315696.
538844.	513794.	325791.	204518.	143462.	166210.	227126.	245965.	274458.	477161.
573.50 829909.	771691.	539565.	350213.	266573.	297415.	387125.	404081.	423456.	723522.
1251318.1	1148885.	877032.	572337.	459345.	496234.	622949.	620716.	612343.	1032194.
574.50 1748575.1	1609741.	1.1299418.	838375.	662839.	726546.	881358.	847470.	816535.1358334	1358334.
3003 14	2								
87254.	128687.	13588.	16711.	5056.	5000.	8439.	22287.	50542.	76491.
568.50 102087.	79168.	16711.	19778.	6302.	6245.	10428.	26934.	59074.	89559.
119635.	93239.	20633.	23514.	. 7881.	7826.	12937.	32604.	69186.	105005.
140472.	110061.	25522.	28031.	9908.	9833.	16060.	39519.	81157.	123334.
165287	130174.	31675.	33515.	12473.	12380.	20001.	47958.	95414.	145119.
194880.	154302.	39444.	40244.	15782.	15651.	24983.	58293.	112422.	171087.
230346.	183374.	49278.	48515.	20020.	19871.	31303.	70989.	132776.	202111.
272913.	218450.	61788.	58739.	25540.	25299.	39333.	86603.	157220.	239287.
324236.	260980.	77792.	71453.	32752.	32381.	49612.	105898.	186720.	283974.
386340.	312730.	98388.	87402.	42214.	41638.	62828.	129784.	222428.	347193.

$\hat{}$
•
\vdash
z
2
$\overline{}$
ŧ
ŧ
A2-
ŧ

•			91.	TOOME METAL	יין איניין איניין				
461790	376004.	125007.	107534.	54742.	53850.	79930.	159488.	265906.	403199.
553894.	453592.	159692.	133204.	71490.	70096.	102217.	196627.	319124.	538410.
5/4.00	549452.	205178.	166235.	94150.	91938.	131475.	243284.	384704.	579807.
574.50 806658. 3004 14	668584. 2	265385.	209286.	125137.	121698.	170232.	302320.	466102.	699367.
568.00 119332.	80753.	41109.	16912.	22460.	12939.	16379.	44248.	91993.	164869.
568.50 132861.	90328.	46339.	19295.	25382.	14781.	18820.	49946.	103019.	181572.
148056.	101144.	52292.	22040.	28723.	16935.	21655.	56435.	115460.	200144.
165135	113370.	59075.	25208.	32555.	19439.	24960.	63837.	129516.	220820.
148366.	127213.	66825.	28876.	36957.	22358.	28825.	72290.	145414.	243875.
206041.	142914.	75690.	33135.	42026.	25771.	33351.	81964.	163422.	269616.
230509.	160749.	85857.	38083.	47880.	29780.	36603.	125782.	183853.	298404.
571.50 258176.	181042.	97541.	43849.	54674.	34502.	44928.	105797.	207072.	330658.
289513	204182.	111003.	50596.	62548.	40081.	52337.	120468.	233507.	366858.
325072.	230621.	126558.	58536.	71740.	46709.	61131.	137400.	263663.	407576.
365510.	260898.	144590.	67842.	82513.	54618.	71609.	156829.	298142.	453476.
411600.	295668.	165566.	78887	95194.	64108.	84159.	179740.	337668.	505349.
464275.	335387.	190077.	92033.	110202.	75565.	99275.	206237.	383093.	564142.
524656. 2 3	382031.	218866.	107780.	128083.	89497.	117595.	237234.	435510.	634269.

$\overline{}$
c
٠.
\vdash
Z
Z
ت
$\overline{}$
-
ı
CI
A
ш
Œ
=
IGURE
\blacksquare
L.

	262.	397.	l	526.	762.	4 1 1	3	1650.	2474.	3764.		2826.	9214.	14985		25286.	40389.		53548.	40245.		62172.	62482.		900	•
	309.	431.	1	. 209	861.	• • • •		1805.	2655.	3970.	1	6039.	9384.	15000.		24925.	10866		53570.	41441.		65085.	65693.	: : :	4.5.4	• # O #
	302.	438.	! !	637.	939.	1700	• • • • • • • • • • • • • • • • • • • •	2077.	3138.	4795.	1	7428.	11715.	10001		31510.	50077		69852.	70046		82137.	82373.		•	. 400
	159.	236.) } }	357.	541.	, C		1270.	1974.	3109.		4968.	8088.	175.40		23632.	10214.		52733.	50770	•	60736.	60791.		ì	369.
	147.	210.) I	302.	442.	0 11 7	• • • • • • • • • • • • • • • • • • • •	998.	1551.	2452.	!	3981.	6648.	11000		20955.	75544		46311.	000		20969.	51135.		ć	280.
!	99.	147.		221.	335.	7	310.	810.	1289.	2091.	İ	3472.	5933.	10801	• • • • • • • • • • • • • • • • • • • •	19541.	. 67222		42609.	A F. 0 7 0	•	46473.	46517.		1	172.
) 	221.	108		482.	722.		10401	1657.	2556.	3988.		6331.	10253.	17057	. 750/1	29418.	49497	•	64614.	57163		74790.	74951			542.
	313.	453.		. 299	980.	***	• • • • • • • • • • • • • • • • • • •	2176.	3281.	5005		7723.	12102.	10101		31844.	K1114	• • • • • • • • • • • • • • • • • • • •	70551.	01710	• > > > > > > > > > > > > > > > > > > >	83621.	83047.		7	1343.
м	427.	404		865.	1244.	•	1803.	2644.	3908.	5845.	•	8854.	13615.	, F		34375.	2000) 	74800.	07150	3	90596.	01204.	ì	į	1540.
569.50	357.	570.00	570.50	752.	1097.	571.50	572.00	2394.	572.50 3576.	573.00	573.50	8227.	12721	574.50	675 OO	32187.	575.50	576.00	69626.	576.50	577.00	84460.	577.50	4002 17	569.50	1497.

			FIGURE		A2-1(CONT'D)				
195	1989.	1746.	731.	242.	383.	503.	684.	577.	935.
25.50	2580.	2281.	988.	342.	530.	. 269	924.	770.	1242.
3349.	3362.	2994.	1347.	489.	738.	926	1256.	1035.	1657.
571.50 4416.	4399.	3955.	1848.	706.	1031.	1332.	1717.	1397.	2218.
572.00	5784.	5256.	2556.	1023.	1456.	1872.	2364.	1899.	2985.
7808.	7654.	7036.	3564.	1499.	2072.	2650.	3280.	2597.	4045.
10482.	10197.	9497.	5019.	2220.	2983.	3791.	4597.	3583.	5521.
14177.	13693.	12943.	7151.	3337.	4354.	5491.	6511.	4995.	7601.
19348.	18572.	17844.	99872.	5101.	6465.	8068.	9347.	7055.	10586.
26706.	25509.	24962.	15184.	7976.	9837.	12083.	13656.	10142.	14963.
37395.	35647.	35586.	22865.	12913.	15511.	18597.	20452.	14947.	21537.
52421.	49876.	50861.	34143.	20146.	23790.	28149.	30305.	21736.	30646.
69979.	66234.	68272.	46454.	26836.	31522.	37953.	40714.	28799.	40671.
85443	81030.	82701.	54428.	30049.	36220.	43905.	47618.	34204.	49033.
95716.	91424.	92141.	57962.	31021.	38141.	46084.	50950.	37225.	53311.
100772.	96953.	97484.	59337.	31254.	38569.	46651.	51930.	38065.	55030.
5001 16	•								
3575	1424.	3217.	542.	163.	147.	704.	3994.	2093.	1505.
3861.	1710.	3504.	829.	354.	243.	·066	4280.	2380.	1792.

			FIGURE		A2-1(CONT'D)				
4824.	2201.	4277.	1096.	482.	335.	1305.	5189.	2946.	2289
6049.	2846.	5251.	1459.	664.	463.	1727.	6322.	3666.	2938
576.50 7608.	3700.	6486.	1956.	921.	650.	2299.	7742.	4590.	3781
577.00 9614.	4838.	8077.	2640.	1286.	923.	3077.	9547.	5781.	4896
577.50 12207.	6370.	10142.	3594.	1814.	1328.	4138.	11857.	7340.	9829
15590	8454.	12862.	4944.	2589.	1939.	5616.	14863.	9405.	8381
20049.	11322.	16506.	6883.	3747.	2882.	7694.	18830.	12190.	11107
26008.	15334.	21481.	9731.	5525.	4383.	10683.	24179.	16029.	14902
34131.	21079.	28455.	14048.	8348.	6855.	15088.	31589.	21488.	20328
45558	29616.	38609.	20867.	13094.	11166.	21869.	42285.	29633.	28433
580.50 62689.	43022.	54383.	32535.	22008.	19477.	33248.	58931.	42927.	41674
91349.	66216.	81544.	54863.	.41245.	37723.	54891.	88252.	.00629	66347
132233.	101205.	123010.	90498.	70476.	66835.	87492.	131823.	104863.	102631
582.00 181270. 5002 16	143556.	173821.	132119.	102494.	99339.	125629.	183729.	145333.	142539
574.50 1047.	1156.	114.	100.	27.	21.	22.	185.	334.	966
1238.	1442.	209.	138.	55.	31.	41.	281.	525.	1283
1537	1778.	280.	182.	76.	43.	57.	361.	.999	1539
5 to 10	2201.	379.	241.	106.	61.	79.	467.	848.	1858

3432. 711. 434. 209. 131. 4326. 986. 590. 299. 194. 5496. 1384. 815. 433. 292. 7044. 1969. 1142. 635. 446. 9132. 2851. 1631. 952. 697. 2008. 4215. 2391. 1468. 1119. 1 2008. 4215. 2391. 1468. 1119. 1 2008. 4215. 2391. 1468. 1119. 1 2207. 10178. 5854. 4043. 3340. 3 2144. 17371. 10483. 7799. 6713. 6 2144. 17371. 10483. 7799. 6713. 6 2156. 18451. 14445. 12904. 19 4325. 2196. 1337. 382. 191. 7784. 2575. 1707. 683. 745. 7154. 4674. 2968. 1303. 745. 2335. 8758. 2172. 1613.	7. 2741.	. 517.	F160KE 322.		A2-1(CONT'D) 148. 89.	112.	607.	108.5.	2259.
4326. 986. 590. 299. 194. 5496. 1384. 815. 433. 292. 7044. 1969. 1142. 635. 446. 12008. 4215. 2391. 1468. 1119. 1 12008. 4215. 2391. 1468. 1119. 1 22207. 10178. 5854. 4043. 3340. 3 47739. 29866. 18451. 14445. 12620. 12 47739. 29866. 18451. 14445. 12620. 12 47739. 29866. 18451. 14445. 12620. 12 47739. 29866. 18451. 14445. 19904. 19 47739. 29866. 18451. 14445. 19904. 19 4 47739. 29766. 1376. 19904. 19 4 17786. 2575. 1707. 683. 372. 21933. 3454. 2968. 1303. 745. 21546. 42335. 2172. 1613. <td< th=""><th>. 343</th><th></th><th>434.</th><th>209.</th><th>131.</th><th>159.</th><th>794.</th><th>1391.</th><th>2765.</th></td<>	. 343		434.	209.	131.	159.	794.	1391.	2765.
5496. 1384. 815. 433. 292. 7044. 1969. 1142. 635. 446. 9132. 2851. 1631. 952. 697. 12008. 4215. 2391. 1468. 1119. 1 22207. 10178. 5854. 4043. 3340. 3 47739. 29866. 18451. 14445. 12620. 12 47739. 29866. 18451. 14445. 19904. 19 47739. 29866. 18451. 14445. 19904. 19 4 47739. 29866. 1337. 382. 191. 14325. 2196. 1337. 382. 191. 17786. 2575. 1707. 683. 372. 27154. 4674. 2968. 1303. 745. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358	. 432		590.	299.	194.	228.	1044.	1797.	3413.
7044. 1969. 1142. 635. 446. 9132. 2851. 1631. 952. 697. 12008. 4215. 2391. 1468. 1119. 1 22207. 10178. 3633. 2356. 1871. 1 32144. 17371. 10483. 7799. 6713. 6 47739. 29866. 18451. 14445. 12620. 12 47739. 29866. 18451. 14445. 12620. 12 48017. 46652. 27918. 21976. 19904. 19 4 4 1337. 382. 191. 19 4 17786. 2575. 1707. 683. 372. 17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 2780. 2785. 2069. 2	. 549		815.	433.	292.	333.	1385.	2337.	4253.
9132. 2851. 1631. 952. 697. 12008. 4215. 2391. 1468. 1119. 1 16095. 6413. 3633. 2356. 1871. 1 22207. 10178. 5854. 4043. 3340. 3 47739. 29866. 18451. 14445. 12620. 12 68017. 46652. 27918. 21976. 19904. 19 68017. 46652. 27918. 21976. 19904. 19 14325. 2196. 1337. 382. 191. 19 17786. 2575. 1707. 683. 372. 191. 227. 21933. 3454. 2244. 941. 527. 27 27 27154. 4674. 2968. 1303. 745. 1 27154. 6370. 3971. 1831. 1096. 1 42335. 8758. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	. 704		1142.	635.	446.	496.	1857.	3064.	5355.
12008. 4215. 2391. 1468. 1119. 1 16095. 6413. 3633. 2356. 1871. 1 22207. 10178. 5854. 4043. 3340. 3 32144. 17371. 10483. 7799. 6713. 6 47739. 29866. 18451. 14445. 12620. 12 68017. 46652. 27918. 21976. 19904. 19 68017. 46652. 27918. 21976. 19904. 19 14325. 2196. 1337. 382. 191. 17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	. 913		1631.	952.	697.	755.	2519.	4055.	6828.
. 16095. 6413. 3633. 2356. 1871. 1 22207. 10178. 5854. 4043. 3340. 3 32144. 17371. 10483. 7799. 6713. 6 47739. 29866. 18451. 14445. 12620. 12 68017. 46652. 27918. 21976. 19904. 19 6 4 14325. 2196. 1337. 382. 191. 17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	. 1200	·	2391,	1468.	1119.	1185.	3478.	5438.	8842.
22207. 10178. 5854. 4043. 3340. 3 32144. 17371. 10483. 7799. 6713. 6 47739. 29866. 18451. 14445. 12620. 12 68017. 46652. 27918. 21976. 19904. 19 4 14325. 2196. 1337. 382. 191. 17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	1609		3633.	2356.	1871.	1941.	4919.	7430.	11681.
32144. 17371. 10483. 7799. 6713. 6 47739. 29866. 18451. 14445. 12620. 12 68017. 46652. 27918. 21976. 19904. 19 4 14325. 2196. 1337. 382. 191. 17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1			5854.	4043.	3340.	3407.	7247.	10473.	15901.
47739. 29866. 18451. 14445. 12620. 12 68017. 46652. 27918. 21976. 19904. 19 4 14325. 2196. 1337. 382. 191. 17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	3214			7799.	6713.	6728.	11513.	15677.	22762.
68017. 46652. 27918. 21976. 19904. 19 4 14325. 2196. 1337. 382. 191. 17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	4773			14445.	12620.	12728.	18580.	23947.	33287.
14325. 2196. 1337. 382. 191. 17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	6801 4	·	27918.	21976.	19904.	19717.	27561.	34223.	47021.
17786. 2575. 1707. 683. 372. 21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	1432		1337.	382.	191.	286.	2865.	5730.	12415.
21933. 3454. 2244. 941. 527. 27154. 4674. 2968. 1303. 745. 33804. 6370. 3971. 1831. 1096. 1 42335. 8758. 5346. 2172. 1613. 1 53358. 12150. 7280. 2585. 2069. 2	1778		1707.	683.	372.	507.	3464.	6473.	15821.
154. 4674. 2968. 1303. 745. 804. 6370. 3971. 1831. 1096. 1 335. 8758. 5346. 2172. 1613. 1 358. 12150. 7280. 2585. 2069. 2	2193		2244.	941.	527.	703.	4457.	8210.	18985.
3804. 6370. 3971. 1831. 1096. 2335. 8758. 5346. 2172. 1613. 3358. 12150. 7280. 2585. 2069.	15		2968.	1303.	745.	972.	5760.	10454.	22926.
2335. 8758. 5346. 2172. 1613. 3358. 12150. 7280. 2585. 2069.	380		3971.	1831.	1096.	1375.	7486.	13360.	27857.
. 53358, 12150, 7280, 2585, 2069.	. 4233		5346.	2172.	1613.	1954.	9782.	17165.	34104.
	5335	, 12150.	7280.	2585.	2069.	2812.	12874.	22170.	42097.

î,		
CONT		
A2-1 (CONT		
FIGURE		
ī		

72 88	553.	£0453.	,040,		£10£	1000			
72									
_	375.	26369.	10837.	3516.	2896.	5573.	27330.	27981.	56832.
	88899.	34455.	15118.	5098.	4188.	7818.	34775.	35272.	69634.
79.50 10832. 110056	056.	45644.	21292.	7486.	6163.	11075.	44589.	44807.	85900.
***	37531.	61475.	30453.	11189.	9285.	15790.	57712.	57453.	106799.
74	73889.	84504.	44372.	17124.	14436.	23215.	75642.	74546.	134067.
N	23193.	119279.	66387.	27103.	23411.	34766.	100945.	98309.	170383.
381.50 300459. 292	92787.	174871.	103521.	45344.	40556.	54206.	138710.	132929.	220370.
M	98737.	273160.	174117.	84091.	78548.	91225.	201530.	188439.	293955.
191.	382.	95.	48.	29.	19.	29.	115.	105.	286.
5.00 470.	591.	237.	95.	42.	28.	45.	169.	152.	405.
5.50 659.	808	344.	149.	. 65	42.	71.	247.	220.	565.
931. 1	117.	503.	237.	104.	. 89	107.	366.	321.	796.
-	562.	746.	371.	163.	107.	169.	546.	473.	1129.
•	2206.	1117.	594.	262.	178.	267.	819.	710.	1613.
•	3163.	1697.	.096	428.	292.	431.	1244.	1078.	2336.
	4618.	2618.	1576.	707.	503.	704.	1922.	1674.	3427.
578.50 6276. 60	892.	4117.	2634.	1188.	886.	1171.	3028.	2677.	5119.

9400	10522	6651	FIGU 4520.	FIGURE A2-1(CONT'D) 20. 2060. 1626.	(CONT'D)	2012.	4908.	4419.	7816.
579.50			i i) 	•	! !
14314.	16543.	11173.	8054.	3743.	3194.	3619.	8277.	7576.	12307.
22650	26637.	20029.	15087.	7410.	6872.	7035.	14584.	13675.	20415.
380.50	44139.	38429.	29753.	16287.	16199.	14795.	27296.	25551.	36212.
63175	72353.	70338.	56098.	32627.	33085.	28799.	49652.	44671.	61005.
99027	111019.	112392.	90547.	52990.	53528.	47004.	79372.	66079.	90420.
8 4 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	154643.	158270.	125506.	72231.	70906.	. 26099	110196.	86120.	120753.
. មល	57.	10.	'n	'n	m	'n	14.	29.	48.
င် ထား	80.	11.	œ	6	'n	60	21.	33.	62.
11.5	112.	18.	11.	12.	6	11.	32.	50.	87.
ំដី ព	159.	29.	19.	20.	12.	18.	48.	75.	121.
22.0	226.	40.	31.	32.	21.	30.	73.	116.	172.
310	325.	73.	20.	51.	34.	48	112.	178.	247.
454.	473.	117.	82.	82.	58.	79.	175.	277.	361.
	.696.	194.	138.	137.	101.	133.	278.	438.	536.
• •	1043.	325.	234.	229.	180.	230.	453.	703.	813.
. . .	1598.	260.	412.	399.	330.	413.	754.	1151.	1263.
•	2516.	1002.	750.	724.	642.	772.	1304.	1937.	2022.
240·00 2722·	4100.	1904.	1432.	1408.	1337.	1563.	2354.	3373.	3395.

			FIGURE		A2-1(CONT'D)				
6317	6819.	3764.	2871.	2962.	2992.	3330.	4400.	6120.	5985.
10710.	11115.	6955.	5241.	5666.	5675.	6125.	7797.	10598.	10267.
16490.	16779.	10794.	7894.	8838.	8404.	8929.	11851.	16091.	15426.
22836. 5006 16	22724.	14330.	10010.	11507.	10273.	11089.	15313.	21182.	20105.
574.50	85950.	28650.	14325.	6685.	11460.	28650.	23875.	19100.	38200.
80274	104758.	40183.	20865.	8303.	15776.	35344.	31505.	23627.	46633.
90851	116713.	46238.	24309.	9898.	18303.	39414.	35022.	26776.	53041.
103015.	130272.	53321.	28386.	11831.	21285.	44070.	39046.	30437.	60430.
117043	145702.	61631.	33225.	14180.	24817.	49429.	43665.	34708.	68975.
133262.	163319.	71419.	38989.	17045.	29023.	55629.	48997.	39709.	78880.
152084.	183509.	82999.	45886.	20557.	34051.	62844.	55196.	45597.	90408.
173998	206738.	96755.	54166.	24885.	40092.	71301.	62449.	52574.	103868.
199622.	233594.	113186.	64165.	30254.	47401.	81287.	71006.	.08809	119646.
229718	264807.	132928.	76315.	36961.	56303.	93185.	81185.	70847.	138245.
265250	301310.	156813.	91173.	45420.	67250.	107513.	93428.	82893.	160281.
307472.	344309.	185961.	109498.	56193.	80854.	124970.	108331.	97596.	186582.
358027.	395421.	221896.	132345.	70115.	98001.	150371.	126755.	115755.	218255.
581.00 419225. 581.50	456861.	266789.	161228.	88444.	120048.	173862.	149981.	138537.	256861.

	•	(i i	FIGURE	A2-1	(CONT.D)	i	•	† † †	; ; ;
582.00	.31876.	323952	198485.	1132/6.	147288.	207313.	180114.	16//83.	504//4.
587645.	625353.	398508.	247845.	148113.	189549.	256876.	220558.	206348.	365586.
7001 14	<								
574.50	•								
307.	453.	347.	331.	195.	183.	179.	315.	162.	217.
575.00									
376.	545.	421.	406.	246.	231.	223.	393.	205.	266.
575.50	i	1		,	1	i i	(1
463.	628	513.	498.	311.	293.	282	494.	261.	324.
576.00			!	l (1	i		† !	•
571.	800.	627.	613.	395.	373.	300.	9 20.	555.	410.
708.	976.	771.	758.	338	477.	456.	782.	427.	513.
577.00)			 - 	•	 	 		1
880.	1195.	950.	944.	647.	611.	575.	825.	549.	645.
577.50			!		1		1		1
1097.	1469.	1177.	1179.	831.	787.	737.	1261.	710.	817.
278.00	•		1		1	1	•	1	•
1376.	1816.	1465.	1483.	1075.	1020.	950.	1611.	922.	1042.
1711	2250	1014	1877	1 700	1728	1275.	2049.	1204.	1339.
579.00	• 004					2004	3 /		
2196.	2824.	2308.	2391.	1834.	1742.	1615.	2672.	1588.	1737.
279.50									
2804.	3555.	2928.	3072.	2421.	2303.	2133.	3473.	2111.	2279.
580.00	4512	1745.	1084	3229.	30.69	2849	4551	2833.	3026.
000.000	i !)	i i)))))) !)
4698.	5782.	4840.	5228.	4360.	4140.	3875.	4361.	3853.	4084.
581.00									
6209.	7502.	6347.	.8969	5987.	5678.	5333.	8078	5339	5634.
8408	9914.	8517.	9507.	8437.	7998.	7603.	11072.	7611.	8034.
582.00		, , ,						٠	
11501.	13227.	11520.	13123.	11996.	11338.	10942.	15333.	10983.	11604.
7									

•			FIGURE		A2-1(CONT'D)				
271	11716.	2720.	954.	283.	518.	1054.	1415.	1564.	308
0 4 M	5592.	3342.	1197.	377.	674.	1339.	5514.	2015.	3921
י פיי	6834.	4121.	1512.	505.	883.	1711.	6905.	2609.	499
5 th 1	8389.	5099.	1918.	684.	1158.	2196.	8669.	3389.	637
ບໍ່ໝັ່	10346.	6333.	2450.	928.	1531.	2834.	10919.	4422.	8163
ו עו כ	12823.	7902.	3152.	1026.	2032.	3682.	13798.	5797.	10494
v m	15974.	9907.	4085.	1732.	2715.	4819.	17501.	7638.	1354
	20020.	12490.	5345.	2395.	3658.	6359.	22220.	10116.	17562
ů Ö d	25248.	15846.	7064.	3340.	4973.	8472.	28529.	13502.	2289
ا ک ف	32071.	20255.	9447.	4704.	6836.	11420.	36718.	18154.	3003
u iii d	41064.	26122.	12818.	6715.	9533.	15609.	47575.	24631.	3970
9 0 1	53087.	34069.	17698.	9755.	11401.	21702.	62161.	33818.	53160
Ú Č (69465.	45107.	25018.	14531.	19723.	30848.	82112.	47153.	71637
9 = 1	92449.	61095.	36635.	22533.	29877.	45268.	110204.	67264.	68623
ប់ ស៊ី ៤	126290.	85851.	56695.	37295.	48088.	69551.	151594.	99271.	115706
146994. 7003 17	174322.	121332.	86875.	59415.	75674.	106665.	209998.	146799.	198535
ខេត្ត	24238.	7837.	2118.	1476.	1811.	5361.	8028.	10065.	18185
ひがい	27871.	9291.	2654.	1857.	2262.	6468.	9560.	11636.	20997

	. 24280.	. 28124.	. 32636.	. 37951.	. 44236.	. 51701.	. 60514.	. 71330.	. 84325.	. 100260.	. 120117.	. 145506.	. 179145.	. 222473.	. 273690.	. 3849.	. 4447.	. 5147.	. 5971.
1	13486	15675	18282	21512	25133	29657	35174	41957	50399.	61056.	74785.	93060.	118449.	151976	191501	2292	2629.	3025.	3492.
,	1136/.	13559.	16224.	19482.	23488.	28449.	34646.	42459.	52426.	65340,	82424.	105757.	138934.	184482.	239262.	1369.	1634.	1955.	2346.
	7824.	9496.	11563.	14133.	17349.	21401.	26548.	33154.	41733.	53059.	68329.	89604.	120633.	164079.	217506.	1064.	1313.	1573.	. 1923.
A2-1(CONT'D)	2833.	3565.	4506.	5727.	7317.	9413.	12201.	15957.	21099.	28274.	38558.	53915.	78164.	114003.	158067.	357.	455.	583.	751.
JRE A2-1	2342.	2967.	3779.	2839.	6236.	8093.	10599.	14009.	18735.	25416.	34920.	49786.	73148.	107939.	150705.	356.	448.	266.	720.
FIGURE	3335.	4202.	5316.	6750.	8612.	11046.	14854.	18541.	24342.	32338.	43650.	60264.	85933.	123626.	169712.	410.	525.	674.	871.
	11054.	13194.	15812.	19026.	23007.	27970.	34215.	42151.	52366.	65726.	83569.	108133.	143464.	193389.	255748.	1515.	1822.	2204.	2680.
	32115.	37096.	42961.	49900.	58151.	68017.	79898.	94320.	111995.	133917.	161532.	197073.	244277.	306882.	385481.	6058.	6922.	7932.	9115.
1	2 6329. 57 6. 00	30888.	576.50 36319.	577.00 42815.	50020	578.00 60019.	71423.	85335	102431.	123646.	150496.	581.00 184390.	581.50 229189.	287795.	360440.	574.50	486	572	94

			FIGURE		A2-1(CONT'D)				
7974.	10515.	3276.	1239.	923.	974.	2362.	2827.	4047.	6943.
577.00 9476.	12178.	4031.	1478.	1192.	1272.	2915.	3422.	4710.	8094.
577.50 11251.	14173.	4998.	1945.	1555.	1677.	3618.	4163.	5507.	9464.
13445.	16588.	6250.	2583.	2049.	2231.	4523.	5096.	6476.	11107.
578.50 16152.	19548.	7894.	3467.	2740.	3004.	5704.	6290.	7667.	13089.
19529.	23230.	10105.	4715.	3725.	4106.	7276.	7842.	9155.	15509.
23805.	27902.	13108.	6523.	5175.	5712.	9418.	9917.	11054.	18502.
29353.	33988.	17378.	9248.	7404.	8150.	12453.	12800.	13570.	22290.
36813.	42233.	23721.	13584.	11032.	12054.	16988.	17013.	17052.	27247.
46745.	53468.	32924.	20151.	16619.	18004.	23504.	22882.	21648.	33570.
581.50 58952.	67655.	44744.	28421.	23573.	25541.	31534.	29762.	27015.	41136.
72941.	83843.	57776.	37166.	30601.	33031.	39999.	36732.	32716.	49603.
91157. 7005 16	100272.	70064.	45361.	36838.	39801.	48101.	43734.	38468.	58790.
574.50	86364.	23084.	22279.	5468.	12602.	19814.	7984.	30974.	24345.
72945.	98472.	27831.	26393.	6857.	15140.	23212.	9549.	35337.	32067.
85064.	112534.	33638.	31345.	8622.	18254.	27270.	11459.	40417.	33987.
78.0 9939	128917.	40772.	37380.	10881.	22096.	32150.	13807.	46368.	40278.
116393. 577.00	148082.	49366.	44564.	13790.	26859.	38058.	16711.	53358.	47834.

14. 56950.	18. 47974.		38. 81395.	51. 97811.	11. 118036.	08. 137651.	51. 174908.	27. 215603.	58. 269405.	28. 343665.	54. 444724.	78. 47317.	76603	•	45. 99499.	92. 113596.	05. 129858.	74. 148656.	83. 170437.
. 61614	71418		. 83138	. 97251	. 114411	. 135508	. 161851	. 195427	. 239758	. 300928	. 384754	. 4227B		. 80281	91345	. 104092.	. 119405	135874	. 155683.
. 20331	24861		30591	. 37946	47451	59964	76764	99970	133509	185124	261699.	25045		33985	39660	46355.	57188.	63643.	74785.
45241	54052		66438.	78535	95707.	117692.	146350.	184574.	237404.	314452.	424960.	10001			29889.	34784.	40586.	47485.	55723.
A2-1(CONT'D)	40247.		49693.	61713.	77170.	97289.	123854.	159646.	209341.	281841.	383916.	17604	15706.	18051.	20793.	24032.	27784.	32247.	37538.
FIGURE A2-1 91. 17549.	22441		28858.	37352.	48645.	63923.	84876.	114216.	156621.	220999.	317944.	11704	13663.	15986.	18750.	22043.	25984.	30720.	36434.
FIG 53391.	44201		77525.	94064.	114778.	141010.	174697.	218829.	278382.	362574.	482137.	74075	39380.	44535.	50448.	57244.	65081.	74144.	84663.
60453.	73999		90954.	112307.	139421.	190837.	219295.	278821.	359271.	471945.	630680.	2000	3543	40757.	46916.	54099.	62499.	72348.	83935.
170589.	107154		228678.	266318.	311582.	365495.	433826.	517552.	623735.	762241.	778324.		10006	11237	126363.	142284.	160435.	181189.	204968.
136629.	140812	578.00	189843.	224885.	267445.	319543.	383943.	580.50 464616.	581.00 567574.	581.50 702781.	582.00 882425.	574.50	575.00	575.50	576.00 168323.	188686.	211841.	238225.	268364.

FIGURE A2-1(CONT'D)

			-						
578.50 302887.	232293.	97617.	96923.	43363.	43844.	65605.	88064.	178763.	195742.
579.00	Ì) 			l I	1 1 1	
342550.	263786.	113834.	111274.	51806.	51399.	77514.	103942.	205747.	225231.
388274.	300214.	133145.	128166.	62161.	60208.	91940.	122997.	237428.	259716.
580.00	342517.	156264.	148166.	74960.	71575.	109533.	145977.	274798.	300211.
502702.	391880.	184116.	171158.	90913.	86437.	131144.	173838.	319126.	348004.
574593.	449806.	217935.	200790.	111033.	101964.	157934.	207849.	372033.	404773.
659126	518272.	259408.	235860.	136790.	123157.	191529.	249750.	435837.	472762.
759489	599911.	310973.	279381.	170463.	150466.	234356.	302052.	513571.	573000.
979786. 7007 16	698380. 4	376272.	334595.	215691.	186738.	290124.	368365.	609685.	656439.
49404	42175.	22776.	15303.	9451.	7906.	10950.	37124.	66621.	66100.
575.00	46495.	25378.	17294.	10847.	9058.	12414.	41249.	73316.	72539.
575.50	51305.	28312.	19569.	12469.	10397.	14093.	45865.	80749.	79666.
66041.	56667.	34632.	22169.	14357.	11954.	16023.	51038.	89009.	87564.
72861.	62654.	35380.	25150.	16561.	13770.	18245.	56842.	98197.	96326.
80508	69352.	39638.	28574.	19139.	15895.	20810.	63363.	108431.	106058.
E 0 6 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	76861.	44481.	32514.	22163.	18390.	23782.	70702.	119844.	116882.
340 1	82290.	50002.	37063.	25719.	21329.	27231.	78978.	132588.	128939.
579.00 579.00	94792.	56317.	42328.	29917.	24802.	31247.	88323.	146842.	142390.

. 157422.	. 174253.	. 193139.	. 214378.	. 238333.	. 265434.	. 296210.	. 6562.	7333.	8203.	9185.	10294.	11551.	12969.	14580.	16411.	18495.	20873.	23592.
162808	180724	200869	223571	249220	278286.	311343	6435	7197	8057	9028.	10126.	11369.	12780.	14382.	16205.	18283	20659.	23378
98904.	110908.	124569.	140162.	158028.	178587.	202373.	4955.	5574.	6277.	7074.	7979.	9009.	10184.	11524.	13057.	14812.	16828.	19148.
35942.	41450.	47941.	55630.	64791.	75778.	89069.	2593.	2951.	3354.	3840.	4390.	5027.	5765.	6624.	7624.	8792.	10160.	11769.
A2-1(CONT'D) 892. 28924.	33838.	39721.	46818.	55420.	65931.	78898.	2774.	3155.	3595.	4101.	4686.	5365.	6152.	7069.	8139.	9390.	10858.	12588.
-	40807.	47875.	56363.	66614.	79082.	94367.	2997.	3405.	3894.	4461.	5116.	5877.	6761.	7791.	8994.	10404.	12059.	14010.
FIGURE 48441. 3	55569.	63910.	73716.	85313.	99116.	115674.	3793.	4273.	4819.	5442.	6153.	.6969	7905.	8983.	10224.	11661.	13325.	15274.
63558.	71895.	81527.	92709.	105756.	121072.	139188.	4418.	4954.	5561.	6250.	7034.	7926.	8944.	10108.	11441.	12974.	14740.	16782.
105515.	117655.	131445.	147172.	165182.	185912.	209912.	68789	7672.	8566.	9577.	10717.	12009.	13472.	15135.	17025.	19181.	21644.	24465
121257.	134774.	150030.	167303.	186917.	581.50	582.00 234908. 7008 16	574.50	575.00	575.50 8817.	576.00 9843.	11004.	577.00	577.50 13802.	15488.	17407	19592.	22087.	380.00 24945

_	
•	
-	
_	
Z	
0	
CON	
Ξ	
_	
-	
A2-	
C	
~	
•	
ш	
GURE	
=	
=	
9	
-	
1.	

			ĎŢЬ	10056 91 1	74 120011				
580.50			,		,		(1	1
28224.	27706.	19151.	17524.	16316.	14633.	13668.	21825.	26501.	26709.
581.00								1	1
32002.	31440.	21911.	20176.	19056.	17059.	15916.	24924.	30099.	30293.
581.50					!	1		1	
36368.	35758.	25141.	23301.	22351.	19955.	18592.	28524.	34258.	34428.
582.00			•	1		1	(1
41439.	40776.	28947.	27005.	26248.	23431.	21794.	32727.	39086.	39217.
7009 16	4								
574.50			!		i L	•	1000		70001
30187.	25701.	13040.	8613.	8330.	8557.	8/44	18203.	\$1203.	31780.
575.00							1		
35098.	30113.	15555.	10285.	10060.	10235.	10549.	21452.	36246.	37167.
575.50									
40901.	35344.	18597.	12309.	12179.	12274.	12688.	25319.	42173.	43265.
276.00						•			
47768.	41558.	28207.	14774.	14782.	14759.	15297.	29926.	49150.	50446.
576.50									
55923.	48967.	26790.	17783.	17993.	17804.	18499.	35430.	57388.	58923.
577.00									
65640.	57820.	32290.	21476.	21973.	21550.	22443.	42019.	67137.	.09689
577.50					,		!		1
77251.	68436.	39045.	26032.	26926.	26186.	27323.	49934.	78706.	80875.
278.00				•			,		
91184.	81216.	47387.	31681.	33128.	31950.	33388.	59465.	92483.	95066.
278.50			!	1	1	!	1		
107979.	96661.	57737.	38729.	40936.	39170.	40978.	70993.	108952.	112026.
579.00	115430	70473.	47591	S0849.	48783	50535	84991	128721.	132387.
570.50)))) 	1		
153120.	138370.	86965.	58840.	63536.	59894.	62669.	102085.	152578.	156949.
580.00									
183567.	166618.	107689.	73265.	79958.	74857.	78239.	123090.	181552.	186757.
580.50					,		:	1	1
221314.	201728.	134396.	92033.	101502.	94436.	98466.	149125.	217020.	223207.
581.00	1	1						1000	7 00 00 00 00 00 00 00 00 00 00 00 00 00
268726.	245934.	175332.	116926.	130283.	120584.	125215.	181//9.	260703.	708730
• • • • • • • • • • • • • • • • • • • •	•								

324576.	394329.	0, C1	118.	153.	199.	260.	341.	452.	604.	816.	1116.	1556.	2223.	3309.	5037.	7317.	9849.
315981.	384588.	76.	. 66	129.	169.	223.	297.	397.	537.	732.	1014.	1430.	2066.	3104.	4747.	7014.	9482.
223396.	275819.	161.	205.	263.	337.	435.	562.	732.	.096	1268.	1692.	2289.	3156.	4493.	6533.	9260.	12453.
151440.	209167.	76.	.66	130.	171.	225.	300.	400.	539.	732.	1008.	1412.	2032.	3059.	4681.	6763.	9063
A2-1(CONT'D) 675. 156482.	204105.	81.	105.	137.	179.	236.	312.	415.	558.	755.	1035.	1443.	2062.	3086.	4659.	6674.	8966.
₽.	22223 22223	m	108.	141.	184.	244.	322.	430.	578.	784.	1080.	1514.	2182.	3300.	2066.	7312.	9770.
FIGURE 150830. 16	195755.	74.	96	126.	164.	217.	286.	382.	515.	701.	967.	1361.	1968.	2985.	4577.	.0999	9032.
216461.	278298.	96.	121.	155.	198.	254.	329.	428.	562.	749.	1008.	1386.	1953.	2870.	4301.	6203.	8348.
302555.	374461.	110.	175.	221.	281.	357.	458.	591.	768.	1006.	1332.	1790.	2454.	3478.	5030.	7086.	9475.
600 600 600 600 600	382.00 405922. 7010_15	76.	575.00 98.	575.50 127.	165.	217.	286.	378.	505.	578.50 684.	939.	1311.	1882.	2825.	4321.	6273	282.00 8464. 7011 16 574.50

1847. 2732.	1006.	FIGURE 757.		A2-1(CONT'D) 359. 297.	154.	1108.	542.	867.
		962.	476.	399.	603.	1418.	698.	1106.
4248.	1732.	1231.	632.	538.	803.	1824.	902.	1416.
5327.	2287.	1587.	845.	729.	1075.	2357.	1170.	1822.
6708.	3033.	2063.	1137.	994.	1447.	3063.	1528.	2356.
8663.	4043.	2706.	1539.	1367.	1960.	4001.	2008.	3067.
10792.	5421.	3585.	2102.	1895.	2670.	5264.	2657.	4016.
13804.	7316.	4806.	2896.	2654.	3665.	6977.	3545.	5301.
17775.	9958.	6527.	4033.	3763.	5078.	9328.	4776.	7062.
23075.	13688.	9005.	5701.	5425.	7116.	12608.	6516.	9518.
30256.	19057.	12671.	8219.	7983.	10119.	17271.	9035.	13019.
40221.	27009.	18310.	12204.	12122.	14709.	24114.	12839.	18199.
54552.	39292.	27493.	18988.	19304.	22116.	34607.	18873.	26195.
74737.	57764.	41547.	29381.	30332.	33125.	49924.	27672.	37519.
100711.	81775.	59449.	41794.	43606.	47111.	69441.	38304.	51251.
. 131554. 6 4	108451.	78042.	54622.	56603.	62679.	91682.	49879.	66163.
833.	301.	207.	68	. 89	53.	191.	112.	259.
666	379.	252.	87.	88	.89	232.	138.	315.
1200.	475.	308.	112.	116.	87.	283.	170.	385.

	474.	584.	724.	903.	1136.	1441.	1850.	2409.	3208.	4408.	.6809	8105.	10274.		3149.	3945.	4959.	6256.	7924.
	242.	265.	336.	429.	ถ	728.	972.	1326.	1861.	2717.	3999.	5629.	7246.		3339.	4196.	5290.	6691.	8493.
	347.	427.	529.	659.	829.	1053.	1355.	1773.	2378.	3302.	4658.	6318.	8036.		1807.	2295.	2926.	3745.	4815.
	113.	147.	192.	255.	341.	164.	642.	.606	1333.	2053.	3174.	4534.	5794.		958.	1247.	1630.	2140.	2826.
A2-1(COMT 11)	101	• • • • •	263.	351.	472.	642.	883.	1237.	1773.	2640.	3969.	5621.	7370.		838.	1070.	1374.	1775.	2314.
	145.	189.	24%	326.	433.	582.	791.	1096.	1560.	2315.	3473.	4900.	6350.		945	1220.	1584.	2069.	2715.
FIGURE	080	476.	585.	735.	931.	11911	1542.	2030.	2735.	3818.	5415.	7396.	9561.		929.	1190.	1529.	1976.	2566.
	0000 0000	758.	. 669	1230.	1580.	2042.	2663.	3513.	4709.	6467.	9011.	12288.	16045.		1803.	2257.	2833.	3577.	4538.
	1010.	1:18.	2120.	2580.	3156.	3882.	4807.	6004.	7590.	.6926	12763.	16562.	20952.	4	2392.	2993.	3759.	4736.	5991.
ř	. O.	, 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1416	1748.	578.00 2169.	2708	3410.	4340	5601.	7381.	581.00 9869.	13032.		7013 16 574.50	3629	4493.	5578.	6944.	576.50 8670. 577.00

		1	FIGURE		A2-1(CONT'D)				•
1086	7610.	5787.	3356.	3580.	3040.	• 00/0	1770	10054	• 00001
13470	971B.	7424.	4422	4787	4033.	5019.	8081.	13856.	12887.
578.00	•) 			1			
17285.	12479.	9286.	5878.	6443.	5412.	6756.	10568.	17830.	16567.
578.50	32 67 6	13407	7007	9776	0714	9207	13929	23080.	21443.
579.00	3	. / / ۲ > 1		• 0 / / 0	•				
28162.	21036.	16436.	10773.	12128.	10177.	12677.	18532.	30095.	27981.
579.50	27724.	21887.	14972.	17069.	14378.	17719.	24964.	39610.	36899.
280.00) 					
47798.	37109.	29664.	21406.	24674.	20949.	25322.	34239.	52840.	49418.
580.50									1
63998	50764.	41197.	31838.	36992.	31849.	37284.	48104.	71808.	67496.
<u> </u>	,	11111		A 0 A 0	A7507	5.45.10	47417.	97740	9228E
80241.	67/12.	0/5//0	40378.		• / / 5 / 4	• • • • • • • • • • • • • • • • • • • •			
113326.	92921.	77149.	63380.	76003.	65326.	75749.	91431.	130291.	123405.
\sim	 - 								
143733.	118554.	98970.	80114.	96439.	82159.	98357,	118681.	168099.	158717.
7 5									٠
9001 10	iu		,						
å			•						!
4768.	5953.	4361.	3740.	5403.	4896.	3910.	7184.	6651.	6632.
53	6640.	4892.	4257.	6122.	5531.	4487.	8056.	7487.	7401.
599.00									
9	7418.	5493.	4854.	6948.	6262.	5160.	9048.	8442.	8273.
599.50								1	•
89	8301.	6180.	5547.	7900.	7106.	5947.	10177.	9534.	9266.
00.009							1		, ,
77	9306.	6963.	6322.	9002.	8083.	6869.	11470.	10784.	10401.
600.50	10456.	7862.	7291.	10282.	9220.	7956.	12950.	12221.	11701.
601.00	!) 	}]						
66	11773.	8896.	8393.	11771.	10546.	9242.	14654.	13879.	13196.
901.30									

15797. 14926.	18028. 16935.	20635. 19288.	13811. 11192.	15328. 12545.	17036. 14172.	18966. 15984.	21155. 18056.	23642. 20433.	26480. 23169.	29733. 26328.	33479. 29993.	37818. 34263.	22782. 15871.	24709. 17422.	26825. 19145.	29153. 21062.	31719. 23198.
16621.	18905.	21572.	9285.	10405,	11581.	13141.	14816.	16745.	18977.	21571.	24602.	28168.	12389.	13576.	14895.	16364.	18005.
107701	12095	14793.	2656.	3061.	3538.	4104.	4775.	5577.	6541.	7707.	9126.	10869.	3024.	3422.	3882.	4416.	5038.
A2-1(CONT'D) 515. 12103.	13941.	16127.	1720.	2016.	2370.	2796.	3312.	3937.	4701.	5638.	6802.	8257.	2140.	2444.	2797.	3210.	3692.
(4)	15569.	18002.	3219.	3704.	4272.	4938,	5723.	6654.	7763.	9093.	10699.	12659.	4412.	4980.	5632.	6379.	7242.
FIGURE 9591. 1	11229.	13064.	4052.	4200.	5461.	6357.	7417.	8675.	10173.	11963.	14117.	16722.	3874.	4362.	4920.	5558.	6292.
10001.	11482.	13111.	÷2696	11017.	12542.	14308.	16356.	18742.	21527.	24792.	28636.	33181.	10646.	11685.	12842.	14129.	15566.
13221	ស្ត្រា 1	# 50 0 5 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	11670.	13133.	14804.	16715.	18909.	21430.	24339.	27708.	31625.	36198. 5	10316.	11286.	12364.	13566.	14909.
1123	25.00 12.00 13.00 10.00	.0 04 + (% 04)	98.0 1117	2000 2000 2000 2000 2000	1460	77.3 1651	00.00 1871	2125	2418	01.5 2758 62	3155	502.50 36198. 9003 10	1522	1668	1831	2012 2012	2 4 RJ

Copy available to DTIC does not permit fully legible reproduction

4	17173.	FIGURE	RE A2-1()	A2-1(CONT'D) 8240. 4258.	2.3 5.15	19843.	4 4564.	25584.
•	•	4	, , , , , ,) 				
18976. 83	œ	8118.	9398.	4927.	6522.	21908.	37696.	28259.
21004. 925	9	0,	10749.	5721.	7635.	24235.	41186.	31265.
23278. 10592	1059	Çi	12335.	.6999	8842.	26873.	45081.	34654.
25888. 12161	121	61.	14208.	7808.	10291.	29875.	49443.	38494.
5168. 2484	248		799.	521.	524.	1975.	3151.	3596.
6165. 3003.	300	Б	991.	664.	.699	2407.	3661.	4258.
7376. 3641.	364	•	1236.	850.	858.	2944.	4454.	5061.
8860. 4430.	443	•	1546.	1093.	1104.	3618.	5332.	6039.
10686. 5409	540	٠.	1947.	1411.	1429.	4464.	6415.	7237.
12945. 6633	663	*	2466.	1833.	1860.	5536.	7760.	8713.
15756. 8174.	817	4	3145.	2398.	2439.	6905.	9445.	10547.
19280. 10133	1013	3	4043.	3162.	3224.	8669.	11577.	12845.
23734. 12650	1265	•	5253.	4213.	4304.	10968.	14303.	15757.
29417. 15933	1593	m M	7697.	5682.	5819.	14007.	17837.	19493.
1660. 585	283		47.	206.	419.	1769.	1723.	4261.
1943. 71	71	711.	62.	255.	511.	2050.	1978.	4854.
2281. 86	98	867.	83.	316.	626.	2384.	2275.	5548.

6399	7287	8334.	9687.	11240.	13109.	15387.	33040.	38992.	46145.	54766.	65190.	77872.	93390.	112469.	136053.	165589.	8183.
2624.	3040.	3534.	4130.	4853.	57.40	6875.	19223.	22872.	27283.	32634.	39147.	47124.	56958.	69084.	84268.	103459.	16744.
2780.	3256.	3828.	4524.	5380.	5445.	7795.	9033.	10946.	13299.	16242.	19896.	24480.	30270.	37651.	47151.	59517.	13511.
767.	940	1171.	1458.	1830.	2317.	2967.	2320.	2948.	3754.	4800.	6163.	7948.	10302.	13449.	17677.	23434.	8443.
A2-1(CONT'D) 112. 393.	493.	623.	792.	1058.	1325.	1756.	1313.	1674.	2147.	2753.	3555.	4611.	6013.	7893.	10435.	13939.	7643.
	151.	205.	284.	396.	562.	816.	1952.	2275.	2664.	3126.	3682.	4366.	5207.	6257.	7604.	9372.	9048.
FIGURE 1061.	1303.	1606.	1991.	2484.	3125.	3971.	3960.	4856.	5963.	7359.	9111.	11330.	14162.	17799.	22527.	28745.	3443.
2585.	3173.	3761.	4477.	5357	6446.	7818.	5802.	7164.	8883.	11046.	13794.	17293.	21782.	27578.	35120.	45044.	13631.
4479.	5138.	6025.	7022.	8216.	.0996	11427.	19518.	23262.	27790.	33290.	39987.	48191.	58293.	70752.	86215.	105683. 5	12912.
5344.	.00.00° 6382.	000.50	601.00 8529.	9911.	11566.	602.50 13570. 9006_10	29480.	34864.	41322.	49093.	58459	69807.	83634.	100511.	121258.	146845. 9007 10	598.00 15016. 598.50

ŀ

*

6 kg .

.

... *

2

-

Ē

:

<u>د.</u> ۲

-

が中の機能となってあり

.. 化. 经线性

	CURV
~	MARCE
12.2	STAGE
FIGURE	Tresper
6/0	CANADIAN TRUSTON STACE-PAMAGE CURVE

LAKE HIMON

26190.	29299.	32836.	36854.	41434.	46663.	52653.	59533.	67465.	76638.	87295.	99732.	114326.	131561.	152070.	176708.	206679.	1150	1400	1650.	1430	23/0		3550	24/0.				10117	1242	15192.	18795.	23436.	2816.	3213.	3672.		, V. V. V.	6351.	7312.	8436.	9750.	11294.	13114.	15266.	17822.	20674.	24538	28973.	
19484.	22:44.	25164.	28.03.	32326	34721	41770	47610.	54381	62242.	71415.	82149.	94847.	109863.	127865.	149589.	176181.	870.	1050	1250.	1500	1826.	2173	2644	410	18081	900	272			11076	14452.	20701	2:03	2543.	2939	3401.	39410	5314	4180	7219.	8436	9879.	11594.	13642.	16095.	19047	22623.	26982	
5152.	5973.	4918	80.72	9413	1000	12879	15124	17810.	21042.	24946.	29695	35512	42697	51662.	63002	77593.	223	280.	360.	450.	572.	714.	994.	1123.	1416.	1791.	2272	2703	3722.	1001	0434	10770	882	1040.	1228.	1452.	1719.	2431	7000	1440.	4112.	4424	5910	7129.	8616.	10452	12733.	15593.	
4645.	5437.	4171	7404.	B 0 0 0	10178		14510.	17775	20512.	24504	29386	15.105	42857	52205	64074.	79399.	140.	170.	220.	270.	340.	430.	544.	672.	883.	1131.	1456.	1884.	2452	3214.		7444	273	330.	396.	77	577.			1033	1550	1007	235	2024.	1447	4577	5784.	7374.	
3440.	4041	0424	4444	23.40.4 4.50.4		0176	0774	10030	14524.	18570	22284.	24044	10405	39527	48424	59861.	ė	120	145.	185.	229.	208 .	364.	162.	566.	752.	968.	1252.	1632.	2143.	2842	5814	163	196.	230.	280.	351.	7 2 0	676		007.	233	1510	1936	2440	3123	4016.	5222.	
401	741		.074	1137		1767.	.0177	./8/2	9355	4470		1320	1466	14274	21584	29100	6	6	ó	ė	120.	167.	216.	283.	371.	184	648.	863.	1160.	1570.	2147.	2971.	707	479	567.	674.	805	939	1144.	1382.	1007		7007	1105		1000 1000 1000 1000 1000 1000 1000 100	716.	9041	1
11044	11000	15155	14604	16238	18086	20187	22278	25316.	- 10107	32099.	. 15505	41288.	-1417	42624	72051	12027	940		620.	720.	848	986	1149.	1345.	1582.	1869.	2222.	2658.	3204	3897.	4787.	5955	7522.	487	582	697.	836.	1005	1211.	1462.	1771.	2122	2623.	2504	2442	- 100 d	26.5%	9461.)
700	0770	700/	8475.	10349.	11957.	13854.	16098	18765.	21731.	25/84.	. 4140	36071.	43014	21040	1424	• 40B7.	8	Ş	4	540	676.	828	1018.	1255.	1553.	1931.	2410.	3024.	3615.	. 4844.	. 6196.	7991.	10416	1070	1249.	1462.	1715.	2015.	2372.	2797.	3306.	3713.		5555	9010		1 200	13978	
	7000	12/80	18248.	21136.	24524.	28503.	33190	38725	45283	53075	62372	73506	66905	103120	14.24	77744				9	1700	2000	2515	3070	3727	4538	5340	67861	8341.	10296.	12748.	15923	19993	1101	3314	3986	4527	5149.	5867.	9693	7655	8770	1001	11367	13367	15470	30640	2468	
		38286	42532.	47310.	52715.	58651.	65841.	73634.	13014	93609.	102904	120248	137106.	157059							200	1		2000	. C.	7		10389	12433	14930	16100.	12046.			600 3	245	5249	9009	58 3	. 248	4017	20448	2000	12718.	16113.	10076		2000	34 1.1
	273.00	575.50	576.00	576.50	577.00	577.50	276.00	578.50	87.8	574.30	80.00	380.38	8:50	P. 198		20.796											200.00	200.00	8	361,50	\$355.00		20 man 43		20.478	276.90	577.00	577.30	276.00	578.50	274.00	274.40	80.08	90.00	201.00	901-10	80.23	25.00	***************************************

19.22

Copy available to DTIC does not permit fully legible reproduction

_
•

4900.	4600.	2400				0101	7//5	19084	18821.	.77077	25746.	30280	36143.	42852.	20986.	90609				ا يو	180.	280.	*	700	1100.	1/30.	A195	4303	10902.	17459.	28361.	46887.	79875.	278043.	1.01	180.	280.	460.	1180	1900.	3020	4876.	7808.	12602.	20574.	33998.	57038.	98269.	177636.	350641.
3300.	4450	9794	7000	. 0000			112/8.	15543.	10817.	18/87	22371.	26702.	31956.	38359.	46198.	55852.				ò	150.	230.	370.	280.	920.	1460.	7,000	5277	9132	14543.	23433.	38379.	64407.	1140/0. 22908A	0	150.	230.	370.	0000				6301.	10137.	16547.	27259.	45560.	77750.	139692.	288617.
1250.	.0101	.0701	2000	. 200.	3200.	3408	4736.	5751.	.8669	8536.	10437.	12798.	15740.	19425.	24068.	29954.			•	•	ċ	ö	150.	250.	410.	680.	1140.	1871.	5220	8911.	15207.	26410.	17008	38524.	107.20	ó	ċ	150	220.			2164.	3616.	6109.	10465.	18109.	31834.	57285.	109009.	234099.
360.	440.	040	670.	830.	1010.	1269.	1571.	1951.	2431.	3041.	3818.	4816.	6104.	7780.	9977.	12890.				•	ċ	ċ	ċ	160.	260.	460.	.097	1368.	1842	6658.	11666.	20879.	38660.	76656.	1/3120.	ö	ö	Ö	150.	200.	100	1370.	2383.	4137.	7287	13068.	23917.	45121.	91119.	206703.
215.	270.	330.	100	220.	640.	803.	1000	1250.	1570.	1980.	2509.	3196.	4096.	5284.	6867.	9005.				ó	ò	ċ	ò	130.	210.	350.	590.	986.	2215	4606.	7985.	14241.	26511.	54168.	155333	; ;		ċ	120.	190.	320.	920.	1479.	254B	4438	7945.	14602.	28081.	59696.	149199.
420.	ળ ક	800.	.086	1200.	1490.	1824.	2222.	2717.	3337.	4114.	5099.	6351.	7954	10025.	2720	6268				ć	ó	ò	ċ	110.	180.	310.	520.	865	1488.	4504	8066.	14824.	28442.	59801.	147552.		ó	ċ	130.	210.	370.	.050	000	2040	5671	10109.	18437	34957	72819.	176622.
460.	.580	840.	1050.	1300.	1600.	1991.	2442.	3002	3701.	4577.	5680.	7075.	8851.	11124.	14056	17873.		LAKE ST-CLAIR		ć	•	ò	120.	200	320.	520.	840.	1388.	2192.	5,000	9514.	16393.	29649.	58895	139917.	6	ó	100.	170.	270.	450.	.200		0007	5561	9616.	17095	31697.	64928.	157280.
1570.	1850.	2200.	2600.	3100.	3650.	4309.	5134.	6132.	7340.	8809	10401	1270B.	15502	07001	21011	28236.		3		ć		110.	180.	290.	480	780.	1300.	2172.	3500.	2072	15911.	27557.	49502.	95363.	208527.	ė	100.	170.	290.	480.	780.	1300.	15.00	3387	10164	17479.	30820	56217.	110488.	47057
2000	5550.	6400.	7400,	8600.	6000	11558.	13329	001	76.07	0480	900		10000	36774	.00453	53443.				96.	240.	400	A20.	960.	1500	2310.	3580.	5592.	8609	13340.	33471	54068.	89409.	154299.	290373.	200	370.	580.	920.	1450.	2300.	3600.	3078	9404	22547	74544	40214	101530.	179060.	344778.
2000	5850	4800.	0000	9100	0000	7000	14087	. 7467	20212	. VOSSV.	23000		32602.	36344	45160.	53265.				•	110.		240	1160.	1770.	2700.	4050	6195.	9474.	14643.	7444B	59076.	98441.	172261.	328229.	180.	440.	700	1100.	1710.	2720.	4320.	./0/0	10002	10/00.	41740	71257	119994.	212483	407433.
5	00.00	00.00	276.00	2/0/2	00.77	00.00	20.00	3/6.30	20.476	20.00		2000	581.00			582,50					3000			371.00		m	573.50	574.00	574.50	575.00	27.00	576.50	577.00	577.50	578.00	570.00	57.00	571.50	572.00	\$72.50	573.00	573.50	374.00	574.50	373.00	3/3/30	376.00			578.00

A2~34

253. 253. 1118. 263.	360. 489. 679. 966. 1387. 1948. 2640.	570. 740. 1308. 1335. 2310. 3088.	2612- 7634- 10468- 14488- 2027- 28931-	248. 111. 145. 145. 248. 329.	593. 813. 1144. 1670. 2428. 3390. 4529.
55. 70. 111. 144. 146. 328.	430. 577. 787. 1097. 1555. 2980.	910. 1190. 1571. 2715. 4792.	11803. 11803. 125507. 22507. 231703.	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	709. 962. 1331. 1897. 2716. 3788. 5095.
36. 47. 81. 107. 1190. 255.	347. 668. 958. 1400. 2021. 2806.	1000 1000 1000 1010 1011 2619	6866 6866 9617 13595 19443 28231	644 646 648 1118 120 120 130 130 130 130	529. 744. 1071. 11995. 2399. 3496. 4803.
17. 23. 30. 41. 56. 106.	208. 297. 431. 646. 1489. 2108.	150. 210. 300. 418. 587. 829. 1175.	2404. 3474. 5067. 7465. 11140. 26367.	42725 222 226 226 207 107 214	309. 452. 680. 1070. 1699. 2544. 3546.
13. 24. 452. 62. 121.	172. 250. 371. 570. 1392. 1995.	120 170 170 1824 184 184 186	1868. 2715. 3993. 5951. 9018. 13970.	27/49 21: 28: 38: 53: 102: 204:	. 295. 435. 660. 1054. 1704. 2574. 3551.
222 222 240 240 240 250 250 250 250 250 250 250 250 250 25	205. 294. 431. 1024. 2350.	4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2058. 30058. 4420. 6587. 9953. 15333.	40437. 28. 38. 59. 131. 182. 256.	363. 525. 778. 1727. 1901. 2806. 3886. 5029.
32. 55. 73. 73. 131. 176.	328. 454. 639. 921. 1357.	440. 610. 1153. 1158.	4271. 6024. 8567. 12302. 17878. 26385.	62105. 47. 63. 1112. 152. 282. 390.	2000 2000 2000 2000 2000 2000 2000 200
24. 669. 1149. 1949. 257.	342. 463. 636. 1296. 1854.	1100. 1100. 1450. 1895. 12473.	7483. 10017. 13507. 18375. 25268. 35218.	73303 633 1081 135 135 231 407	544 751 1050 1321 22245 3324 5397
60 76. 121. 184. 1984. 332.	435. 577. 776. 1068. 1501. 2109.	2724 1620 1620 2183 2843 3717 4883	8546. 115326. 15326. 20760. 28404. 39350.	80 00 00 00 00 00 00 00 00 00 00 00 00 0	702. 1289. 1817. 2602. 3644. 6297.
60. 75. 122. 151. 151. 319.	1004. 1398. 1937.	2564 11900 1550 2676 3493 4577	7977. 10622. 1424. 19274. 26370. 36607.	75815. 84. 107. 1136. 223. 282. 372.	640. 1163. 12319. 2319. 4301. 5498.
567.50 568.00 568.50 569.50 570.00	572.50 573.50 573.50 574.50	567.00 568.00 568.00 570.00 570.00	571.50 572.00 572.50 573.00 573.50 574.00	575.00 568.00 568.00 570.00 570.00	571.50 572.00 572.00 573.00 574.50 574.50

ACE ERI

1107.	1454.	1910.	2517.	1005	4740.	9075	7505		2001	13020.	16926.	22347.	29479.	39182.	52462.	70742.	1700	2120.	2007	3530.	000	4820	•000	7400.	9200	11277.	13884	17150.	21236.	2643/	33091.	10701		2480	3050	3850.	4800.	6000	7400.	9200.	11684.	14377.	17749.	22000.	27387.	34264.	43123.	
.898	1128.	1474.	1888	2430	1147		1163			8897.	11284.	14841.	19085.	24773.	32452.	43107.	1600.	2000	7440	3000.	3000	4500	2200	6 700.	8200.	10025	12300.	15146.	18727.	23265.	29064	36537	. 0000	2000	3050.	3800.	4700.	5800.	7200.	88 00.	10964.	13414.	16476.	20322.	25187.	31384.	39350.	
673.	890.	1172	1510		24,00		2424	4472.	2004	7704.	9982.	13050.	17267.	23041.	31009.	42213.	645	820.	1050	1300	1650.	2100.	2640.	3320.	4200.	5284.	6704.	8538.	10919.	14035.	18137.	23603.				1840.	2300	2800.	3600.	4400	5485.	6928	8789.	11201.	14349.	18491.	23998.	
282.	101				200	1502.	1736.	2387.	3255.	4340.	5859.	7940.	10742.	14639.	20240.	28412.	300	390	200.	6 50.	840.	1100.	1400.	1800.	2350.	3111.	3952.	5045.	6476.	8369.	10898.	14320.	350.	440	2000	070	1180.	1500	1900.	2800	3073	3888.	4946.	6325	6142	10556.	13808.	
42 4 .		900	.809	803.	1063.	1432.	1910.	2582.	3450.	4557.	6076.	8170.	10885.	14580.	19777.	27199.	140.	180.	240.	315.	410.	530.	700.	900	1150.	1514.	1960.	2555.	3350.	4422.	5892.	7933.	190.	235.	900	000	900	760.	950	1200.	.1521.	1959	2543	3319.	4368	5797.	7776.	
ć	;	•	•	•	217.	326.	456.	651.	955.	1345.	1931.	2801.	3984.	5746.	8402.	12473.	200.	250.	340.	440.	260.	720.	920.	1200.	1500.	1942.	2498.	3233.	4204	5505.	7268.	9685.	230.	290.	370.		. 046	640.	1210	1820	1050	2504	1919.	4198.	2490	2240.	9638.	1
9		1259.	1606.	2105.	2713.	3537.	4557.	5968.	7595.	9982.	12912.	16631.	21654.	28440	37795.	50904	240	320.	410.	520.	570.	860.	1100.	1400	1800	2295	2958	3827	4983	6525	8613.	11474.	300	380.	4 80	610.	.00%	1210	1000	7767	2421	0002	2002	5445.	5130. 4704.	0.00	11639.	
97.42	- 000	3906.	4991.	6293.	8029.	10199.	13020.	16601.	21266.	27125.	34286.	41971	55580	20268.	90893	117887.	610.	780.	980.	1250.	1580.	2000.	2500	3200	4000	5141	6463.	8156.	10334.	13154.	16841.	21705.	700.	.0F3	1100.	1370.	1,00	2400	.0007	0000	#000 #000	7777	9000	8013.	1000	10061	21590.	1
•	010	8138.	10091	12586.	15624.	19313.	23870.	30163.	37324.	46438	52505	71051	88727	110140	117810.	173930		1800.	2200.	2700.	3350	4200.	2100	4400.	7800	9745.	110011	14804	18347	22827	28531	35856	1350.	1700.	2100.	2620.	5300.	.00	.0016				12237	15125.	21750	155U4.	36732	, 4
!	4123.	5317.	7053.	8789.	11284.	14756.	19096.	24521.	31465.	A1013.	27178	23103	97179	10110	42480	1 BA066	1250	1550.	1020	2400	2050	3400.	4500		2007		0000	10000	15027	19755.	24421	30868	1350.	1670.	2020.	2500.	3100.	3800.	4000	9700	7000	. 1750	10472.	12968.	19091	20024	25126.	•
-	567.50	568.00	568.50	569.00	569.50	570.00		571.00		422	00.7/5	27.70	373.60	375.30	374.00	27.17.00	547.50	368.00	240.50	246.60	25.047	520.00	20.075	97.75	371.00		27.5.50	374.30	273.00	574.00	574.50	575.00	567.50	568.00	568.50	269.00	569.50	570.00	00.076	2/1.00	571.50	20.275	06.276	573.00	•	•	574.50	•

		5	3

2

360. 520. 720. 888.	1275. 1534. 1849. 2235. 2296. 4027.	6101. 2100. 2500. 3500. 4856.	5744. 6806. 8078. 9607. 11448.	16372. 19655. 23670. 28602. 610. 720. 860.	1414- 1676- 1992- 2374- 2383- 2403- 6019- 7356-
320. 380. 550.	1102. 1320. 1585. 1910. 2309. 3417.	2167. 2400. 2800. 3300.	5360. 5350. 7360. 7560. 10759.	15469. 18608. 27298. 2550. 550. 660. 780.	1301. 1551. 1855. 2224. 2675. 3227. 3907. 7125.
145. 220. 270. 335.	2004. 633. 780. 1238. 1556. 2489.	4059. 680. 820. 1210.	2195. 2691. 3304. 4067. 5017.	7698. 11964. 15001. 170. 210. 260.	231. 271. 583. 724. 901. 1126. 114. 1782. 2259. 2700.
000000	153. 255. 231. 431. 564. 741.	1748. 200. 250. 335. 415.	764. 759. 1207. 1523. 1928. 2450.	3124- 5663- 1100- 1124- 1124-	193. 246. 312. 397. 397. 507. 1100. 144. 1918.
000000	79. 100. 128. 165. 277. 362. 477.	854. 120. 160. 205.	346. 562. 720. 1193. 1548.	2017 2644 4624 623 00 00	107. 137. 229. 298. 390. 312. 675. 897. 1201.
00000	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1189 1490 1400 1415 1500	624. 780. 978. 1229. 1548. 2480.	6679 6679 120 120	185. 232. 291. 366. 366. 586. 746. 1234. 1605. 28110.
110. 135. 165. 200. 300.	373. 560. 706. 879. 1374.	2790. 2790. 520. 640. 780. 960.	1444. 1764. 2160. 2650. 4018.	1661. 7668. 7668. 12021. 145. 180. 220.	336. 513. 513. 513. 636. 792. 1240. 1562. 1977. 2518. 3230.
150. 195. 240. 360.	530. 548. 795. 1203. 1487. 2298.	3620. 1100. 1350. 1800.	2264. 2711. 3253. 3912. 4714. 5694.	10208. 10208. 12482. 15323. 270. 320. 380.	536. 768. 768. 723. 1114. 1350. 1643. 264. 3063.
315. 430. 600.	834. 1193. 1724. 2525.	2761. 1300. 1550. 2200. 2640.	3208. 3809. 4532. 5400. 7710.	11102. 13373. 16154. 19577. 390. 460. 550.	779. 925. 11102. 1115. 11315. 1274. 2274. 2274. 3332. 4061.
320. 440. 530. 743.	1072. 1072. 1290. 1557. 1884. 2785. 2782.	4170. 2143. 2100. 2700. 3450.	4051. 4779. 5647. 6684. 7927. 9420.	13395. 16035. 19252. 23191. 520. 610.	989. 1165. 1376. 1629. 1935. 2756. 3309. 3890. 4837. 5901.
567.50 568.00 568.50 569.00 570.00	570.50 571.00 571.50 572.00 572.50 573.00 573.50	574.50 575.00 567.50 568.00 568.50 569.00	570.00 570.50 571.00 572.00	574.50 574.50 574.50 567.50 568.00	569.50 570.50 571.00 571.00 572.00 572.00 574.00

....

146. 146. 1477 23.00 11 12. 488. 1000. 100 71. 888. 1089. 125.

A2-38

| | J | | |
|--|--|--|---|
| 5392.
6576.
8217.
10183.
12658.
15780.
14738.
24782.
345239. | 50367.
64526.
64526.
108609.
143726.
193565.
261221.
346744.
448145. | 685652.
92003.
92012.
21151.
21154.
2778.
3195.
4263.
4263.
5761. | 7908.
9331.
11073.
11073.
11073.
11073.
13028.
37889.
57863.
69668. |
| 5345.
6588.
8143.
10085.
12523.
15592.
24386.
30653. | 49028.
62473.
80114.
103601.
138649.
180372.
218044.
317386.
409170. | 63382,
753734,
867932,
1329,
1606,
2132,
2465,
2859,
3325, | 10983.
10983.
10983.
13479.
14856.
21549.
27559.
27559.
34707. |
| 2044.
2549.
3188.
4001.
5040.
6374.
8093.
13246. | 22213.
22213.
2918.
38538.
51734.
7098.
99932.
139781.
189872.
248772. | 377560.
432795.
432795.
364.
364.
712.
712.
1016. | 1778.
2702.
2719.
3389.
4275.
5477.
7169.
9707.
13601.
18610.
24069.
29701. |
| 1044.
1329.
1701.
2821.
3658.
4771.
6260. | 11006.
1478.
20059.
27588.
38437.
55739.
120722.
168713.
279839. | 328551.
367434.
397023.
1109.
126.
214.
340.
432. | 1182.
1182.
1182.
2043.
2732.
3711.
518.
10934.
10934.
10934.
31833. |
| 576.
746.
746.
1265.
2184.
2890.
3847. | 6955.
9471.
13041.
18215.
25978.
38498.
187133.
121337.
158900. | 229897.
255212.
273587.
165.
130.
161.
249.
395. | 642.
829.
1080.
1423.
1500.
2584.
3602.
5241.
7884.
11252.
1502.
18774.
22157. |
| 710.
908.
1164.
1498.
2507.
3262.
4270. | 7451.
9963.
13466.
18466.
25884.
3730.
57183.
114905.
114905. | 214073.
242485.
263827.
36.
36.
111.
178.
227.
227.
273. | 482,
828,
1092,
1467,
2007,
2007,
2007,
4181,
6409,
9155,
12003,
14737,
17319, |
| 895.
1129.
1429.
1814.
2957.
3802.
4909. | 8340.
10995.
14644.
19767.
27200.
38677.
56989.
112100.
14260. | 209249.
239156.
263048.
372.
378.
445.
525.
622.
739.
1054. | 1532.
1863.
2262.
2822.
3530.
4486.
5834.
111095.
15144.
19109.
27470. |
| 2854.
3535.
4386.
5461.
6821.
8549.
10755. | 22022.
28295.
36637.
47907.
63486.
85944.
119153.
164352.
220338.
224167. | 426223
495123
554675
1374
1764
2007
2290
2691
3011
4023 | 4683.
5483.
6462.
7676.
9203.
11168.
13774.
17411.
22626.
29307.
36698.
44636.
52874. |
| 7654.
9226.
11153.
115516.
16570.
20639.
27527.
37198. | 46134.
27239.
72230.
91385.
1161371.
199540.
264177.
346190. | 668841.
782362.
886759.
3208.
3620.
4642.
5277.
6882. | 9101.
10532.
12247.
14320.
16856.
20001.
29182.
36141.
44970.
55186.
66615. |
| 8103.
9747.
11755.
17245.
20987.
25629.
31421. | 47853.
59518.
74495.
93958.
119674.
154642.
203345.
268656.
351170. | 20116
917499
917499
1642
1871
2137
22809
3236
4338
5053 | 5915.
6960.
8240.
9825.
11816.
17673.
22154.
22154.
2665.
46491.
57078. |
| 22 24 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 2 | 245.45
246.90
246.90
247.90
247.90
247.90
251.90
251.90
251.90
251.90 |

| 6775. | 7811. | 9030. | 10471. | 12183. | 14230. | 16693. | 19682. | 23347. | 27901. | 33660. | 41150. | 90011 | 31200. | | 813/3 | 10008 | 119974. | 140377 | 160735. | 180640. | 199259. | 215/27. | 2298/22 | 10698. | 11667. | 12733. | 13907. | 15201. | 16631. | 18213. | 19967. | 21915. | 24085. | 26509. | 29224. | 32280. | 35734. | 39664. | 44170. | 49392. | 55535. | 62949. | 72081. | B3002. | 95291. | 108439. | |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------------|---------|---------|---------|---------|---------|---------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|----------|--------|--------|---------------|---------|---------|-------------|
| 3751. | 4329. | 5014. | 5830. | .680 | 7995 | 9444. | 11237. | 13488. | 16367. | 20140. | 25270 | 1044 | 32014 | 42/53 | 55359. | 69237. | 83028 | 96192. | 108034. | 118221. | 127006. | 135065. | 142614. | 2296. | 2606. | 2962. | 3371. | 3841. | 4383. | 5010. | 5735. | 6579. | 7562. | 8712. | 10064. | 11659. | 13553. | 15818. | 18550. | 21884. | 26017. | 31276. | 38103. | 46649. | 56621. | 47619. | ;
;
; |
| 1642. | 1953. | 2333 | 2802 | 3386. | 4122 | 5061 | 6277. | 7883. | 10055 | 17087 | 13001 | 1/352. | 24407 | 34458. | 46671. | 59144. | 70575. | 79939. | 87608. | 94021. | 99446. | 104482. | 109265. | .8099 | 7195. | 7846. | 8569. | 9376. | 10280. | 11294. | 12436. | 13727. | 5194 | ,6868. | 18789. | 21008. | 23589. | 26619. | 30215. | 34543. | 39829. | 46606. | 55396. | 66243. | 78751 | A420 | |
| 501. | 632 | 801 | 1000 | 1717 | 1409 | 2000 | 2014 | 101 | 1725 | 1001 | .//-/ | 10//2. | 16246. | 24457. | 34409. | 44126. | 52353. | 58564. | 63323. | 67151. | 70301. | 72832. | 74498. | 718. | 839. | 982. | 1150. | 1350. | 1587. | 1870. | 2209 | 2614. | 3103 | 3694 | 4412. | 5291. | 6374. | 7722. | 9421. | 11599. | 14460. | 18389 | 23915. | 10048 | 3884A. | 42001 | •/65/• |
| 374. | 46.7 | . 40. | , , | D 1 0 | | 200 | 400 | 28.42 | 746 | 0.00 | 4812. | 7031. | 10948. | 16799. | 23146. | 28 6 12. | 32878. | 36597. | 39864. | 42280. | 43917. | 45507. | 46943. | 253 | 291 | 335 | 389. | 457 | \$27. | 417. | 727. | 049 | 100 | 1228. | 1483. | 1807. | 2225. | 2773. | 3512 | 4538 | 4020 | BYKB. | 12000 | 14070 | 21074 | 1077 | 26404 |
| 177 | , , | | .00% | | | . 100 | . 226 | 1771 | .101. | 2423 | 3564. | 5490. | 9020. | 14159. | 19791. | 24886. | 28768. | 31623. | 33644. | 34947. | 35709. | 36264. | 36689. | 277. | 327. | 100 | 455 | 2.02.5 | | | | | 000 | 1000 | 1047. | 2386. | 2947. | 3673. | 4632. | 2928 | 274B | | | - F7001 | 17700 | .00/07 | 31652. |
| | | 1400 | 1691. | 2049 | 2500. | 3075. | 3820. | - B00 | 6113. | 7915. | 10468. | 14267. | 20295. | 28934. | 39427 | 50414 | 40709 | 49009 | 75039 | 79819. | A1997. | 87664 | 90007 | 927. | 1084. | 1275. | 1400 | 7725 | 1006 | 6007 | 2407. | | .1967 | 4133 | 5070 | 7200. | 8725 | 10433. | 11048 | 16150. | 20222 | 22770 | | 55016. | 45000 | 25142 | 67491. |
| | | 00/ | 9099 | 7621. | 8833. | 10294. | 12075. | 14273. | 17032. | 20263. | 25208. | 31564. | 40739. | 53421. | 49246. | 84059 | 101048 | 114510. | 129651 | 141950. | 153094 | 163790. | 1225AB | 2455 | 1010 | 7470 | 2007 | | 1000 | 2000 | 5779. | 9019 | ./6/ | 76/97 | 10000 | 110/21 | 15807. | 10501 | 24024 | 25007 | 11036 | 00000 | .BO//5 | 460HJ | 577.52. | 70748 | 84963. |
| | | 10392. | 11790. | 13418. | 15327. | 17580. | 20262. | 23490. | 27422. | 32292. | 38455. | 46505. | 57485. | 72240. | 90416. | 110451 | 171104 | 780051 | 1,40051 | 1076701 | 704700 | 210447 | 200350 | 2474 | • 00 C | | 200 | 3/72. | 42/4 | 4870· | 5459. | 9919 | 7029. | 6000 | 7147 | 104/2 | 12004 | | 1101 | 10000 | 22071 | .07707 | 31563. | 38651. | 47476. | 57632. | 68420. |
| | 5816. | 6713. | 7776. | 9045. | 10568. | 12412. | 14662. | 17438. | 20904. | 25299. | 30985. | 38548 | 49020 | | 01770 | 77170 | 007701 | 27077 | 140040 | 107770 | 101101 | 210070 | 004.017 | . 186177 | 1,0001 | 10003 | ./0401 | 18068 | 19853. | 21835. | 24039. | 26493. | 29232 | 32295 | 35/27 | 7070 | 46746 | 1001 | 01440 | . B. B. G. | - PCZ 90 | 76833. | 86985 | 9917 | 1325 | 2992 | 148233. |
| | 241.00 | 241.50 | 242.00 | 242.50 | 243.00 | 243.50 | 244.00 | 244.50 | 245.00 | 245.50 | 246.00 | 244.50 | 247.00 | 247.50 | 200000 | 20.04.0 | 20.040 | 24.60 | 244.00 | 200.00 | 730.30 | | 201.107 | 252.00 | 241.00 | 241.50 | 242.00 | 242.50 | 243.00 | 243.50 | 244.00 | 244.50 | 245.00 | 245.50 | 246.00 | 246.30 | 20.747 | 247.30 | 248.00 | 24.5.00 | 247.00 | 249.50 | 220.00 | 220.20 | 251.00 | 251.50 | 252.00 |

A2-40

| 16188. | 17510. | 18954. | 20612 | 2002 | .40777 | 74151. | 26229. | 28515. | 31035. | 33820. | 36906. | 40337 | 44144 | 40443 | 10106 | | . 879BC | .//100 | 72613. | 81479. | 91822. | 103246. | 115503. | 128568. | 14500. | 16800. | 19114. | 22085. | 25552 | 2077 | 240120 | 545/2. | 37472. | 400/4 | | 63684. | .00/4/ | 104057 | 101000 | 123474 | 14/310 | 1/08/20 | 214023. | . 977797 | 32626B. | 408643. | 508625 | 623142- |
|--------|--------|--------|--------|--------|---------|--------|--------|--------|--------|--------|---|--------|--------|--------|--------|--------|---------|--------|--------|--------|--------|---------|---------|---------|--------|----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|--------|---------|---------|---------|----------|---------|---------|---------|---------|
| 3922. | 4400. | 4943. | 9440 | | . 4070 | ./co/ | 7968. | 9012. | 10210. | 11590. | 13185. | 15036. | 17104 | 1,171 | 17/71 | | 262/0 | 30361 | 32830. | 42420. | 50470. | 59701. | 69740. | 80455. | 5450. | 6540. | 772B. | 0175 | | 10823 | 12858. | 15513. | 18291. | 21713. | 20334. | 31777. | 58480. | 01001 | 3/23/ | 10000 | 8/12/ | 108/62 | 137258. | 176055. | 230226. | 302612. | 391165. | 494155. |
| 9897. | 10711. | 11609. | F07C | 12003. | 13704 | 14930. | 16297. | 17827. | 19546. | 21487. | 23687. | 26105. | | | 32378. | 302/3 | 40847 | 46321. | 53029. | 61449. | 71641. | 83268. | 95996. | 109266. | 6050 | 2000 | | 000 | .0774 | 10/20 | 12444. | 14502. | 16974. | 19964. | 73601. | 28060. | 33580. | 40475 | 471/7. | 60323 | 74818. | 94063 | 120368. | 158101. | 214323. | 290647. | 382861. | 483015. |
| 1318. | 1517. | 1740 | | 2020. | 2336. | 2707. | 3142. | 3655. | 4262. | 4982 | A 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 1007 | 7/00 | 8110 | 9631. | 11493. | 13814. | 16762. | 20626. | 25832 | 32342. | 39649. | 47504. | 55590 | 0 | ć | •
• | . 000 | 1077 | 1399. | 1787. | 2290. | 2944. | 3801. | 4927. | 6423. | 8418. | 11108. | 14771. | 19833. | 26951. | 37207. | 52520. | 76915. | 117066. | 172944. | 237519. | 302856. |
| 454 | 517. | | | 682. | 786. | 911. | 1061. | 1241. | 1459. | 1727. | 0000 | | 1/67 | 2994. | 3666. | 4545 | 5725. | 7362. | 9754. | 13371. | 18016. | 22966. | 27629. | 31763. | ć | | • | . 040 | .8/9 | 829. | 1094. | 1399. | 1801. | 2331. | 3041. | 3995. | 5297. | 7096. | 9616. | 13212. | 18470. | 26399. | 38943. | 60551. | 98741. | 150912. | 207348. | 261955. |
| 6.3 | ¥15 | | .01/ | 833. | 977. | 1147. | 1349. | 1594. | 1890. | 2252 | 2070 | 2073 | 3244 | 3930. | 4799. | 5914. | 7374. | 9340. | 12104. | 16117. | 21260. | 26839 | 3250B | 17977. | | ; c | 5 (| 513. | 663. | 857. | 1111. | 1445. | 1888. | 2479. | 3271. | 4341. | 5798. | 7808 | 10612. | 14592. | 20364. | 28990. | 42485. | 65490. | 105614. | 159481. | 218639. | 275903. |
| 1774 | 107/1 | | 2308. | 2675. | 3107. | 3615. | 4215. | 4026. | 5772 | 7047 | 10/0 | 7991. | 9449. | 11218. | 13379. | 16045. | 19371. | 23593. | 29091. | 36439. | 45742. | 56394 | 47744 | 70754 | | ; | • | 1312. | 1658 | 2104. | 2673. | 3409. | 4363. | 5605. | 7232. | 9377. | 12224. | 16037. | 21194. | 28256. | 38074. | 52012. | 72426. | 104074. | 154643. | 224944. | 308047 | 397167. |
| **** | | 4473 | 2284. | 6278. | 7070. | 7974. | 9010 | 10100 | 11570 | | 13137 | 15000. | 17151. | 19678. | 22666. | 26229. | 30525. | 35782 | 42363 | 50705 | 41147. | 73084 | 05044 | ****** | .1011 | ;
; | ċ | 2932. | 3569. | 4356. | 5329. | 6542. | 8057. | 9963. | 12367. | 15422. | 19335. | 24385. | 30973. | 39672. | 51339. | 67320. | 89899. | 123639. | 175651. | 245898 | 330149. | 420726. |
| | 4410. | 4907 | 5460. | 4083. | A787. | 7585 | 0404 | 0477 | 1353 | 10/02 | 12055 | 13613. | 15417. | 17516. | 19978. | 22889. | 26373. | 30407 | 35883 | 42407. | 10000 | 40022 | | 04/44 | 77747 | 3100. | 3710. | 4508. | 5397. | 6476. | 7791. | 9394 | 11360. | 13781 | 16771. | 20490. | 25138. | 30990. | 38420. | 47954 | 60345 | 76748. | 99056 | 130934 | 177803 | 240107 | 313996. | 395029. |
| 1 | 21098. | 22918. | 24913. | 27102. | 70400 | 12152 | | | 38783 | 41842. | 45784. | 50161. | 55035. | 40479. | 66580. | 73450 | B1229. | 00104 | 100450 | 2450 | 26071 | 1201131 | 141001 | CIRRC | 1//454 | 12300. | 17800. | 20456. | 23443. | 26922. | 30980. | 35733 | 41313. | 47891. | 55672 | 64921. | 75963. | 89226. | 105254. | 24779 | 148789. | 178682 | 16565 | 6009 | 120401 | 410027 | \$2205B | 641714. |
| | 241.00 | 241.50 | 242.00 | 242.50 | 7 7 7 7 | 243 | 243 | 244 | 244. | 242.00 | 245.50 | 246.00 | 246.50 | 247.00 | 247.50 | 248.00 | 240 50 | | 240.00 | 20.020 | 200.00 | 00.002 | 00.162 | 251.50 | 252.00 | 241.00 | 241.50 | 242.00 | 242.50 | 243.00 | 243.50 | 244.00 | 244.50 | 245.00 | 241.50 | 246.00 | 246.50 | 247.00 | 247.50 | 248.00 | 248.50 | 240.00 | 240.50 | 250.050 | | • | • | 252.00 |

| 1 | ì | 4 | ; | 2111 | 336. | 226. | 219. | 374. | 527. | 433. |
|--------|---------|--------|-------------|---|----------------|--------------|-------------|--------|--------|--------|
| 241.00 | 2/0. | • | • | | | | ٠,٧٢ | 431. | 603 | 494. |
| 241.50 | 435 | 416. | 256. | 3/5 | | | 4 1 | | | 475 |
| | 400 | 406 | 311 | 447. | 483. | 332. | 314. | 444. | 07. | • |
| 247.00 | | | | 0.4 | 40.5 | 404 | 377. | 580. | 796. | 646. |
| 242.50 | 582 | 260 | 200 | | 200 | A 0.2 | W. W. | 675. | 919. | 742. |
| 243.00 | 681. | 702 | 400. | • 100 | | | | | 1047 | D.F.A. |
| 247 | 794. | 845 | 570. | 788. | 848 | 601. | | /8/ | | |
| 20.00 | | | 201 | 957. | 1029. | 736. | 662. | 924. | 1234. | .986 |
| 244.00 | 735. | | | 1117 | 1757 | 904 | 805. | 1088. | 1438. | 1142. |
| 244.50 | 1095 | 1223 | •
•
• | • /077 | | | | 200 | 1481 | 1326. |
| 245.50 | 1292. | 1477. | 1069. | 1428. | 1530 | 1114. | 101 | | | |
| 248 80 | 15.70 | 1791. | 1328. | 1754. | 1876. | 1377. | 1202. | 1526. | 17/3. | 1040 |
| 240.00 | | | 1459 | 2165. | 2310. | 1710. | 1478. | 1820. | 2326. | 1810. |
| 246.00 | 1850. | .0017 | 000 | 2011 | | | 000 | 2104 | 275 | 2128. |
| 246.50 | 2176. | 2664. | 2079. | 2685 | , 8 08. | 7136. | 0101 | 7 1 | 000 | |
| 5 | 2447. | 3271 | 2622. | 3349. | 3555. | 2671. | 22/4 | 7637 | 35020 | |
| 20.72 | | 4040 | 1111 | 4205. | 4449. | 3368. | 2847. | 3208. | 3933. | 2989. |
| 247.30 | | | 7764 | 6773 | S.AOB. | 4274. | 3595. | 3938. | 4746. | 3581. |
| 248.00 | 3871 | 2053 | • 0076 | 1326 | | | 7034 | 4000 | £770. | 4332. |
| 24B.50 | 4778. | 6298. | 5523. | 6803. | /134 | 040 | • 000 | | | |
| 240.00 | 1004 | 7988. | 7254. | 8807. | 9181. | 7112. | 5932. | 6164. | /117. | 1010 |
| 040 | 2440 | 0070 | 9717. | 11617. | 12019. | 9415. | 7841. | .9962 | 8935. | 6681. |
| 744.30 | . DOD / | | 2447 | 15704 | 14007 | 12782. | 10650. | 10605. | 11471. | 8630. |
| 220.00 | 10113 | 13000 | | | 31710 | 1771 | 14794 | 14094. | 14688. | 11090. |
| 250.50 | 13343. | 17934. | 18469. | .CB212 | Z1033 | 1/210 | | | | *** |
| 00 190 | 17075 | STORR. | 24578 | 28157. | 28468. | 22772. | 18990. | 18192. | 1823% | 1 2001 |
| 2010 | | | 4424 | 15007 | 74155 | 28920. | 24158. | 22626. | 22966. | 16662. |
| 251.50 | 21034 | 76497 | * T T T T T | • | | 76407 | 10574 | 27204. | 27863. | 19780. |
| 252.00 | 25394. | 35309. | 38176. | 44040. | */4544 | 5347/ | · L / C L 7 | ***** | | |

| 576.00 5161/7.5
576.50 640041.0
576.67 703835.0
577.20 879793.7 | 7 REACH 3002
572.00 .4 | 572.85 123004.0
573.35 166552.0
573.85 209336.0 | 10 10 10 | 575.85 844984.0
576.30 949652.0
576.671084116.0 | 577.201354572.0
8 REACH 3003 | 570.60 .3
571.00 1758.0
571.40 3846.0 | 3 5 T | 574.10 51822.0
574.48 66000.0
575.00 90180.0 | ניזנים כע |
|---|---------------------------|---|-----------------------------|---|---------------------------------|---|---------------------------------|--|--|
| FIGURE 42-3 U.S. INUNDATION STAGE-DAMAGE CURVES 249.00 75683.7 4 REACH 2004 238.00 .1 | SH 2005 | 245.30
245.75 2626.2
246.00 5835.0
246.25 9769.6 | ** (4.14 | 247.25 36013.0
247.50 45200.1
247.75 55552.3 | | | 4689.
9387. | 572.00 17829.8
572.50 23932.3
573.00 35659.7 | 4424 |
| (4 | 630.3
1214.8
1893.8 | 2634.8
3417.0
4281.3 | н 2002
•1 | 33539.6
56478.7
84884.8 | 120903.0
165912.1 | 283291.2
379488.3
489800.4 | 612470.1
746619.0
H 2003 | | 12338.6
21544.8
33052.5
46222.0 |
| 1 REACH
245.30
245.50 | 246.50
247.50 | 248.50
248.50
249.00 | 2 REACH
246.00
244.25 | 246.50
246.50
246.75 | 247.25 | 248.00
248.25
248.25 | 248.75 6
249.00 7
3 RFACH | 245.25 | 246.50
247.00
247.50
248.00 |

| | FIGURE A2-3(CONT D) | | ! |
|-----------------|---------------------|----------|----------|
| 574.00 57653.3 | 575.40 11030.2 | 579.50 | 208.2 |
| 4.50 92167. | 15208. | 579.75 | 315.1 |
| • | | 580.00 | 530.0 |
| ٠, | | 50°085 | 7.75.9 |
| | . | 200 P |) i |
| 576.00 241548.1 | 40945. | 00.000 | 701 |
| | 575.90 68187.0 | 580.75 | 1274.9 |
| 577.00 360359.7 | 85902. | 581.00 | 16:6.9 |
|)
} | 93590. | 581.25 | 2081.9 |
| 10 REACH 4001 | 576.20 100275.0 | 581.50 | 2559.4 |
| 00 | 576.30 106960.0 | 581.75 | 027. |
| 6939. | 576.40 113310.7 | 582.00 | 3600.3 |
| ~ | 576.50 120330.0 | | |
| | 576.60 159365.6 | 14 REACH | £003 |
| | | 579.20 | - |
| | 576.80 150579.6 | 579.40 | 601.6 |
| | 163782 | 279.60 | 1260.6 |
| - | 0 176818. | 229.80 | 2053.2 |
| | 101 | 580.00 | 2865.0 |
| | 20 206566. | 580.25 | 4096.9 |
| 576.00 324222.5 | | 580.50 | 5672.7 |
| | 12 REACH 5001 | 580.75 | 7563.6 |
| | • | 581.00 | 9769.6 |
| 576.30 403697.6 | 579.25 4555.3 | 581.25 | 12415.0 |
| | 579.50 11756.0 | 581.50 | 15375.5 |
| £76.50 454159.8 | | 1.7 | 18593.8 |
| • | | 282.00 | 22060.5 |
| | | | |
| | | 15 REACH | 1 5004 |
| | | | T• |
| | 93704. | | 7105.2 |
| | - | | 14134.0 |
| 779662. | _ | 0 | 21678.5 |
| | 581.75 171088.2 | | 33291.3 |
| 11 REACH 4002 | .00 203711. | 580.50 | 44913.6 |
| | | | 57051.7 |
| 1838 | 13 REACH 5002 | 2 | 70746.4 |
| | | 000 | 100752.5 |
| 575.30 7353.5 | 579.25 80.2 | • | 133604.5 |
| | | | |

| | 21 REACH 7004 | | | 24 | 579.50 46.8 | 76. | 114. | 581.00 159.5 | 1.50 217. | .00 289. | 2.50 367. | | 22 REACH 7005 | 500.00 | 800.00 0.2 | | 23 REACH 7006 | 579.00 5281.1 | 13780. | 580.00 25264.5 | .50 39045. | 00 56268. | .50 76944. | .00 101516. | .50 129765. | 583.00 160774.2 | 1 | 24 7007 | • | | .00 221. | 437 | 580.00 748.7 | | _ | 2096. | 582.00 2621.5 |
|----------------------|-----------------|--------|--------|--------|-----------------|------------------|---------------|--------------|-----------|----------|-----------|---------------|---------------|---------------|------------|---------------|---------------|---------------|--------|----------------|------------|-----------|---------------|---------------|-------------|-----------------|---|---------------|------|------|----------------|-----|--------------|----------------|---|-----------|---------------|
| FIGURE A2-3 (CONT'D) | REA | 579.00 | 178. | | 579.75 701.0 | | | E.A | £.1 | ניין | 4 | 581.50 5691.8 | 40 | æ | | 19 REACH 7002 | 78.00 | | | | _ | 1943 | 581.50 2731.3 | 582.00 3676.7 | | 20 REACH 7003 | | 578.50 2737.0 | | | 580.00 22041.4 | | | • | | 50 104475 | |
| | 582,50 169799.0 | . 4 | 249255 | 200415 | 584.50 332053.5 |)
)
(
) | 16 REACH 5005 | 529.40 | 1021. | 1995 | | | 580.50 6532.2 | 580.75 8423.1 | | - | 19338 | | 36337. | 4 00. | .50 48351. | | 17 REACH 5006 | 9.20 | 923. | | M | 4421 | 6322 | 8747 | 580.75 11670.1 | | | 581.50 23722.2 | | 70071 00 | 97010 |

| | | FIGURE A: | A2-3(CONT'D) | | |
|----------|---------|-----------|--------------|----------|------------|
| | | | 13341.3 | 600.50 | 2767.6 |
| 25 REACH | 7008 | 582.00 | 16378.2 | 601.00 | 10676.9 |
| 200.00 | *** | | | 601.50 | 21349.0 |
| 00,000 | 0.0 | 29 REACH | 7012 | 605.00 | 36571.7 |
| | • | 578.00 | .1 | 602.50 | 56932.3 |
| 24 REACH | 2009 | 578.50 | 619.8 | 603.00 | 83424.0 |
| | | .579.00 | 1606.3 | 603.50 | 118611.0 |
| 578.50 | 464.1 | 579.50 | 2958.6 | | |
| | 1237.7 | 580.00 | 4875.3 | 33 REACH | 9003 |
| | 9000 | 580.50 | 7324.8 | 00.009 | ٠. |
| | 3713.0 | | 10423.8 | 600.50 | 1010.4 |
| | 5621.1 | 581.50 | 14649.7 | 601.00 | 2635.8 |
| 00.188 | 7812.9 | | 19720.7 | 601.50 | 4964.1 |
| | 10648.2 | | | 602.00 | 8346.7 |
| | 14153.1 | 30 REACH | 7013 | 602.50 | 12653.7 |
| | 18049.5 | 578.00 | *** | 603.00 | 18316.9 |
| | | 578.50 | 640.8 | 603.50 | 25918.7 |
| 27 REACH | 7010 | 579.00 | 1660.7 | | |
| 577.50 | 7. | 579.50 | 3058.9 | 34 REACH | 9004 |
| 578.00 | 111.7 | 580.00 | 5039.5 | 00.009 | *** |
| 578.50 | 266.4 | | 7573.1 | 95.009 | 255.0 |
| 579.00 | 472.7 | 581.00 | 10777.2 | 601.00 | 664.7 |
| 579.50 | 735.3 | | 15146.3 | 601.50 | 1252.0 |
| 580.00 | 1069.6 | | 20389.2 | 905.00 | 2104.8 |
| 580.50 | 1452.6 | | | 602.50 | 3190.7 |
| 581.00 | 1921.5 | 31 REACH | 9001 | 903.00 | 4619.3 |
| 581.50 | 2449.6 | 00.009 | .1 | 603.50 | 6536.0 |
| 582.00 | 3008.2 | 600.50 | 98.4 | | |
| | ı | 601.00 | 260.7 | 35 REACH | 9005 |
| 28 REACH | 7011 | 601.50 | 475.6 | 00.009 | T . |
| _ | • | 602.00 | 781.2 | 600.50 | 219.6 |
| 578.00 | 608.3 | 602.50 | 1175.6 | 601.00 | 573.0 |
| 578.50 | 1450.6 | 903.00 | 1677.0 | 601.50 | 1079.1 |
| 579.00 | 2573.7 | 603.50 | 2334.0 | 905.00 | 1814.5 |
| 579.50 | 4001.4 | 604.00 | 3141.9 | 602.50 | 2750.4 |
| 580.00 | 5825.5 | | | 903.00 | ċ |
| 580.50 | 7908.4 | 32 REACH | 9002 | 603.50 | 5634.5 |
| | 10457.2 | 600.25 | | | |
| | | | | | |

| 9006 | | • | 50.00 | 250.2 | 21: | 37 | т
М | 1307.4 |
|------|-------------|------|-------|-------|------|------|--------|--------|
| 5 RE | 800.00 | 00.5 | 01.0 | | 02.0 | 02.5 | 03.0 | 603.50 |

| 2006 | .1 | 8 | 005. | 777. | 350. | 626. | 13938.2 | 720. |
|----------|------|------|------|------|------|------|---------|------|
| 37 REACH | 0.00 | 00.5 | 01.0 | 01.5 | 02.0 | 02.5 | 603.00 | 03.5 |

FIGURE A2-4
CANADIAN INUNDATION STAGE-DAMAGE CURVES

(GREAT LAKES)

| | LAKE HUROJI | | LAKE ST | . CLAIR |
|--------|-------------------|----|------------------|--------------------------|
| 579.50 | .60 | | | |
| 580.00 | .01 | | 575.50 | 0.60 |
| 580.50 | 0.02 | | 576.00 | 19517.33 |
| 581.00 | 11842.60 | | 576.50 | 91487.47 |
| 581.50 | 54947.34 |)1 | 577.00 | 243633.91 |
| 582.00 | 141027.05 | | 577.50 | 481723.12 . |
| 582.50 | 278757.15 | | 578.00 | 794000.36 DR4 |
| 583.00 | 477495.84 | | 578.50 | 1174699.13 |
| 574.50 | 0.00 | | 579.00 | 1639455.4 <u>8</u> |
| 580.00 | 971.36 | | 575.50 | 0.00 |
| 580.50 | 3885.45 | | 576.00 | 15327.01 |
| 581.00 | 9272.09 | 03 | 576.50 | 87582.92 |
| 561.50 | 18768.47 | | 577.00 | 301762.97 01 |
| 582.00 | 33798.09 | | 577.50 | 691506.98 |
| 582.50 | 55038.23 | | 578.00 | 1232530.57 |
| 583.00 | 83581. <u>26</u> | | 578.50 | 1900947.50 |
| 579.50 | 0.00 | | 579.00 | 2699942.61 |
| 580.00 | 686.46 | | 575.00 | 0.00 |
| 580.50 | 2745.85 | | 575.50 | 4525.65 |
| 581.00 | 6614.38 | 04 | 576.00 | 32584.69 |
| 581.50 | 13263.71 | | 576.50 | 115609.81 |
| 582.00 | 23644.28 | | 577.00 | 265779.14 07 |
| 582.50 | 38147.37 | | 577.50 | 476921.34 |
| 583.00 | 57880.0 <u>6</u> | | 578.00 | 742289.06 |
| 579.50 | .00 | | 578.50 | 1061964.59 |
| 580.00 | .01 | | 575.00 | 0.00 |
| 580.50 | 0.02 | | 575.50 | 2306.02 |
| 581.00 | 3995.80 | 05 | 576.00 | 23060.21 |
| 581.50 | 19950.38 | •• | 576.50 | 86580.60 03 |
| 582.00 | 49607.29 | | 577.00 | 220120.16 |
| 582.50 | 100006.83 | | 577.50
570.00 | 431749.97 |
| 583.00 | 173790. <u>71</u> | | 578.00
578.50 | 718430.28 |
| 579.50 | .00 | | 575.50 | 1077540.60 |
| 580.00 | .01 | | 576.00 | 0.00 |
| 580.50 | .02 | | 576.50 | 10618.09 |
| 581.00 | 0.03 | 06 | 577.00 | 70079.38
228771.54 04 |
| 581.50 | 4401.75 | | 577.50 | |
| 582.00 | 17255.83 | | 578.00 | 516039.09 |
| 582.50 | 40399.71 | | 578.50 | 934391.77 |
| 583.00 | 76034. <u>64</u> | | 579.00 | 1479582.34 |
| 579.50 | •00 | | 3/7.00 | 2163773.34 |
| 580.00 | .01 | | | |
| 580.50 | .02 | | | |
| 581.00 | 0.03 · | 07 | | |
| 581.50 | 9244.24 | - | | |
| 582.00 | 33784.71 | | | |
| 582.50 | 75761.70 | | | |
| 583.00 | 138760.21 | | | |

| | | <u> </u> | KE ERIE | | |
|--------|-------------------|----------|---------|---------------------|--------|
| 574.50 | 0.00 | - | 574.00 | 0.00 | |
| 575.00 | 3388.42 | | 574.50 | 21508.82 | |
| 575.50 | 15345.09 | | 575.00 | 78604.96 | |
| 576.00 | 38678.24 | | 575.50 | 175590.19 | |
| 576.50 | 73976.21 | | 576.00 | 391318.33 | |
| 577.00 | 122638.91 | | 576.50 | 726820.38 | |
| 577.50 | 185544.78 | | 577.00 | 1214128.48 | Pelee |
| 578.00 | 264607.29 | DR2 | 577.50 | 1872 938.3 2 | Island |
| 578.50 | 364724.62 | | 578.00 | 2732935.63 | |
| 579.00 | 489181.58 | | 578.50 | 3803826.03 | |
| 579.50 | 636414.34 | | 579.00 | 5175697.71 | • |
| 580.00 | 803480.74 | | 579.50 | 6871659.33 | |
| 574.50 | 0.00 | | 571.00 | 0.00 | |
| 575.00 | 2576.98 | | 571.50 | 129.43 | |
| 575.50 | 11670.33 | | 572.00 | 1347.09 | • |
| 576.00 | 29415.78 | | 572.50 | 5041.37 | |
| 574.50 | 56260.78 | | 573.00 | 11293.54 | • |
| 577.00 | 93270.00 | | 573,50 | 19445.79 | |
| 577.50 | 141111.50 | | 574.00 | 29263.07 | |
| 578.00 | 201240.54 | | 574.50 | 40839.50 | 05 |
| 578.50 | 277382.30 | DR1 | 575.00 | 54884.17 | |
| 579.00 | 372034.97 | | 575.50 | 72419.10 | |
| 579.50 | 484009.21 | | 576.00 | 93068.51 | |
| 580.00 | 611219. <u>53</u> | _ | 576.50 | 115464. <u>85</u> | |
| 573.00 | 0.00 | | 574.00 | 0.00 | |
| 573.50 | 4181,29 | | 574.50 | 1849.22 | |
| 574.00 | 18935.73 | • | 575.00 | 17572.05 | |
| 574.50 | 47728.67 | | 575.50 | 64125.59 | |
| 575.00 | 91286.12 | | 576.00 | 142516.51 | |
| 575.50 | 151335.55 | | 576.50 | 244747.85 | |
| 576.00 | 228960.94 | | 577.00 | 367975.00 | 06 |
| 576.50 | 326523.52 | 01 | 577.50 | 513593.52 | - |
| 577.00 | 450067.58 | | 578.00 | 690569.62 | |
| 577.50 | 603646.58 | | 578.50 | 911314.16 | |
| 578.00 | 706774 7/ | | E70 AA | 1174574 64 | |

1174534.54 1465494.08 579.00 579.50 578.00 785330.76 578.50 991734.30 573.00 0:00 571.50 0.00 573.50 572.00 2706.61 943.44 574.00 572.50 5494.63 12962.59 573.00 13887.71 574.50 35850.96 575.00 573.50 71778.86 25769.82 574.00 575.50 120085.60 42663.68 02 574.50 576.00 181278.01 65525.36 576.50 577.00 575.00 95604.06 258409.01 07 575.50 134979.92 362258.10 576.00 183310.88 577.50 495356.72 652301.14 828327.27 576.50 578.00 238667.04 577.00 578.50 301566.24 570.50 571.50 0.00 0.00 571.00 572.00 19.13 48.52 571.50 572.50 166.37 194.18 572.00 453.38 573.00 463.50 572.50 573.50 885.24 857.39 573.00 574.00 1514.41 1387 - 13 574.50 09 573.50 03 2405.74 2033.41 575.00 574.00 2805.02 3643.33 575.50 574.50 3784.60 5315.34 575.00 4981.10 576.00 7467.72 576.50 577.00 575.50 6316.07 10148.46 576.00 7775.80 13418.41 574.00 574.00 0.00 0.00 6476.07 574.50 3708.56 574.50 575.00 29880.03 575.00 25914.87 575.50 575.50 104705.13 61859.40 576.00 576.00 256483.38 118144.63 576.50 576.50 486979.70 202113.82 577.00 577.00 796119.41 321070.73 11 577.50 577.50 486239.84 1185227.32 578.00 578.00 709388.11 1661079.08 578.50 2240134.67 578.50 996644.72 2934352.44 3730310.06 579.00 579.50 579.00 1354418.30 579.50 1790926.82

| LAKE | EKIL. |
|------|-------|
| | |

| 572.50 | 0.00 | | | 545.66 | | |
|----------------|--------------------|------------|-------|------------------|----------------------|-----|
| 573.00 | 201.04 | | | 248.00 | 0.00 | |
| 573.50 | 804.50 | | | 248.50 | 2201.60
8902.10 | |
| 574.00 | 1920.35 | | | 249.00 | | |
| 574.50 | 3667.66 | | | 249.50 | 21302.39
40846.99 | |
| 575.00 | 6274.39 | | | 250.00 | 75341.55 | |
| 575.50 | 9967.26 | | | 250.50
251.00 | 134471.36 | |
| 574.00 | 15094.74 | 12 | | 251.00
251.50 | 227416.97 | 03 |
| 576.50 | 22022.12 | | | 251.50
252.00 | 362906.45 | 0,5 |
| 577.00 | 30939.66 | | | 252.50 | 551084.29 | |
| 577.50 | 42046.32 | | | 253.00 | B14277.01 | |
| 578.0 0 | 55594. <u>11</u> | _ | | 248.00 | 0.00 | |
| 573.50 | 0.00 | _ | | 248.50 | 4311.99 | |
| 574.00 | 3348.12 | | | 249.00 | 25247.94 | • |
| 574.50 | 17092.63 | | | 249.50 | 60701.63 | |
| 575.00 | 44705.12 | | | 250.00 | 122427.94 | |
| 575.50 | 90173.78 | | | 250.50 | 223132.81 | |
| 576.00 | 157946.67 | | | 251.00 | 379846.30 | |
| 576.50 | 260949.23 | | | 251.50 | 625378.46 | 05 |
| 577.00 | 407543.92 | 13 | | 252.00 | 1016311.73 | ••• |
| 577.50 | 601547.82 | | | 252.50 | 1565167.60 | |
| 578.00 | 845409.65 | | | 253.00 | 2276208.73 | |
| 578.50 | 1138844.61 | | | 244.50 | 0.00 | • |
| 579.00 | 1482464. <u>74</u> | _ | | 245.00 | 1201.61 | |
| 573.00 | 0.00 | | | 245.50 | 4806.44 | |
| | | | | 246.00 | 11469.93 | |
| 573.50 | 842.12 | | | 246.50 | 21747.34 | |
| 574.00 | 2967.61 | | | 247.00 | 40900.30 | |
| 574.50 | 6068.34 | | | 247.50 | 84449.60 | 06 |
| 575.00 | 10716.26 | | | 248.00 | 155435.70 | |
| 575.50 | 17068.61 | | | 248.50 | 253367.01 | |
| 576.00 | 25358. 32 | 14 | | 249.00 | 399581.25 | |
| 576.50 | 36418.09 | 74 | | 249.50 | 630499.98 | _ |
| 577.00 | 50751.20 | | | 245.50 | 0.00 | _ |
| 577.50 | 68161.14 | | | 246.00 | 605.80 | |
| 578.00 | 88890.36 | | | 246.50 | 2423.19 | |
| 578.50 | 113088.08 | | | 247.00 | 5782.61 | |
| 572.00 | 0.00 | | | 247.50 | 11032.85 | |
| 572.50 | 106.93 | | | 248.00 | 29390.34 | 07 |
| 573.00 | 407.20 | | | 248.50 | 62719.20 | |
| 573.50 | 941.82 | | | 249.00 | 106805.55 | |
| 574.00 | 1759.13 | | | 249.50 | 161737.84 | |
| 574.50 | 2937.65 | | | 250.00 | 227771.40 | |
| 575.00 | 4502.09 | 15 | | 250.50 | 305119. <u>85</u> | _ |
| 575.50 | 6573.77 | ~, | | 248.00 | 0.00 | |
| 576.00 | 9309.42 | | | 248.50 | 45192.31 | |
| 576.50 | 12716.49 | | | 249.00 | 181464.50 | |
| 577.00 | 16802.54 | | | 249.50 | 434162.18 | |
| 577.50 | 21607. <u>01</u> | | | 250.00 | B49172 .9 4 | 08 |
| | • | | | 250.50 | 1445268.96 | • |
| | | | | 251.00 | 2211578.81 | |
| | | | | 251.50 | 3209538.73 | |
| LAKE U | MIARIO | | | 252.00 | 4614482.25 | |
| | | | | 252.50 | 6526843.73 | |
| | | • | | 253.00 | 9000853 <i>-</i> 95 | _ |
| 245.00 | 0.50 | _ | | 248.00 | 0.00 | |
| 245.50 | 345.03 | | | 248.50 | 70472.97 | |
| 246.00 | 1380.10 | | | 249.00 | 281304.62 | |
| 246.50 | 3293.43 | | | 249.50 | 670934.74 | |
| 247.00 | 5785.48 | | | 250.00 | 1318004.76 | |
| 247.50 | 9369.02 | | | 250.50 | 2236288.95 | 09 |
| 248.00 | 13449.27 | | | 251.00 | 3419647.62 | |
| 248.50 | 19475.38 | 01 | | 251.50 | 4942557.89 | |
| 249.00 | 24733.01 | O1 | | 252.00 | 4886277.23 | |
| 249.50 | 32195.32 | | | 252.50 | 9267783.22 | |
| 250.00 | 40601.52 | | | 253.00 | 12128452.04 | _ |
| 245.00 | 0.00 | - | | 247.00 | 0.00 | |
| 245.50 | 292.51 | | • | 247.50 | 15665.46 | |
| 246.00 | 1170.02 | | | 248.00 | 62661.85 | |
| 246.50 | 2789.05 | | | 248.59 | 149533.95 | |
| 247.00 | 5327.42 | | | 249.00 | 284826.57 | |
| 247.50 | 8964.35 | | | 249.50 | 477084.51 | 12 |
| 248.00 | 13866.31 | 02 | | 250.00 | 734852.56 | |
| 248.50 | 20415.55 | U 4 | | 250.50 | 1078068.58 | |
| 244.00 | 29025.35 | | | 251.00 | 1528094.57 | |
| 249.50 | 39833.37 | | | 251.50 | 2092051.18 | |
| 250.00 | 52967. <u>58</u> | | A2-50 | 252.00 | 2775634. <u>96</u> | _ |
| | | | ハムーフリ | | | |

FIGURE A2-5 112 31 U.S. H 2003, 2004, 2001, 20 GAUGE 2030 2030 1958 2030 1958 2030 1960 2030 1962 2030 1965 2030 1965 2030 1966 2030 1967 2030 1970 2030 1972 2030 1972 2030 1972 2030 1973 2030 1974 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 2030 1976 1965 1966 1967 2058 2058 2050

| | | | FI | | 5 | - | | | | | | | |
|------|----------|-----|-----|-----|-----|-----------------------|----------|-----|-----|-----|-----|----------|----------|
| 0.50 | 97 | | | | | | | | | | | 7 | |
| Ñ | 97 | | | | | | | | | | | | |
| ŭ | . 6 | | | | | | | | | | | M | |
| ÌΫ | 6 | | | | | | | | | | | | |
| Ÿ | . 6 | | | | | | | | | | | | |
| Ĭ | 6 | | | 75 | | 29 | 28 | 36 | 45 | 62 | 0 | 43 | 23 |
| 2058 | 1977 | 28 | 25 | | 32 | | | | | | | | |
| 0 | GE
GE | | | | | | | | | | | | |
| æ | 1958 | | | | S | | | | | | | œ | 4 |
| M | 100 | S | 0 | | 9 | • | | 9 | | 0 | 0 | Ó | Ò |
| M | 96 | 153 | 4 | 0 | S | | - | | | | 3 | ທ | Ñ |
|) P | 96 | 8 | • | | 0 | | 0 | S | 0 | • | 1 | S | • |
| M | 76 | | 8 | ~ | N | œ | ∞ | 0 | • | m | - | œ | Ň |
| Ň | 96 | ~ | n | M | m | 0 | 0 | - | • | - | œ | Ö | Ñ |
| 3038 | | 206 | 083 | 286 | 102 | 134 | 060 | 074 | 080 | 121 | 171 | 281 | 150 |
| Ň | 4 | 4 | - | 4 | 0 | ~ | ~ | 1 | 3 | 0 | S | m | ~ |
|) P | 7 | . ~ | C | - | • | • | - | ~ | 1 | 1 | ~ | 0 | œ |
| | 4 | M | 0 | 0 | 4 | ~ | ø | • | - | ø | 4 | 9 | m |
| Ň | 3 | 6 | N | 4 | C | 8 | ~ | S | œ | Ø | m | 9 | 4 |
| m | 96 | ~ | 0 | • | ~ | • | 8 | 8 | 9 | • | 3 | œ | 4 |
| M | 47 | 4 | 9 | CV | • | $\boldsymbol{\omega}$ | 0 | 0 | 8 | 4 | 2 | M | ~ |
| M | 97 | 0 | n | Ō | P | N | 0 | 3 | 1 | - | œ | M | ij. |
| M | 97 | • | | 0 | 9 | 3 | | • | • | ~ | 0 | 1 | 4 |
| M | 97 | 00 | 0 | 0 | 4 | .0 | 00 | œ | • | 0 | 4 | _ | 8 |
| i ii | 97 | 5 | Ö | • | 4 | œ | 0 | 0 | 6 | 5 | 0 | Ò | Ó |
| M | 97 | ~ | 201 | • | 0 | • | 075 | 5 | S | 0 | 1 | • | ^ |
| | 67 | 4 | N | 4 | • | - | • | ~ | 8 | - | • | 0 | S |
| M | 97 | ~ | 0 | ~ | 10 | $\boldsymbol{\omega}$ | 1 | 0 | • | S | M | ₹ | N |
| 0 | AUGE | | | | | | | | | | | | • |
| • | 95 | 1 | 'n | • | • | 4 | 0 | 4 | = | • | 0 | ~ | 9 |
| • | 50 | 0 | ~ | 1 | Ñ | 0 | S | 9 | • | 0 | œ | ~ | 0 |
| • | 96 | ~ | 8 | 0 | 8 | S | • | 0 | 0 | 0 | 0 | 0 | 3 |
| -0 | 96 | • | - | 0 | N | 0 | - | 0 | • | 1 | ~ | 1 | ~ |
| • | 96 | N | N | • | 0 | S | 0 | 0 | M | 0 | 0 | ^ | 0 |
| • | 96 | 0 | S | ø | Ñ | 0 | œ | • | 0 | Ċ | 0 | o | 00 |
| • | • | 102 | 090 | 107 | 050 | 071 | 108 | 134 | 145 | 026 | 136 | 104 | 130 |
| • | 96 | M | - | • | 5 | ~ | œ | 9 | 0 | -4 | 7 | ◀ (| M. |
| 2063 | | ~ | • | | 0 | C | C | 0 | CI | 0 | ₹ | 17 | • |

| ۲. | | 109 | F1 | GURE
070 | A2-5(
078 | CONT ' | 0)
055 | 057 | 085 | 084 | 694 | 560 | 081 |
|-------|-----------------------|-----|-----------------------|-------------|-----------------------|------------|-----------------------|-----|-----|-----|------------|-------------|------|
| ٥ | 07 | 4 | 1 | တ | æ | •0 | 3 | 4 | n | 0 | ∞ | Ġ. | 0 |
| 90 | Ġ | _ | М | IJ | 3 | 1 | •0 | 4 | 4 | 4 | ·O | 40 | |
| 90 | • | _ | 4 | 9 | 7 | 9 | 4 | O | Ŋ | • | S) | <u>ب</u> | 3 |
| 90 | 4 | | 0 | 9 | ^ | 4 | • | S | • | 4 | Ô | Ŷ | C4 |
| 60 | 9 | | 3 | • | ^ | S | 9 | 0 | 4 | ထ | 3 | ဏ | œ |
| # | | | S) | ~ | 6 | M . | O | 91 | 4 1 | 9 | 9 (| 0 -1 | -0 1 |
| 07 | ^ | | • | • | ∞ | • | | ` | 7 | 00 | N | N | う |
| 07 | / | | S | ~ | 0 | Ō | 0 | 4 | ~ | W | Ġ. | - | 6 |
| 13 | 3 | | $\boldsymbol{\omega}$ | Ö | 0 | œ | 9 | 'n | • | M | 0 | တ | œ |
| 1 | 1 | | 9 | M | ~ | 0 | œ | 9 | • | • | œ | 9 | œ |
| • | 001, | | CI | | | | | | | | | | |
| 17 | ~ | | 0 | 0 | 1 | CA | CI | 4 | • | S | 0 | 4 | S |
| 10 | 0 | | N | 0 | 9 | CA | - | 4 | 4 | 9 | ٥ | 0 | 4 |
| 0 193 | ٥ | | 282 | 245 | 171 | 129 | 125 | 220 | 118 | 156 | 158 | 155 | 301 |
| 18 | 8 | | 3 | 1 | 4 | M | N | 1 | 4 | 0 | CA | CA | 0 |
| 26 | • | | S | 4 | 5 | CA | $\boldsymbol{\omega}$ | 0 | m | IJ | Ħ | S | 3 |
| 13 | M | | S | 10 | • | S | 0 | 3 | M | S | CA | S | œ |
| 39 | ٥ | | N | ð | 0 | m | 0 | 3 | 4 | 4 | CA | S) | 9 |
| 32 | CA | | $\boldsymbol{\omega}$ | M | ∞ | 9 | 0 | 3 | m | M | ٥ | ~ | m |
| 27 | 1 | | - | 1 | 3 | 3 | 4 | 2 | 3 | 0 | • | S | m |
| 31 | - | | 4 | m | S | - | 4 | 0 | M | S | - | 3 | m |
| 12 | 2 | | 2 | œ | 7 | • | ^ | S | 3 | 0 | 0 | œ | - |
| 14 | 4 | | m | 0 | ~ | N | M | 9 | 8 | 4 | 8 | 0 | 5 |
| 11 | - | | 2 | 3 | • | S | M | 4 | 2 | œ | 4 | ~ | 1 |
| 20 | 0 | | - | S | S | M | | C | 4 | 0 | S | - | Ö |
| 16 | • | | N | O | ø | 9 | 0 | 3 | œ | M | S | 8 | M |
| 28 | $\boldsymbol{\omega}$ | | Ö | 30 | M | 4 | œ | ~ | ø | M | N | \sim | œ |
| 17 | ~ | | 10 | ~ | S | œ | 4 | 4 | 7 | 9 | • | 7 | ~ |
| 19 | 9 | | 0 | 9 | 1 | ~ | N | - | S | • | 4 | - | • |
| 16 | 4 | | • | 17 | 8 | ~ | m | Ò | m | S | N | N | ~ |
| 15 | S | | Ò | 0 | $\boldsymbol{\omega}$ | 8 | 3 | Š | m | - | 1 | 0 | 4 |
| • | 001, | | 002 | | | | | | | | | | |
| 880 | 989 | | 80 | | | | | | | | | | |
| M | M | | n | n | • | C | Ñ | N | 4 | | | | |
| | | | 23 | | | | | | | | | | |
| 49 | | | 63 | 77 | 4. | 39 | 51 | 19 | 18 | 57 | 4 | 46 | 31 |
| | | | 27 | | | | | | | | | | |
| | | | | | | | | | | | | | |

and the state of the same

| | | | - | | | COS | â | | | | | | |
|------|------------|---------|-----|-----|-----|-----------|-----|-----|-----|-----|-----|-----|-----|
| 4052 | 196 | 92 | | | | | | | | | | | |
| S | 196 | 9
9 | | | | | | | | | | | |
| S | 196 | 57 | | | | | | | | | | | |
| n | 196 | 85 | | | | | | | | | | | |
| 5 | 196 | 63 | | | | | | | | | | | |
| 9 | 196 | 20 | | | | | | | | | | | |
| 0 | 196 | 66 | | | | | | | | | | | |
| 03 | 196 | 112 | | | | | | | | | | | |
| 5 | 197 | 9 | | | | | | | | | | | |
| Ö | 197 | 70 | | | | | | | | | | | |
| S | 197 | 41 | | | | | | | | | | | |
| 05 | 19 | 54 | 57 | 70 | 65 | 32 | 32 | 22 | 23 | 28 | 43 | 28 | 32 |
| n | 197 | 35 | | | | | | | | | | | |
| 05 | 197 | 4 | | | | | | | | | | | |
| 4052 | | 20 | | | | | | | | | | | |
| 0 | BAUG | ,50 | 90 | | | | | | | | | | |
| 0 | 1953 | 90 | ~ | | | 48 | | | | | | | 58 |
| 0 | 95 | ~ | | | | 21 | | | | | | | 36 |
| 0 | 95 | • | | | | 25 | | | | | | | 62 |
| 0 | n | • | | | | 42 | | | | | | | 23 |
| 5014 | • | 090 | 47 | 20 | 137 | 48 | 75 | 53 | 87 | 81 | 82 | 40 | 92 |
| 0 | •0 | • | | | | 42 | | | | | | | 06 |
| 0 | 96 | 1 | | | | 21 | | | | | | | 91 |
| 0 | • | 10 | | | | 105 | | | | | | | 26 |
| 0 | 96 | S | | | | 25 | | | | | | | œ |
| 5014 | • | 0 | | | | 62 | | | | | | | 120 |
| 0 | 96 | 0 | | | | 44 | | | | | | | 63 |
| 0 | 96 | • | | | | 62 | | | | | | | 75 |
| 5014 | • | 1 | | | | 20 | | | | | | | œ |
| | ~ | 4 | | | | 38 | | | | | | | 106 |
| 0 | 1 | 1 | | | | 40 | | | | | | | 20 |
| Ö | ~ | 9 | | | | 50 | | | | | | | 69 |
| 5014 | | S | | | | 46 | | | | | | | ស |
| | ~ | ~ | | | | 47 | | | | | | | ₩ |
| | | S) | | | | 34 | | | | | | | 73 |
| | | S | | | | 44 | | | | | | | 36 |
| 20 | BAUGE 5034 | 5004,50 | | 1 | • | - 1 | - (| 1 | - 1 | 1 | 1 | | Ò |
| | 0 | _ | 067 | 150 | 160 | 121 | 075 | 920 | 073 | 660 | 192 | 120 | 880 |

, ,

ξ

Ė


中國 植物物

| 958
959
960
960
960
961
962
962
963
964
965
964
965
965
965
965
965
965
965
965 | • | • | • | • | - | 1 |
|--|--------|-------|-----|----------|---|----------|
| 224 037 061 252 149 9 047 034 098 078 120 1107 138 076 110 083 1140 037 039 140 10 117 042 034 140 10 1180 042 041 102 159 111 1190 062 120 114 05 111 062 022 106 237 13 110 062 120 114 05 111 062 022 106 237 13 110 062 120 114 05 111 062 038 111 088 07 1125 095 129 217 111 088 1135 054 059 183 10 1135 055 129 217 111 088 1135 057 77 58 80 04 125 058 53 65 39 46 126 059 73 50 65 65 67 127 047 96 57 67 39 128 096 53 65 39 44 129 047 53 41 44 44 120 080 49 57 42 33 120 080 49 57 42 33 120 080 49 57 42 33 120 080 49 57 42 33 120 080 49 57 42 33 | < < < | V + / | ŗ | 4 r | 40 | - |
| 047 034 098 078 12
107 138 076 110 08
117 042 084 341 28
117 042 084 341 28
118 073 056 137 102 114 12
119 062 120 120 114 12
110 060 348 203 115 110 063 094 044
110 060 348 203 111 088 07
110 060 348 203 111 08 10
110 060 348 203 111 08 10
110 060 348 203 111 08 10
111 060 348 203 111 08 10
112 095 129 217 111 08
1135 055 101 098 10
1135 055 101 098 10
1135 055 101 098 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1135 057 201 10
1136 098 73 50 65 44 44 44 44 44 44 44 44 44 44 44 44 44 | 2 | 0 | `• | ? | • | > 1 |
| 107 138 076 110 08 1140 037 039 140 110 117 042 083 080 114 17 117 042 084 341 28 118 078 066 137 102 119 062 073 066 137 102 110 062 120 114 05 110 062 120 114 05 110 062 120 1183 10 110 067 240 183 10 110 067 240 183 10 110 067 240 183 10 110 067 240 183 10 110 067 240 183 10 110 067 240 183 10 110 067 240 183 10 110 067 240 183 10 111 088 01 1125 095 129 217 111 1135 067 70 79 10 1135 65 70 79 5 1135 068 73 65 39 46 1135 068 73 65 39 46 1135 068 73 50 65 48 1135 068 73 50 65 48 1135 069 73 50 65 44 1135 069 41 82 44 1135 069 41 82 44 110 080 49 57 42 33 | 92 | 5 | • | | Φ | O١ |
| 11 074 083 080 114 17 042 083 140 037 039 140 100 083 066 137 102 1136 041 102 1136 041 102 1136 041 102 1136 041 102 1136 041 102 1130 062 022 106 237 113 110 062 120 114 051 110 062 120 114 051 110 062 120 114 051 110 062 120 114 051 111 084 113 100 062 120 114 051 111 084 111 084 111 084 111 084 111 084 111 084 1135 053 153 053 053 054 055 053 054 055 053 054 055 053 054 055 055 053 054 055 055 055 055 055 055 055 055 055 | 0 /6 | 1 10 | 7 | C4 | (4 | • |
| 140 037 039 140 10
117 042 084 341 28
083 066 137 102 11
136 041 102 159 11
136 041 102 159 11
100 062 120 159 11
100 062 120 114 05
100 067 240 183 10
100 067 240 183 10
110 062 120 114 05
125 095 129 217 11
110 054 203 15
100 054 24 11
100 067 240 183 10
125 095 129 217 11
110 050 129 110
125 095 129 217 11
110 050 120 114 05
125 095 129 217 11
110 050 120 114 05
125 095 129 217 11
110 050 120 114 05
125 095 129 217 11
110 098 111 08
125 098 203 15
127 72 91 77
128 091 120 120 144 44
128 133 10
129 110 098 111 08
120 095 120 120 140 140
120 095 120 120 140 140 140 140 140 140 140 140 140 14 | 86 0 | 01 0 | 00 | N) | 3 | 0 |
| 117 042 084 341 28 085 078 266 174 22 083 066 137 102 11 062 136 141 102 159 11 062 022 106 237 103 110 062 120 114 05 110 060 348 203 15 110 060 348 203 15 110 060 348 203 15 110 060 348 203 15 110 060 348 203 15 110 060 348 203 15 111 086 070 086 111 08 125 095 129 217 11 081 39 46 65 48 6 135 055 53 65 39 4 135 055 53 65 39 4 135 055 53 65 39 4 135 056 55 50 58 135 057 77 58 80 4 135 057 77 58 80 4 135 057 77 58 80 4 135 057 77 58 80 4 135 057 77 58 80 4 135 057 77 58 80 4 135 057 77 58 80 4 135 057 73 50 65 83 7 136 057 33 60 889 442 33 | 61 0 | 9 10 | 1 | 6 | ø | Ŷ |
| 55 078 266 174 22
66 137 102 110
7 136 041 102 159 111
8 062 137 102 113
9 062 022 106 237 103
100 062 120 114 05
100 063 120 120 114 05
100 063 120 120 114 05
100 064 100 100 100 114 04
100 065 100 100 100 114 04
100 065 100 100 100 114 04
100 060 100 114 060 11 | 24 0 | 6 17 | m | CI | 3 | 9 |
| 55 083 066 137 102 1136 041 102 159 111 062 042 043 046 043 049 049 049 040 062 022 106 237 133 048 080 086 111 088 07 048 080 086 111 088 07 048 080 086 111 088 07 050 050 54 55 65 39 44 050 050 050 53 65 39 44 040 051 35 55 55 55 051 040 052 053 041 82 042 33 060 88 042 042 042 042 042 042 042 042 042 042 | 28 1 | 6 13 | S | 3 | - | 0 |
| 5 | 37 0 | 2 18 | • | CI | 4 | Ŷ |
| 315 110 063 094 04 062 022 106 237 13 100 062 120 114 05 110 062 120 114 05 110 060 348 203 15 110 060 348 203 15 125 095 129 217 11 084 080 086 111 08 108 080 086 111 08 108 080 086 111 08 108 080 086 111 08 108 081 39 46 65 108 081 39 46 62 108 081 39 46 62 108 081 37 72 91 10 081 57 72 91 10 081 55 50 58 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 081 57 72 91 10 082 48 48 48 48 48 48 68 68 68 68 68 68 68 68 68 68 68 68 68 | 16 1 | 5 09 | - | 9 | 40 | \circ |
| 073 056 082 088 07
062 022 106 237 13
100 067 240 183 10
062 120 120 114 05
120 080 111 08
125 095 129 217 111
084 080 086 111 08
107 075 101 098 10
054 52 50
054 52 50
055 53 65 48 6
055 77 58 80 4
055 53 65 39 4
079 57 67 3
070 081 37 46 62 57
070 081 57 72 91
071 081 57 72 91
072 080 65 48 65
073 50 65 50
074 65 50 58 50
075 076 53 41 44 44
075 080 49 57 42 33 | 24 0 | 8 11 | CA | ٥ | 9 | ω |
| 062 106 237 13
100 067 240 183 10
110 060 348 203 15
125 095 129 217 11
086 111 08
125 095 129 217 11
087 075 101 098 10
054 42 38 56 48
055 53 65 39 46
055 53 65 39 46
078 53 65 39 46
078 53 65 39 47
078 53 61 44 44
080 49 57 42 33 | 99 1 | 7 13 | 6 | ∞ | E) | 4 |
| 100 067 240 183 10
110 060 348 203 15
125 095 129 217 11
108 080 086 111 08
125 095 129 217 11
108 080 086 111 08
109 052 129 217 11
108 080 129 217 11
108 080 129 217 11
118 082 129 217 11
118 082 129 217 11
118 082 129 217 11
118 082 129 129 129
118 083 73 120 129
118 081 127 72 91 73
118 082 133 140 144 144 144 144 144 144 144 144 144 | 95 0 | 60 6 | 0 | 40 | 0 | 9 |
| 110 060 348 203 15
110 060 348 203 15
125 095 129 217 11
125 095 129 217 11
5080 5001, 5002, 7001
5080 504 65 48 65
135 65 70 79 56
135 65 70 79 57
135 65 70 79 57
135 65 39 46 62
135 65 53 65 39 46 62
135 65 53 65 39 46 62
135 65 53 65 39 46 62
135 65 53 65 39 46 62
135 65 53 65 39 46 62
135 65 53 65 39 46 62
135 65 53 65 53 65
135 65 50 58 55
136 095 59 41 82 44 44
137 095 69 41 82 44 | 81 0 | 1 07 | ٥ | 0 | 4 | - |
| 110 060 348 203 15
048 080 086 111 08
125 095 129 217 11
5080 5001, 5002, 7001 098 10
5080 5001, 5002, 7001
65 054 42 38 56 48
055 77 58 80 4
055 77 58 80 4
055 53 65 39 4
078 73 50 65 39
078 73 50 65 39
078 73 50 65 39
079 53 61 44
070 095 69 41 82 40
070 095 69 41 82 40 | 119 11 | 9 157 | 077 | 109 | 087 | 255 |
| 5080 5001, 5002, 129 217 111 08 125 095 129 217 111 08 100 050 050 050 050 050 050 050 050 050 | 32 0 | 80 8 | M | - | 4 | 4 |
| 5080 5001, 5002, 129 217 11
5080 5001, 5002, 7001 098 10
5080 5001, 5002, 7001 098 10
65 65 65 48 66 5
135 65 70 79 56 40
135 65 70 79 51 60
135 65 70 79 51 60
135 65 70 79 51 60
135 65 39 46 62 51
135 65 46 65 46 65 65 65 65 65 65 65 65 65 65 65 65 65 | 84 0 | 4 06 | m | ~ | m | IO. |
| 5080 5001, 5002, 7001
5080 5001, 5002, 7001
6 054 54 55 65 48
6 055 54 65 48 66
135 65 70 79 59
135 65 70 79 59
135 65 39 46 62
135 07 70 79 50
135 07 70 79 50
135 07 70 79 50
135 07 70 70 70 70
135 07 70 70 70 70 70 70
135 07 70 70 70 70 70 70 70 70 70 70 70 70 | 95 0 | 4 10 | -4 | ~ | 0 | 4 |
| 5080 5001, 5002, 7001
6 054 54 55 48 65 66 50 66 50 65 65 65 65 77 58 80 44 65 65 39 44 65 65 39 44 65 65 65 65 65 65 65 65 65 65 65 65 65 | 0 90 | 3 14 | 9 | M | 0 | |
| 054 54 50 66 88 65 98 65 98 65 98 65 98 98 98 98 98 98 98 98 98 98 98 98 98 | | | | | | |
| 050 54 65 48 6 65 65 135 65 77 58 80 80 80 80 80 80 80 80 80 80 80 80 80 | 4 | 23 | | | 0 | |
| 054 42 38 56 4
055 77 58 80 4
055 53 65 70 79 5
081 39 46 62 39 4
078 53 62 83 7
098 73 50 65 4
096 55 50 58 5
097 53 61 4
097 53 61 4
097 53 61 4
097 53 61 4
097 69 41 82 4 | 8 | 4 | | | M | |
| 055 77 58 80 4
135 65 70 79 59
22 081 39 46 62 39 46
078 53 62 83 7
098 73 50 65 4
096 55 50 58 5
097 53 61 4
097 53 69 41 82 4
097 69 41 82 4 | 9 | S | | | 104 | |
| 135 65 70 79 5
0 055 53 65 39 4
0 081 39 46 62 39 4
0 098 73 62 83 7
0 098 73 50 65 3
0 096 55 50 58 5
0 097 53 41 44 44 4
0 095 69 41 82 4 | 0 | M | | | Ø | |
| 055 53 65 39 4
081 39 46 62 39 4
078 53 62 83 7
098 73 50 65 7
096 55 50 58 5
097 55 50 58 5
097 55 50 58 5
097 55 50 58 5
097 53 41 82 4 | N | S | 4 | | 125 | |
| 2 081 39 46 62 3
3 004 96 57 67 3
5 008 73 50 65 7
6 0081 57 72 91 7
7 0096 55 50 58 5
0051 35 53 61 44 44
0075 69 41 82 44
0075 69 41 82 42 3 | 9 | K | | | $\boldsymbol{\omega}$ | |
| 3 047 96 57 67 3
078 53 62 83 7
6 098 73 50 65 4
7 096 55 50 58 5
0 047 53 41 44 4
0 095 69 41 82 4
0 042 33 60 89 4 | • | 4 | | | 76 | |
| 5 078 53 62 83 7
6 098 73 50 65 4
7 096 55 50 58 5
7 096 55 50 58 5
8 051 35 53 61 4
9 047 53 41 44 4
0 095 69 41 82 4
0 042 33 60 89 4 | м | N) | | | 55
50
50
50
50
50
50
50
50
50
50
50
50
5 | |
| 5 098 73 50 65 4 096 55 50 051 35 50 58 5 000 000 000 000 000 000 000 00 | 6 | 9 | | | 20 | |
| 081 57 72 91 7 096 55 50 58 5 051 35 53 41 44 4 095 69 41 82 4 042 33 60 89 4 2 | 0 | 4 | | | 119 | |
| 096 55 50 58 5
051 35 53 61 4
047 53 41 44 4
095 69 41 82 4
080 49 57 42 3 | 2 | m | | | 93 | |
| 9 051 35 53 61 4
0 047 53 41 44 4
0 095 69 41 82 4
2 080 49 57 42 3
3 042 33 60 89 4 | 0 | រា | | | 55 | |
| 047 53 41 44 4 095 69 41 82 4 080 49 57 42 3 | 19 | ID. | | | 66 | |
| 095 69 41 82 4
080 49 57 42 3
042 33 60 89 4 | - | • | | | 42 | |
| 080 49 57 42 3
042 33 60 89 4 | ^ | M | | | 99 | |
| 042 33 60 89 4 | 27 4 | 3 54 | 59 | 26 | 41 | 86 |
| | 4 | m | | | 50 | |
| 060 52 61 50 4 | 4 | 4 | | | 43 | |

| | 1 90 | 7. | | 7 | נז | 7 | כח | ٥ | לע | ~ | 9 | ۵۵ | 11 | ٥ | 104 | ٥ | Ŋ | 11 | ٥ | ^ | Ň | מׁו | Ň | | 13 | 14 | 60 | 14 | 125 | 7 | 12 | 0 | 10 | 08 | 7 | 33 | 60 | * |
|-------|------|----------|----------|------|------|------|------|------|------|------|--------|------|-------|-------|-------|-------|-------|-------|-------|----------|----------|-------|-------|--------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | 6 15 | 13
13 | | 3 11 | 9 10 | 6 | 4 11 | 4 7 | 8 | 4 | S
B | 7 12 | 2 7 | 9 5 | 0 93 | 1 | 3 6 | 7 7 | 1 7 | 7 | iii
M | 8 | 9 | | 07 | 11 | 11 | 14 | 5 156 | 14 | 11 | 15 | 11 | 13 | 10 | 15 | 23 | (|
| | 53 6 | - | | 7 | ۵ | ស | œ | ы | 9 | 0 | œ | 0 | 4 | = | 56 6 | 9 | 0 | CI | • | Φ. | 0 | • | 0 | | 2 | 1 1 | 2 | 0 | 21 13 | 9 | 5 | 8 | 4 | 1 | 4 | 0 | 0 | • |
| | 47 | | | | | | | | | | | | | | 54 | | | | | | | | | | 46 0 | 89 1 | 92 0 | 44 0 | 096 1 | 99 1 | 28 0 | 93 1 | 27 1 | 91 2 | 99 1 | 28 1 | 24 1 | |
| | 5 | | | | | | | | | | | | | | 63 | | | | | | | | | | C | 8 | - | 9 | 060 | 0 | 4 | 6 | 0 | 9 | S | 6 | Ŋ, | 1 |
| (II) | Ю | | | 4 | ~ | 4 | 9 | ťΣ | 9 | 8 | R) | 9 | נו | S | 77 | œ | 4 | 4 | M | n | Ŋ | S | 4 | | 16 | 07 | 60 | 07 | 117 | 15 | 10 | 60 | 10 | 15 | 10 | 60 | 13 | 1 6 |
| CON | | מיז | | 9 | • | N | ~ | 9 | 9 | ဆ | œ | 7 | ٥ | ^ | 3 67 | S | ល | 7 | M | • | IJ | • | • | | 15 | 12 | 19 | 10 | 5 108 | 10 | 90 | 14 | 18 | 13 | 14 | 11 | 14 | |
| RE A2 | 57 6 | ~ | | - | 7 | ы | 9 1 | 4 | ы | 4 | m | C) | 9 1 | 9 | 58 7 | D | m | 9 | N | 'n | 0 | S | | | 4 | 9 1 | 0 | 0 1 | 85 16 | 4 1 | 5 | 4 | 1 | 0 | 4 | 0 | 2 1 | l • |
| FIGU | ~ | | 98 | 65 1 | 40 | 25 | 29 | 25 | 22 | 71 | 51 | 93 1 | 54 | 29 | 61 | 35 | 59 | 28 | 43 | 25 | 32 | 54 | 20 | 90 | 160 | 90 | 17 | 58 | 084 0 | 07 | 80 | 30 | 88 | 35 | 02 | 82 | 76 | |
| | 1 | 7 | 7007, 70 | 0 | 4 | P. | S | 4 | ٥ | ٥ | 0 | 0 | 8 | - | 057 | 4 | • | 6 | • | N | 4 | 0 | 0 | | 128 | - | 0 | M | 116 | N | O | 8 | • | ٠ | 0 | iń | - | ı |
| | ~ | 176 | w | 26 | เก | n | • | • | 9 | • | • | • | • | • | 89 | • | ~ | ~ | 1 | 1 | N | | ~ | E 7044 | n | n | n | Ю | 58 | 'n | •0 | • | • | • | Ó | • | • | |
| | 0 19 | 0 19 | GAUG | 3 19 | 3 19 | 3 19 | 3 19 | 3 19 | 3 19 | 3 19 | 3 19 | 3 19 | 23 19 | 23 19 | 23 19 | 23 19 | 23 19 | 23 19 | 23 19 | 23 19 | 19 | 23 19 | 23 19 | DANG O | 4 19 | 4 19 | 4 19 | 44 19 | 44 19 | 44 19 | 14 19 | 44 19 | 44 19 | 14 19 | 44 19 | 14 19 | 14 19 | |

| | · | 0 | ~.
€4
~1 | Ť:~ | C1 | Ü | 1 | | | O- 1 | • | | v) | | | | | | 0 | | 0 | | | | | &
& | | | | | 0 | | 73 | | | | | |
|----------|------------|----|---------------------------|-----|-----------------------|----------|------|------|-----------------------|----------|-----------------------|----------|-----|-----|-----|----|----|-----|-----|-----|-----|------|-----|----|-----|--------|-----|------|-----------------------|----|----|----|-----|-----|----|-----|----|---|
| | 40 i | တ | 660 | 0 | C1 | - | | | 40 | 0 | | ~ | 74 | | | | | | | ^ | | | | | | 9 | | • | | 4 | N | œ | 113 | ₩, | 1 | | 1 | |
| | 0 0 | IJ | 092 | 9 | ₩ | \circ | | | 40 | ^ | כו | | | | | | | | | | 9 | | 0 | | | 64 | | | | | | | 47 | | | | | |
| | 43 | ~ | 078 | 0 | | 6 | i | | 1 | U) | ^ | | 9 | | | | • | | | | | | | | | 25 | | | | | \$ | | 22 | | | | | |
| | رتن | N) | 063 | IJ | $\boldsymbol{\omega}$ | ∞ | | | Ó | 4 | ^ | | | | | | | | | | | | | | | 52 | | | | | | | 51 | | | | | |
| | 40 | Ç | 134 | -0 | (C) | ٥. | | | œ | 4 | S | | | | | | | | 4 | | | 1 | | | | 41 | | | | | | | 73 | | | | | • |
| | 03 | 19 | 100 | 0 | \sim | 1 | | | œ | (i) | S | | | | | | | | | | | | | | | 09 | • | | | | | | 64 | 4 | | | | |
| 72. | 90 | 1 | 122 | 0 | 'n | ~ | | | $\boldsymbol{\omega}$ | ∞ | $\boldsymbol{\omega}$ | | 4 | | 4 | 4 | | 3 | n | | | | | | | 47 | | | ~ | | • | | • | | | | | į |
| i | • | М | 154 | • | C1 | 9 | | 104 | CI | 9 | C1 | 81 | 106 | ω | 100 | ٥ | 89 | 96 | 86 | 101 | 3 | 92 | 73 | 25 | 73 | 8 | C | ~ | 100 | ~ | | œ | 120 | œ | 8 | 63 | 73 | |
| H.
H. | 11 | m | 153 | - | 71 | C4 | | C4 | - | ٥ | 095 | 64 | S | 103 | • | 47 | 44 | 70 | 121 | ~ | 47 | 53 | 86 | 67 | 71 | 81 | 90 | 0 | 112 | 96 | 30 | 75 | 55 | 88 | 98 | 137 | ~ | |
| H | 86 | O | တ | 0 | 0 | 083 | 4 | ~ | 6 | 7 | \sim | 9 | 9 | 0 | 117 | 40 | 77 | ខ | 53 | 8 | 4 | 61 | 45 | 64 | S | 104 | C | 7 | $\boldsymbol{\omega}$ | 54 | 36 | 21 | 99 | 4 | 4 | 24 | 70 | |
| | C4 | 1 | 0. | 0 | 0 | 089 | • | 12 | ∞ | 3 | O | 4) | S | 99 | 96 | 47 | C4 | 109 | 00 | 6 | 69 | 53 | 69 | 74 | 55 | 46 | 63 | CA | 0 | 44 | 43 | ย | 63 | 65 | 8 | 87 | 83 | |
| | | | | | | | 058 | | | | | | | | | | | | | | | | | | | | | 7072 | | | | | | | | | | |
| | 96 | 0 | 0 | . 6 | 0 | 1976 | GE | 1952 | 95 | 5 | 95 | 95 | 6 | 9 | 96 | 96 | 96 | 96 | 9 6 | 9 6 | 96 | 97 | 97 | 9 | , 6 | ۰ ۰ | 97 | 9 | 195 | 95 | 6 | 95 | 96 | 96 | 96 | 96 | 96 | • |
| | 0.4 | 40 | 0 | 4 | 4 | 7044 | 20 6 | 058 | 0.55 | 0.5 | 05 | 0.5 | | 05 | 0.5 | 50 | 00 | 150 | | 500 | 200 | 0.55 | 0.5 | | | 0 | 0.5 | 20 | 072 | 07 | 0 | 9 | | 0,0 | 6 | 0 | 07 | > |

INTERNATIONAL LAKE ERIE REGULATION STUDY BOARD LAKE ERIE WATER LEVEL STUDY, APPENDIX C. COASTAL ZONE.(U) JUL 81 AD-A114 586 F/G 13/2 UNCLASSIFIED NL . 3 .. 3 END 6 82 DTIC



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

| 45 75 76 75 76< | 5 | 2 | | I e | GCR
C | š | CONT | <u>5</u> | ŭ | | | | | |
|--|---|----------|---------|-----------|------------|-----|------|------------|-----------|-----------|-----|----|----|-----------|
| 1967 93 38 55 59 36 36 37 28 27 27 70 44 1 1968 948 | | 9 | | Đ | V | > | 2 | 7 | 7 1 | | | | | 11 |
| 1968 | | 96 | | 38 | 52 | 5 | 36 | 30 | 89 | | | | | |
| 1969 68 27 45 71 50 78 46 36 46 74 41 81 1970 1971 1971 1971 1971 1971 1971 1971 1971 1972 197 | | 96 | | 4 | 42 | 5 | 64 | 89 | 35 | | | | | |
| 1970 50 40 56 106 46 42 37 32 67 76 98 5 5 1971 1972 92 46 66 51 58 78 31 27 55 33 51 59 12 1972 1973 116 60 118 71 46 47 37 42 55 57 56 70 8 1973 1974 1975 116 60 118 71 46 47 37 42 55 57 56 70 5 6 1975 1975 1975 198 71 46 47 37 42 46 51 59 70 70 61 1975 | | 96 | | 27 | 45 | 71 | 20 | 78 | 46 | | | | | |
| 1972 109 116 51 58 78 31 27 55 33 51 59 12 1972 55 46 68 3 28 49 49 55 57 56 71 12 1974 55 46 68 51 52 47 47 47 47 47 47 47 4 | _ | 4 | | 4 | 56 | 0 | 46 | 42 | 37 | | | | | |
| 1972 95 46 46 83 28 29 44 25 57 56 71 12 1972 156 34 46 118 71 46 47 47 46 51 40 60 18 71 46 47 47 40 50 40 50 40 40 50 40 51 40 51 40 50 40 51 40 50 40 51 40 51 40 51 40 51 40 51 40 51 40 51 60 52 123 40 51 60 51 51 60 51 51 60 51 60 51 51 60 52 40 51 60 52 40 51 60 52 40 51 60 52 40 51 60 52 51 51 52 51 < | ~ | 97 | 0 | - | 51 | S | 78 | 31 | 27 | | | | | CA |
| 1974 55 34 66 51 53 47 42 46 54 52 40 8 | | 6 | 0 | 4 | 46 | 83 | 28 | 29 | 4 | | | | | C1 |
| 1975 | | 6 | | 34 | 99 | 21 | 53 | 47 | 45 | | | | | |
| 1976 28 50 79 46 33 42 36 39 40 51 60 50 60 60 60 60 60 60 | ~ | 67 | + | 9 | | 71 | 46 | 47 | 37 | | 0 | | | |
| GANUGE 9016 9003, 9004, 9005, 9006, 9007, 9008 1915 68 71 44 46 74 76 50 65 123 61 68 51 1916 110 54 46 74 76 56 65 123 61 68 51 105 150 121 78 80 105 150 121 78 80 105 150 121 78 80 105 150 121 78 105 105 150 121 78 105 105 150 122 113 61 88 59 72 75 105 150 105 150 116 105 150 116 105 150 105 | | 97 | n | 20 | 1 | 46 | 33 | 42 | 36 | | 4 | | | |
| 1915 68 71 44 46 74 76 50 62 123 61 68 31 1916 110 54 30 83 134 87 56 65 49 134 83 134 87 56 65 49 134 83 134 87 56 65 49 134 83 136 83 136 83 136 137 148 83 143 68 19 11 157 148 83 143 65 10 11 157 148< | 9 | AUGE 901 | 9 4 500 | 9 | 8 | 900 | 90 | 0 | 90 | | | | | |
| 1916 110 54 30 83 134 87 56 65 49 134 83 10 1917 74 47 73 58 56 105 150 121 78 82 10 1918 54 48 73 58 56 105 150 82 16 15 15 10 10 10 11 11 10 11 11 10 11 10 | | 91 | 89 | 71 | 44 | 46 | 74 | 76 | 20 | 62 | C | 61 | 89 | כע |
| 1917 74 47 73 58 56 105 150 121 78 80 122 113 61 88 59 72 74 82 116 90 11 1919 59 48 59 40 122 113 61 88 59 72 74 82 116 90 116 90 116 90 116 90 116 90 111 57 90 111 57 90 111 57 90 111 57 90 111 57 90 111 57 90 111 57 90 111 57 90 111 57 90 111 57 90 < | | 91 | - | 5.4 | 30 | 83 | M | 87 | 26 | 65 | 40 | m | 83 | C |
| 1918 54 68 59 40 122 113 61 88 59 72 75 56 77 74 82 116 90 11 1921 87 66 129 81 135 130 62 158 143 65 70 71 1920 192 193 <th></th> <th>16</th> <td>~</td> <th>47</th> <td>73</td> <td>28</td> <td>n</td> <td>0</td> <td>S</td> <td>2</td> <td>78</td> <td>œ</td> <td>82</td> <td>0</td> | | 16 | ~ | 47 | 73 | 28 | n | 0 | S | 2 | 78 | œ | 82 | 0 |
| 1919 59 49 71 67 75 56 77 74 82 116 90 111 1920 38 28 129 81 135 130 62 158 143 65 70 70 1920 1920 38 28 60 39 95 132 81 64 95 83 70 70 70 1922 1923 81 65 70 70 1923 1924 81 65 70 70 1924 95 43 60 57 85 65 71 193 80 76 143 70 | | 91 | 54 | 89 | 59 | 4 | N | ~ | 9 | 8 | 29 | 72 | 75 | เว |
| 1921 87 66 129 81 135 130 62 158 143 65 70 7 1920 38 28 60 39 95 132 81 64 95 83 75 70 70 1922 1922 192 57 118 121 111 57 90 159 83 75 75 70 192 192 83 75 70 75 74 49 49 71 108 71 150 70 76 60 143 80 84 83 75 70 76 60 75 70 76 76 70 76 60 70 70 76 60 70 70 76 70 76 70 76 70 76 70 76 70 70 70 70 70 70 70 70 70 70 70 70 7 | | 91 | 59 | 4 | 71 | 67 | 1 | n | 77 | 7.4 | 85 | 7 | 90 | |
| 1920 38 28 60 39 95 132 81 64 95 83 75 7 1922 96 57 54 71 46 92 57 118 121 111 57 99 1924 81 57 54 71 46 92 57 118 121 111 57 99 1924 81 53 42 24 55 78 60 53 44 83 74 143 96 76 143 96 77 78 76 71 77 78 76 78 78 78 | | 92 | 87 | 99 | N | 81 | m | 1 | 62 | S | 4 | 92 | 20 | 70 |
| 1922 96 57 54 71 46 92 57 118 121 111 57 94 136 90 159 80 76 143 84 83 7 1924 55 78 60 57 86 53 43 84 83 7 1924 53 43 84 83 7 143 160 57 86 53 43 84 83 7 143 89 76 159 80 76 143 84 76 70 | | 92 | 38 | 58 | 9 | 39 | 95 | 3 | 81 | 49 | 95 | 83 | 75 | 28 |
| 1923 83 63 42 24 55 78 60 53 43 84 83 7 1924 81 57 28 23 46 136 90 159 80 76 143 8 1925 50 32 58 54 44 71 108 71 150 70 76 6 1926 50 32 58 54 44 71 108 71 150 70 76 6 1927 77 38 53 127 17 10 87 46 75 80 92 11 1930 071 56 39 44 131 110 141 66 66 67 75 85 62 13 1931 035 63 49 93 93 84 156 40 136 78 76 62 13 1932 051 43 40 82 98 156 167 79 78 76 64 75 87 64 75 70 85 64 56 1932 054 43 54 </td <th></th> <th>92</th> <td>96</td> <th>57</th> <td>54</td> <td>71</td> <td>46</td> <td>0</td> <td>27</td> <td>-</td> <td>CA</td> <td>-</td> <td>57</td> <td>92</td> | | 92 | 96 | 57 | 54 | 71 | 46 | 0 | 27 | - | CA | - | 57 | 92 |
| 1924 81 57 28 23 46 136 90 159 80 76 143 8 1925 44 49 43 60 57 85 94 53 88 84 44 7 1926 50 32 58 54 44 71 108 71 150 70 76 6 1927 77 38 53 127 17 62 113 96 75 95 80 92 11 1929 73 35 105 127 120 81 80 67 75 95 62 8 1930 071 56 39 44 131 110 141 66 66 67 73 7 1931 035 63 49 93 93 84 156 105 85 65 13 7 1932 054 88 80 66 34 112 153 92 7 103 97 64 1934 051 43 13 14 51 64 48 76 64 55 7 103 </td <th></th> <th>92</th> <td>83</td> <th>63</th> <td>42</td> <td>24</td> <td>53</td> <td>78</td> <td>9</td> <td>S</td> <td>4</td> <td>œ</td> <td>83</td> <td>74</td> | | 92 | 83 | 63 | 42 | 24 | 53 | 78 | 9 | S | 4 | œ | 83 | 74 |
| 1925 44 49 43 60 57 85 94 53 88 84 44 7 1926 50 32 58 54 44 71 108 71 150 70 76 6 1927 57 40 48 67 139 132 67 46 59 80 92 11 1928 73 35 105 127 120 81 80 67 57 85 62 8 1930 071 56 39 44 131 110 141 66 66 67 73 7 1931 071 56 39 44 131 110 141 66 66 67 73 7 1932 071 43 49 93 93 84 156 40 136 78 74 5 1934 051 43 40 82 98 160 202 167 97 103 97 6 1934 130 70 46 111 57 87 68 76 14 5 1950 4 | | 92 | 81 | 57 | 58 | 23 | 46 | M | 06 | S | 80 | 76 | 4 | 83 |
| 1926 50 32 58 54 44 71 108 71 150 70 76 6 1927 57 40 48 67 139 132 67 46 59 80 92 11 1929 73 35 105 127 120 81 80 67 57 85 62 81 1930 071 56 39 44 131 110 141 66 66 67 73 73 1931 035 63 49 93 93 84 156 40 136 78 71 64 51 1932 0051 43 40 82 98 160 202 167 97 64 51 64 51 1934 094 88 80 66 34 112 153 92 70 85 64 51 1935 70 46 111 57 87 68 72 51 48 47 51 1950 60 71 53 94 51 62 51 60 89 63 64 < | | 92 | * | 4 | 43 | 09 | 22 | œ | 4 | 23 | 0 | 84 | 4 | 2 |
| 1927 57 40 48 67 139 132 67 46 59 80 92 11 1928 77 38 53 127 17 62 113 96 75 95 62 8 1939 071 56 39 44 131 110 141 66 66 67 73 73 73 1931 055 63 49 93 93 84 156 40 136 78 71 64 51 1932 107 72 59 39 85 76 105 52 78 76 64 51 1934 051 43 40 82 98 160 202 167 97 103 97 64 51 1935 054 88 80 66 34 112 153 92 70 85 64 55 1959 130 70 46 111 57 87 68 72 51 48 41 51 1960 60 71 53 94 51 62 51 60 89 < | | 92 | 30 | 32 | 28 | ₽. | 44 | 71 | Ö | 71 | S | 20 | 76 | 99 |
| 1928 77 38 53 127 17 62 113 96 75 95 62 83 1929 73 35 105 127 120 81 80 67 57 85 43 131 110 141 66 66 67 73 73 73 74 131 110 141 66 66 67 73 73 74 153 74 153 74 153 74 153 74 153 74 153 75 164 55 13 75 74 53 74 53 74 53 74 53 74 53 74 53 74 53 74 53 74 53 74 73 74 53 74 53 74 74 53 74 74 53 74 74 53 74 74 53 74 74 74 74 | | 92 | 57 | 9 | 4 | 67 | m | M | 67 | 46 | 29 | 80 | 92 | - |
| 1929 73 35 105 127 120 81 80 67 55 13 1930 071 56 39 44 131 110 141 66 66 67 73 73 1931 035 63 49 93 93 84 156 40 136 78 74 53 1932 107 72 59 39 85 76 167 97 103 97 64 55 1934 051 43 40 82 98 160 202 167 97 103 97 64 55 1935 054 88 80 66 34 112 153 92 70 85 64 55 1959 73 57 59 63 73 66 48 76 56 56 82 94 1960 60 71 53 94 51 62 51 60 89 63 63 63 63 63 63 63 64 89 63 63 64 63 64 63 63 63 64 <td< td=""><th></th><th>2</th><td>77</td><th>38</th><td>53</td><td>N</td><td>-</td><td>•</td><td>-</td><td>96</td><td>75</td><td>93</td><td>62</td><td>8</td></td<> | | 2 | 77 | 38 | 53 | N | - | • | - | 96 | 75 | 93 | 62 | 8 |
| 1930 071 56 39 44 131 110 141 66 66 67 73 73 73 73 73 73 73 73 74 75 75 76 76 77 76 77 76 77 76 77 76 77 73 73 73 73 73 73 73 73 73 74 74 75 74 74 75 74 74 75 74 74 75 < | | 192 | 73 | 33 | 0 | 2 | N | 81 | 8 | 29 | 27 | 82 | 65 | M |
| 1931 035 63 49 93 93 84 156 40 136 78 76 64 51 1932 107 72 59 39 85 76 105 52 78 76 64 51 1934 051 43 40 82 98 160 202 167 97 103 97 6 1935 094 88 80 66 34 112 153 92 70 85 64 5 1958 130 70 46 111 57 87 68 72 51 48 141 8 1959 73 57 59 63 73 64 48 76 56 56 58 83 63 63 94 1960 60 71 53 94 51 62 51 60 89 63 63 63 73 52 64 1961 54 54 51 55 51 60 89 53 63 63 73 73 52 64 1962 61 69 63 73 <th>-</th> <th>193</th> <th>~</th> <th>36</th> <th>39</th> <th>7</th> <th>M</th> <th>-</th> <th>4</th> <th>99</th> <th>99</th> <th>67</th> <th>73</th> <th>76</th> | - | 193 | ~ | 36 | 39 | 7 | M | - | 4 | 99 | 99 | 67 | 73 | 76 |
| 1932 107 72 59 39 85 76 105 52 78 76 64 5 1934 051 43 40 82 98 160 202 167 97 103 97 6 1935 094 88 80 66 34 112 153 92 70 85 64 5 1959 130 70 46 111 57 87 68 72 51 48 141 8 1959 73 57 59 63 73 64 48 76 56 56 82 49 1960 60 71 53 94 51 62 51 60 89 63 63 94 51 62 51 60 89 63 63 94 51 62 51 60 89 63 63 94 51 62 51 60 89 63 63 94 51 64 73 73 52 64 1961 54 54 54 54 54 54 54 54 54 54 54 | | 93 | m | 63 | 40 | 63 | 63 | 84 | ĸ | \$ | 136 | 78 | 71 | 64 |
| 1934 051 43 40 82 98 160 202 167 97 103 97 6 1935 094 88 80 66 34 112 153 92 70 85 64 5 1958 130 70 46 111 57 87 68 72 51 48 141 8 1959 73 57 59 63 73 64 48 76 56 56 82 4 1960 60 71 53 94 51 62 51 60 89 63 63 94 1961 54 54 61 58 70 54 37 35 89 63 69 89 52 69 1962 101 65 43 73 73 73 52 6 1963 86 61 69 62 58 61 40 81 76 41 44 55 | | 93 | 0 | 72 | 3 2 | 36 | 80 | 9, | 0 | 22 | 78 | 76 | ₹9 | 53 |
| 1935 094 88 80 66 34 112 153 92 70 85 64 5 1958 130 70 46 111 57 87 68 72 51 48 141 8 1959 73 57 59 63 73 64 82 64 82 64 82 64 82 64 1961 54 54 54 54 57 35 82 69 89 53 1962 101 65 43 73 74 53 50 43 73 52 6 1963 86 61 69 62 58 61 40 81 76 41 44 53 | | 93 | 10 | 4 | 9 | 82 | 86 | 4 | 0 | 4 | 44 | 0 | 47 | 63 |
| GAUGE 9064 9002 1958 130 70 46 111 57 87 68 72 51 48 141 89 1959 73 59 63 73 64 48 76 56 56 82 4 1960 60 71 53 94 51 62 51 60 89 63 63 9 1961 54 54 61 58 70 54 37 35 89 5 1962 101 65 43 73 96 47 35 50 43 73 52 6 1963 86 61 69 62 58 61 40 81 76 41 44 57 | _ | 2 | 0 | 88 | 80 | 99 | 34 | - | 17 | 0 | 20 | 83 | 64 | 23 |
| 958 130 70 46 111 57 87 68 72 51 48 141 8 959 73 57 59 63 73 64 48 76 56 56 56 82 4 960 60 71 53 94 51 62 51 60 89 63 63 9 961 54 54 54 51 54 37 35 82 69 89 5 962 101 65 43 73 73 52 6 963 86 61 69 62 58 61 40 81 76 41 44 57 | Ø | AUGE 9 | 00 | | | | | | | | | | | |
| 959 73 57 59 63 73 66 48 76 56 56 56 82 4 960 60 71 53 94 51 62 51 60 89 63 63 9 961 54 54 61 58 70 54 37 35 82 69 89 5 962 101 65 43 73 96 47 35 50 43 73 52 6 963 86 61 69 62 58 61 40 81 76 41 44 55 | _ | 93 | 17 | | | - | | 87 | | | | | 4 | |
| 960 60 71 53 94 51 62 51 60 89 63 63 9
961 54 54 61 58 70 54 37 35 82 69 89 5
962 101 65 43 73 96 47 35 50 43 73 52 6
963 86 61 69 62 58 61 40 81 76 41 44 5 | _ | 95 | ~ | | | • | | 99 | | | | | | |
| 961 54 54 61 58 70 54 37 35 82 69 89 5 962 101 65 43 73 96 47 35 50 43 73 52 6 963 86 61 69 62 58 61 40 81 76 41 44 55 | | 96 | | | | | | 6 2 | | | | | | |
| 962 101 65 43 73 96 47 35 50 43 73 52 6
963 86 61 69 62 58 61 40 81 76 41 44 5 | _ | 96 | | | | | | 54 | | | | | | |
| 963 86 61 69 62 58 61 40 81 76 41 44 5 | | 8 | 0 | | | | | 47 | | | | | | |
| | | 96 | 0 | | | | | 61 | | | | | | |

| |))
() | е.
Э | t. | 77 | ۷. | F.3 | 143 | ဆ္က | C1 | 43 | ਟ ? | 6.7 | ٠٠
ص | ស
ល | | | | | | | | | | | 3 | | 45 | | | | | | | | |
|----|--------------|-------------------|------------------|-----------|----------------|------------|-----------|-----|----------|----|------------|----------|---------|---------------|-----|----|-----|----|----|----|------|----|----|----|------|----|------|----|----|----|----|----|----|----|----------|
| | n
rk | 117 | 1. | נה
ניי | L-
C1 | in
F | Ds
Fis | 7.1 | ٥,
دا | 8 | 98 | 121 | 29 | 9 | | | | | | | | | | | | | 43 | | | | | | | | |
| | | | | | | | | | | | | | | 79 | | | | | | | | | | | | | 22 | | | | | | | | |
| | | | 10 | | | | | | | | 4. | | | | | | | | | | | | | | | | 34 | | | | | | 46 | | |
| | | | | | | | | | | | 20 | | | | | | | | | | | | | | | | 40 | | | | | | 41 | | |
| | | | | | | | | | | | 20 | | | | | | | | | | | | | | | | 32 | | | | | | | | |
| G | i) | 61 | 40
5 7 | 09 | 71 | 8 0 | 5 | 56 | (N | 56 | 44 | נא
כע | 47 | 4 | | | | | | | | | | | | | 57 | | | | | | | | |
| | o. | | | | | | | | | | | | | | | | | | | | | | | | | | 42 | | | | | | | | |
| £7 | 75 | - | | M | ŗ | | | | | | | | | | | | | | | | | | | | | | 28 | | | | | | | | |
| u. | ි
ආ | | | | | | | | | | | • | | | | | | | | | | | | | | | 34 | | | | | | | ~ | |
| • | i
Las | | | | | | | | | | | | | 84 | | | | | | | | | | | | | 31 | | | | | | | | |
| | | -4) | | | ហ | | | | | 40 | | | | 51 | | 40 | 54 | 09 | 46 | 80 | 73 | 93 | 63 | 83 | 111 | S | 52 | 38 | 59 | 86 | 42 | 48 | 71 | 76 | 4 |
| | ٠0 | (1)
(0)
(1) | 0.
-10 | 7 | <i>ې</i>
در | 0 | 5 | 0- | 67 | 5 | | 9.7 | 6 | | AUG | ഗ | in. | ∙o | ~0 | • | ~∆ | ·O | 96 | ◐ | 67 | 96 | 1969 | 74 | 79 | 74 | 6 | 7 | 7 | 7 | \sim |
| | 1305
1305 | 1 | | | | | | | | | | | | | | 07 | 07 | 07 | 0 | 6 | 9070 | 6 | | | 9070 | | | | | | | | | | 9070 |

Copy available to DTIC does not permit fully legible reproduction

| 20 PC | ORT WE | | | | | | | | | | |
|-----------------|-----------------------|------------|------------|--------------------|-----------|----------|----------|------------|------------|-----------------|----------------------|
| 39 | 47 B | 71 | 110 | 94 | 36 | 96 | 62 | 44 | 31 | 43 | 23 1976 |
| 48 | 42 | 57 | 110 | 27 | 20 | 39 | 34 | 28 | 20 | 20 | 33 1975 |
| 42 | 73 | 27 | 40 | 87 | 66 | 76 | 48 | 57 | 53 | 27 | 31 1974 |
| 64 | 27 | 149 | 76 | 42 | 28 | 66 | 48 | 48 | 41 | 39 | 47 1973 |
| 50 | 39 | 40 | 58 | 23 | 25 | 13 | 26 | 53 | 49 | 36 | 55 1972 |
| 44
30 | 48
28 | 46
58 | 51
66 | 20
39 | 12
32 | 23
20 | 32
50 | 32
27 | 41 | 55 | 73 1971 |
| 47 | 30 | 32 | 60 | 47 | 24 | 41 | 53 | 46 | 31
38 | 36
38 | 48 1970
31 1969 |
| 41 | 34 | 62 | 35 | 43 | 51 | 24 | 32 | 28 | 41 | 41 | 53 1968 |
| 64 | 47 | 39 | 53 | 48 | 38 | 23 | 27 | 41 | 32 | 47 | 43 1967 |
| 53 | 34 | 33 | 39 | 30 | 21 | 24 | 21 | 33 | 34 | 51 | 35 1966 |
| 55
57 | 62
47 | 55
78 | 62 | 38 | 33 | 30 | 17 | 23 | 23 | 55 | 27 1965 |
| 42 | 55
55 | 69
69 | 73
60 | 41
51 | 27
24 | 34
27 | 36
34 | 47
78 | 60
50 | 44 | 43 1964 |
| 57 | 43 | 51 | 69 | 41 | 25 | 28 | 31 | 39 | 26 | 41
41 | 40 1963
60 1962 |
| 43 | 33 | 46 | 67 | 39 | 16 | 25 | 32 | 33 | 32 | 31 | 41 1961 |
| 48 | 62 | 49 | 13 | 28 | 24 | 44 | 38 | 51 | 36 | 34 | 32 1960 |
| 42 | 33 | 49 | 42 | 19 | 25 | 41 | 33 | 41 | 31 | 20 | 44 1959 |
| 26
25 | 36
25 | 20
27 | 34
30 | 21
20 | 16
50 | 21
27 | 23 | 20 | 30 | 33 | 28 1958 |
| | RONTO | | 30 | 20 | 30 | 27 | 38 | 30 | 36 | 33 | 41 1957 |
| 53 | 80 | 80 | 73 | 32 | 35 | 49 | 48 | 44 | 39 | 41 | 35 1976 |
| 48 | 73 | 62 | 44 | 25 | 32 | 46 | 36 | 44 | 38 | 28 | 49 1975 |
| 48 | 40 | 33 | 48 | 50 | 23 | 43 | 44 | 57 | 55 | 57 | 31 1974 |
| 69 | 25 | 60 | 39 | 21 | 25 | 51 | 48 | 49 | 43 | 48 | 50 1973 |
| 64
55 | 43
55 | 42 | 60
64 | 26 | 28
30 | 12
34 | 28 | 51 | 5 5 | 43 | 78 1972
64 1971 |
| 34 | 33 | 51
60 | 75 | 19
48 | 41 | 21 | 41
47 | 28
31 | 38
38 | 51
39 | 64 1971
44 1970 |
| 47 | 36 | 34 | 64 | 50 | 32 | 44 | 50 | 49 | 43 | 42 | 39 1969 |
| 49 | 33 | 67 | 39 | 43 | 57 | 25 | 42 | 33 | 44 | 39 | 58 1968 |
| 82 | 47 | 38 | 51 | 42 | 42 | 21 | 43 | 40 | 35 | 39 | 51 1967 |
| 67 | 36 | 36 | 43 | 40 | 31 | 30 | 33 | 41 | 41 | 57 | 58 1966 |
| 60 | 67 | 62 | 73 | 41 | 57 | 32 | 28 | 32 | 31 | 67 | 34 1965 |
| 49
49 | 53
64 | 73
69 | 73
69 | 60
53 | 35
44 | 42
27 | 49
38 | 51
60 | 66
55 | 49
39 | 49 1964
51 1963 |
| 76 | 49 | 55 | 73 | 5 5 | 51 | 33 | 36
39 | 46 | 33 | 37
30 | 55 1962 |
| 43 | 46 | 48 | 71 | 145 | 34 | 31 | 40 | 41 | 40 | 40 | 43 1961 |
| 46 | 71 | 47 | BO | 32 | 31 | 50 | 42 | 49 | 42 | 33 | 34 1960 |
| 40 | 33 | 53 | 49 | 20 | 32 | 30 | 31 | 53 | 39 | 25 | 53 1959 |
| 33 | 41 | 25 | 31 | 16 | 20 | 24 | 28 | 23 | 24 | 33 | 26 1958 |
| 24
20 CC | 25
3 80 UR(| 2 8 | 33 | 28 | 32 | 26 | 33 | 21 | 33 | 25 | 44 1957 |
| 53 | 75 | 103 | 46 | 25 | 26 | 41 | 47 | 5 5 | 34 | 43 | 25 197 6 |
| 47 | 69 | 53 | 3.3 | 23 | 33 | 39 | 41 | 40 | 26 | 43 | 30 1975 |
| 66 | 27 | 71 | 60 | 106 | 34 | 71 | 58 | 57 | 47 | 69 | 33 1974 |
| 42 | 24 | 53 | 41 | 34 | 30 | 51 | 50 | 53 | 71 | 48 | 46 1973 |
| 82
41 | 36
30 | 41
42 | 53
51 | 26
20 | 25 | 19 | 36 | 49 | 44
25 | 39
42 | 76 1972
67 1971 |
| 20 | 21 | 38 | 58 | 42 | 24.
23 | 31
26 | 34
35 | 25
33 | 30 | 34 | 46 1970 |
| 64 | 42 | 31 | 64 | 36 | 16 | 30 | 50 | 57 | 41 | 26 | 20 1969 |
| 33 | 30 | 60 | 34 | 42 | 39 | 28 | 36 | 30 | 34 | 41 | 67 1968 |
| 46 | 64 | 32 | 43 | 36 | 31 | 28 | 38 | 35 | 27 | 34 | 48 1967 |
| 48 | 34 | 62 | .62 | 39 | 27 | 33 | 33 | _ | • | 41 | 47 1966 |
| 60 | 55 | 51 | 60 | 39
57 | 35 | 32 | 27 | 3 | | 89 | 40 1965
80 1964 |
| 78
51 | 46
62 | 60
71 | 76
76 | 62 | 69
78 | 35
38 | 58
55 | 51 | | 69
51 | 55 1963 |
| 118 | 80 | 78 | 82 | 110 | 103 | 51 | 53 | 50 | 35 | 27 | 39 1962 |
| 50 | 40 | 82 | 100 | 62 | 47 | 35 | 41 | 43 | 82 | 94 | 67 1961 |
| 53 | 71 | 36 | 135 | 53 | 73 | 48 | 41 | 57 | 82 | 46 | 53 1960 |
| 114 | 114 | 75 | 94 | 60 | 44 | 89 | 32 | 62 | 115 | 106 | 73 1959 |
| 53
43 | 48
40 | 24
51 | 80
62 | 36
53 | 46
71 | 40
48 | 71
66 | 51
51 | 69
51 | 60
102 | 38 1958
109 1957 |
| 13 B | | | 02 | 33 | /• | 70 | 00 | 31 | 31 | 102 | 107 1737 |
| 70 | 81 | 69 | 81 | 47 | 54 | 47 | 66 | 16 | 42 | 46 | 47 1979 |
| 165 | 17 | 131 | 86 | 102 | 34 | 85 | 55 | 67 | 33 | 35 | 120 1978 |
| 138 | 59 | 123 | 92 | 128 | 57 | 78 | 68 | 44 | 104 | 95 | 202 1977 |
| 160 | 128 | 134 | 110 | 78 | 87 | 51 | 67 | 73 | 94 | 91 | 149 1976 |
| 136
131 | 138
142 | 145 | 136
182 | 30 | 44
60 | 73 | 136 | 124
78 | 160 | 178 | 117 1975 |
| 224 | 140 | 189
120 | 234 | 309
1 85 | 243 | 47
35 | 44
33 | 107 | 92
96 | 142
128 | 160 1974
164 1973 |
| 121 | 96 | 135 | 175 | 85 | 69 | 87 | 140 | 100 | 114 | 276 | 138 1972 |
| 177 | 186 | 128 | 115 | 94 | 175 | 89 | 100 | 76 | 104 | 159 | 242 1971 |
| 104 | 92 | 193 | 163 | 87 | 76 | 00 | 76 | 146 | 94 | 165 | 248 1970 |
| | | | | | | | | | | | |
| 107 | 153 | 125 | 171 | 94 | 00 | 00 | 66 | 113 | 125 | 75 | 167 1969 |
| | | | | | | | | | | | |

| 4.5 | | | | | | | | | | | |
|-------------|-------------|------------------|------------|-----------|-----------|------------|------------|-----------------|------------|------------|----------------------|
| 15 K
148 | ingsv
85 | 142 | 100 | 154 | 95 | 66 | 84 | 72 | 105 | 470 | 17/ 1077 |
| 138 | 118 | 163 | 159 | 102 | 73 | 60 | 80 | 98 | 125
87 | 132
83 | 136 1977
124 1976 |
| 122 | 117 | 190 | 147 | 62 | 69 | 89 | 111 | 132 | 159 | 163 | 138 1975 |
| 128 | 122 | 146 | 175 | 117 | 62 | 80 | 71 | 87 | 0 | 156 | 218 1974 |
| 157 | 100 | 120 | 199 | 63 | 188 | 60 | 53 | 82 | 128 | 113 | 139 1973 |
| 109 | 87 | 125 | 125 | 75 | 60 | 55 | 00 | 89 | 78 | 235 | 121 1972 |
| 167
106 | 160
66 | 125
149 | 87
146 | 92
92 | 164 | 80 | 94 | 51 | 00 | 114 | 189 1971 |
| 102 | 26 | 94 | 145 | 71 | 100
60 | . 85
98 | 92
75 | 113
98 | 71
143 | 153 | 196 1970
139 1969 |
| 98 | 100 | 125 | 67 | 92 | 80 | 00 | 73 | 76
96 | 76 | 69
215 | 139 1969
104 1968 |
| 153 | 142 | 89 | 71 | 92 | 83 | 55 | 82 | 94 | 145 | 125 | 132 1967 |
| 174 | 60 | 139 | 257 | 82 | 107 | 114 | BO | 132 | 114 | 138 | 145 1966 |
| 215 | 139 | 215 | 100 | 71 | 115 | 83 | 78 | 89 | 161 | 149 | 110 1965 |
| 293 | 69 | 256 | 103 | 94 | 110 | 80 | 104 | 80 | 104 | 115 | 182 1964 |
| 118
19 E | 64
RIEAU | 111 | 128 | 96 | 182 | 82 | 92 | 129 | 96 | 107 | 132 1963 |
| - 1 S2 E | 42 | 83 | 66 | 70 | 63 | 81 | 49 | 52 | 107 | 61 | 77 1977 |
| 51 | 82 | 85 | 107 | 55 | 57 | 49 | 40 | 44 | 48 | 51 | 50 1976 |
| 58 | 57 | 73 | 73 | 41 | 51 | 41 | 64 | 55 | 57 | 62 | 71 1975 |
| 160 | 48 | 67 | 53 | 49 | 50 | 69 | 38 | 47 | 67 | 73 | 115 1974 |
| 67 | 38 | 304 | 73 | 139 | 73 | 39 | 39 | 51 | 62 | 64 | 60 1973 |
| 55 | 33 | 53 | 69 | 26 | 32 | 27 | 00 | 00 | 48 | 132 | 82 1972 |
| 91
75 | 80
38 | 50 | 64 | 62 | 43 | 50 | 40 | 28 | 28 | 57 | 71 1971 |
| 51 | 28 | 85
46 | 71
103 | 62
64 | 57
51 | 36
46 | 48
39 | 47
49 | 46
66 | 75
41 | 87 1970
73 1969 |
| 67 | 46 | 92 | 69 | 69 | 96 | 40 | 42 | 49 | 46 | 110 | 87 1968 |
| 94 | 82 | 44 | 47 | 41 | 60 | 30 | 42 | 41 | 71 | 60 | 73 1967 |
| 76 | 33 | 46 | 118 | 43 | 66 | 39 | 53 | 62 | 69 | 73 | 73 1966 |
| 103 | 73 | 87 | 47 | 36 | 49 | 47 | 51 | 53 | 67 | 57 | 62 1965 |
| 78 | 25 | 104 | 83 | 44 | 44 | 51 | 67 | 33 | 53 | 62 | 71 1964 |
| 71
103 | 36
53 | 87
66 | 76
64 | 69
53 | 76
71 | 60
60 | 55
60 | 71
66 | 41 | 55 | 71 1963 |
| 49 | 69 | 69 | 94 | 39 | 67 | 41 | 80 | 78 | 64
58 | 87
64 | 71 1962
64 1961 |
| 85 | 75 | 51 | 76 | 51 | 67 | 67 | 51 | 87 | 71 | 51 | 62 1960 |
| 43 | . 32 | 87 | 98 | 71 | 47 | 58 | 40 | 53 | 64 | 64 | 94 1959 |
| 20 P | ORT S | TANLE | Y | | | | | | | | |
| 60 | 85 | 100 | 38 | 60 | 67 | 71 | 66 | 64 | 69 | 66 | 57 1976 |
| 107 | 117 | 89 | 87 | 55 | 69 | 49 | 60 | 62 | 47 | 142 | 122 1975 |
| 109 | 64 | 85 | 66 | 57 | 66 | 120 | 102 | 41 | 60 | 125 | 57 1974 |
| 71
87 | 41
67 | 76
103 | 91
94 | 55
69 | 87
49 | 98
78 | 83
66 | 00 | 57
87 | 100 | 87 1973 |
| 96 | 117 | 78 | 96 | 104 | 146 | 73 | 103 | 73 | 62 | 85
115 | 83 1972
142 1971 |
| 62 | 53 | 163 | 161 | 82 | 89 | 87 | 62 | 100 | 73 | 117 | 121 1970 |
| 98 | 53 | 69 | 92 | 115 | 83 | 167 | 69 | 55 | 87 | 109 | 85 1969 |
| 55 | 64 | 98 | 118 | 62 | 53 | 82 | 110 | 85 | 71 | 114 | 142 1968 |
| 76
91 | 153
80 | 55
80 | 87 | 55 | 57 | 28 | 46 | 00 | 118 | 78 | 117 1967 |
| 145 | 83 | 115 | 67
85 | 66
60 | 64
43 | 80
64 | 75
78 | 85
82 | 100
82 | 113 | 110 1966 |
| 161 | 51 | 192 | 94 | 83 | 107 | 76 | 121 | 60 | 83 | 185
121 | 69 1965
80 1964 |
| 75 | 41 | 89 | 00 | 00 | 138 | 53 | 89 | 89 | 85 | 82 | 98 1963 |
| 163 | 60 | 66 | 106 | 89 | 78 | 82 | 82 | 98 | 98 | 102 | 82 1962 |
| 64 | 69 | 62 | 115 | 51 | 57 | 80 | 167 | 146 | 82 | 107 | 107 1961 |
| 66 | 89 | 76 | 89 | 71 | 85 | 67 | 98 | 60 | 125 | 100 | 67 1960 |
| 118
127 | 57
57 | 143 | 121 | 78 | 49 | 85 | 57 | 82 | 104 | 92 | 60 1959 |
| 67 | 53
41 | 26
94 | 94
118 | 48
107 | 76
107 | 64
131 | 102
111 | 87
78 | 82
80 | 159
188 | 80 1958 |
| | PORT | | | -07 | 14/ | 434 | *** | 78 | 4 0 | 400 | 114 1957 |
| 220 | 133 | 206 | 156 | 9.3 | 92 | 118 | 85 | 201 | 177 | 188 | 315 1977 |
| 175 | 170 | 278 | 192 | 120 | 80 | 107 | 114 | 152 | 153 | 132 | 168 1976 |
| 204 | 237 | 181 | 214 | 60 | 87 | 62 | 67 | 91 | 94 | 403 | 00 1975 |
| 210 | 142 | 207 | 192 | 121 | 103 | 76 | 85 | 146 | 100 | 271 | 197 1974 |
| 221
303 | 117
167 | 201
89 | 194
96 | 80
78 | 92
58 | 98
94 | 110 | 100
96 | 138
139 | 295
203 | 226 1973
232 1972 |
| 298 | 197 | 270 | 163 | 128 | 146 | 79
78 | 102 | 00 | 127 | 172 | 405 1971 |
| 197 | 78 | 278 | 259 | 124 | 100 | 118 | 92 | 201 | 138 | 315 | 259 1970 |
| 195 | 117 | 132 | 111 | 239 | 92 | 147 | 102 | 80 | 138 | 231 | 178 1969 |
| 201 | 160 | 140 | 142 | 110 | 117 | 76 | 107 | 98 | 171 | 278 | 292 1968 |
| 165 | 466 | 107 | 167 | 91 | 103 | 73 | 124 | 110 | 546 | 234 | 226 1967 |
| 209 | 147 | 136 | 115 | 102 | 94 | 89 | 110 | 168 | | 315 | 201 1966 |
| 376
276 | 253
140 | 165
359 | 172
129 | 96
185 | 96
109 | 143 | 135
107 | 125
160 | 189
175 | 425
406 | 114 1965
171 1964 |
| 184 | 82 | 164 | 156 | 87 | 152 | 134 | 125 | 184 | 127 | 220 | 250 1963 |
| 239 | 229 | 89 | 161 | 127 | 89 | 142 | 69 | 145 | 125 | 220 | 231 1962 |
| 122 | 139 | 114 | 212 | 79 | 134 | 62 | 121 | 273 | 100 | 229 | 287 1961 |
| 00 | 206 | 102 | 185 | 127 | 135 | 140 | 69 | 94 | 142 | 182 | 150 1960 |
| | | | | | | | | | | | |

| 20 P | DRT C | OLBORI | NE . | | | | | | | | |
|-------------|--------------|------------|------------|------------|------------|-----------------|------------|------------|------------|------------|-----------------------|
| 195 | 140 | 188 | 71 | 159 | 82 | 103 | 121 | 147 | 190 | 135 | 170 1976 |
| 281
321 | 345
235 | 281
279 | 310
262 | 100
142 | 118
140 | 76
91 | 92
131 | 107
221 | 121
139 | 408
393 | 422 1975
273 1974 |
| 312 | 161 | 273 | 204 | 98 | 128 | 128 | 71 | 122 | 185 | 415 | 310 1973 |
| 474 | 253 | 256 | 132 | 94 | 71 | 132 | 160 | 143 | 192 | 317 | 350 1972 |
| 412
265 | 237
121 | 295
376 | 152
329 | 164
150 | 189
142 | 104
164 | 160
117 | 104
293 | 186
237 | 220
384 | 461 1971
301 1970 |
| 265 | 136 | 172 | 135 | 345 | 129 | 168 | 124 | 120 | 179 | 290 | 212 1969 |
| 276 | 203 | 199 | 182 | 175 | 125 | 103 | 134 | 139 | 214 | 356 | 496 1968 |
| 228 | 668 | 132 | 226 | 129 | 138 | 98 | 214 | 128 | 586 | 214 | 289 1967 |
| 265
488 | 199
334 | 161
217 | 132
243 | 143
114 | 143
143 | 113
175 | 127
177 | 260
150 | 301
225 | 440
537 | .254 1966
154 1965 |
| 354 | 181 | 436 | 160 | 223 | 122 | 114 | 128 | 221 | 246 | 500 | 223 1964 |
| 331 | 78 | 178 | 220 | 110 | 189 | 197 | 147 | 254 | 153 | 307 | 331 1963 |
| 337
177 | 300
185 | 96
103 | 223
232 | 171
115 | 103
199 | 181
98 | 104
177 | 229
320 | 174
134 | 276
300 | 298 1962
382 1961 |
| 256 | 248 | 139 | 281 | 167 | 192 | 196 | 145 | 111 | 174 | 264 | 240 1960 |
| 415 | 146 | 468 | 312 | 104 | 75 | 197 | 98 | 132 | 290 | 267 | 181 1959 |
| 395 | 135 | 66 | 306 | 103 | 150 | 161 | 138 | 232 | 256 | 348 | 220 1958 |
| 207
20 B | 121
ODERI | 159 | 207 | 154 | 282 | 87 | 186 | 209 | 220 | 540 | 196 1957 |
| ີັອຮັ | 76 | 96 | 51 | 64 | 41 | 50 | 46 | 82 | 92 | 51 | 67 1976 |
| 85 | 98 | 76 | 78 | 44 | 36 | 50 | 38 | 50 | 76 | 82 | 82 1975 |
| 117 | 114 | 67 | 53 | 38 | 55 | 49 | 58 | 67 | 78 | 73 | 55 1974 |
| 71
110 | 58
100 | 114
76 | 43
48 | 71
40 | 60
41 | 35
36 | 55
36 | 60
60 | 134
122 | 83
58 | 53 1973
87 1972 |
| 177 | 62 | 78 | 87 | 64 | 82 | 53 | 125 | 80 | 82 | 111 | 128 1971 |
| 55 | 73 | 104 | 98 | 96 | 76 | 60 | 53 | 139 | 89 | 143 | 164 1970 |
| 131
111 | 100 | 76
82 | 78
62 | 69
62 | 95
121 | 95
90 | 76
150 | 67
78 | 107
107 | 87
124 | 113 1969
121 1968 |
| 106 | 117 | 87 | 100 | 67 | 128 | 60 | 51 | 85 | 128 | 111 | 85 1967 |
| 96 | 97 | 87 | 85 | 71 | 82 | 60 | 67 | 76 | 110 | 114 | 87 1966 |
| 89
92 | 117
67 | 49 | 78 | 60 | 00 | 90 | 00 | 00 | 136 | 117 | 83 1965 |
| 73 | 60 | 120
120 | 69
69 | 92
92 | 78
78 | 73
73 | 60
60 | 87
87 | 110
110 | 96
96 | 107 1964
107 1963 |
| 100 | 62 | 42 | 71 | 53 | 67 | 95 | 66 | 85 | 67 | 67 | 100 1962 |
| 78 | 76 | 76 | 64 | 53 | 60 | 40 | 60 | 85 | 73 | 89 | 104 1961 |
| 103
66 | 69
76 | 64
76 | 107
44 | 53
55 | 53
41 | 67 | 51 | 89 | 114 | 100 | 110 1960 |
| 100 | 96 | 32 | 62 | 51 | 55 | 82
51 | 57
62 | 78
76 | 96
103 | 83
172 | 102 1959
89 1958 |
| 178 | 92 | 71 | 64 | 53 | 73 | 80 | 57 | 83 | 53 | 104 | 92 1957 |
| 20 F
49 | (INGS | | 70 | | ~. | | | | | | |
| 69 | 28
60 | 100
114 | 39
57 | 53
30 | 26
44 | 69
48 | 55
42 | 44
64 | 82
184 | 153
60 | 66 1955
78 1954 |
| 82 | 115 | 107 | 50 | 62 | 55 | 48 | 47 | 58 | 50 | 85 | 87 1953 |
| 89 | 46 | 64 | 41 | 42 | 48 | 34 | 69 | 57 | 94 | 71 | 58 1952 |
| 96
220 | 58
107 | 106
82 | 78
57 | 23 | 48 | 49 | 92 | 66 | 78 | 87 | 94 1951 |
| 114 | 60 | 51 | 53
60 | 33
25 | 32
28 | 51
33 | 55
40 | 44
121 | 82
76 | 82
78 | 64 1950
B9 1949 |
| 71 | 62 | 113 | 73 | 41 | 24 | 51 | 42 | 47 | 71 | 80 | 73 1948 |
| 96 | 57 | 152 | 69 | 115 | 41 | 36 | 42 | 80 | 51 | 80 | 85 1947 |
| 97
103 | 51
80 | 91
134 | 83
66 | 36
82 | 48
48 | 50
41 | 73
38 | 64
48 | 39
57 | 78 | 117 1946 |
| 51 | 76 | 53 | 57 | 41 | 43 | 41 | 34 | 89 | 46 | 57
41 | 57 1945
69 1944 |
| 83 | 95 | 96 | 66 | 76 | 31 | 44 | 51 | 62 | 55 | 67 | 67 1943 |
| 121
66 | 83 | 85 | ,41 | 53 | 39 | 40 | 42 | 66 | 60 | 87 | 125 1942 |
| 78 | 53
44 | 85
67 | 73
82 | 25
82 | 41
57 | 41
31 | 50
57 | 92
46 | 76
46 | 67
98 | 80 1941
60 1940 |
| 92 | 98 | 53 | 75 | 34 | 38 | 57 | 57 | 94 | 76 | 100 | 57 1939 |
| 53 | 41 | 67 | 55 | 47 | 49 | 30 | 80 | 78 | 31 | 64 | 113 1938 |
| 104
96 | 113 | 26
131 | 76
55 | 57
66 | 25
47 | 42
32 | 51
44 | 78
39 | 67
62 | 114 | 80 1937 |
| | | RIVER | | | ٦/ | 92 | 77 | 37 | 02 | 98 | 85 1936 |
| 15 | 25 | 95 | 86 | 89 | 56 | 35 | 44 | 31 | 70 | 64 | 79 1977 |
| 47 | 104 | 39 | 92 | 44 | 27 | 43 | 48 | 47 | 94 | 54 | 52 1976 |
| 45
40 | 40 | 70
78 | 113
63 | 20
47 | 35
39 | 29
54 | 33
33 | 36
51 | 60
73 | 83
48 | 46 1975 |
| 70 | 62 | 80 | 45 | 00 | 43 | 44 | 35 | 43 | 50 | 65 | 98 1974
00 1973 |
| 37 | 00 | 52 | 52 | 42 | 104 | 26 | 37 | 00 | 53 | 90 | 33 1972 |
| 74
65 | 57
60 | 59
55 | 00
84 | 62 | 122 | 59 | 123 | 60 | 68 | 69 | 106 1971 |
| 67 | 52 | 53
53 | 81 | 00
76 | 65
42 | 59
83 | 47
68 | 48
55 | 58
36 | 94 | 123 1970
53 1969 |
| 67 | 72 | 90 | 102 | 58 | 102 | 59 | 109 | 56 | 30
57 | 44 | 66 1968 |
| 50 | 60 | | 64 | 55 | 64 | 68 | 44 | 75 | 58 | 59 | 90 1967 |
| 65
73 | 46
176 | 53
49 | 48
53 | 77
32 | 50
45 | 55
100 | 70 | 73
57 | 58 | 199 | 93 1966 |
| 119 | 52 | | 70 | 81 | 80 | 79 | 45
56 | 75 | 84
69 | 81
67 | 160 1965
40 1964 |
| 105 | 20 | 87 | 148 | 104 | 190 | 49 | 95 | 108 | 79 | 78 | 42 1963 |
| 100 | 61 | 60 | 82 | 70 | 112 | 61 | 46 | 62 | 72 | 101 | 76 1962 |


| 16 L | A SALI | LE | | | | | | | | | |
|------------------|-----------------|------------|------------|----------------|------------|--------------------|------------|------------|------------|------------------|--------------------------|
| 243 | 265 | 274 | 226 | 177 | 178 | 170 | 196 | 189 | 228 | 249 | 320 1977 |
| 256
302 | 260
237 | 268
297 | 234
253 | 206
167 | 184
201 | 1 89
201 | 209
260 | 224 | 229 | 229 | 254 1976
230 1975 |
| 262 | 243 | 256 | 268 | 228 | 189 | 201 | 212 | 254
237 | 285
00 | 304 | 230 1975
339 1974 |
| 292 | 239 | 237 | 296 | 213 | 00 | 00 | 00 | 226 | 277 | 252 | 270 1973 |
| 262 | 248 | 00 | 257 | 188 | 199 | 202 | 00 | 00 | 224 | 00 | 00 1972 |
| 205
182 | 00
213 | 159
212 | 158
272 | 140
198 | 146
209 | 00
213 | 00
219 | 00
239 | 114 | 00 | 180 1971 |
| 271 | 194 | 232 | 243 | 206 | 181 | 00 | 206 | 226 | 216
263 | 277
217 | 199 1970
249 1969 |
| 227 | 229 | 244 | 201 | 288 | 274 | 209 | 211 | 218 | 245 | 314 | 292 1968 |
| 303 | 235 | 208 | 214 | 217 | 205 | 205 | 207 | 234 | 243 | 251 | 251 1967 |
| 00
289 | 00
224 | 00
187 | 00 | 00 | 185 | 219 | 224 | 294 | 271 | 266 | 269 1966 |
| 341 | 158 | 700 | 186
209 | 00
199 | 00
202 | 195
194 | 214
251 | 240
241 | 298
291 | 278
277 | 271 1965
274 1964 |
| 265 | 188 | 260 | 253 | 217 | 209 | 238 | 216 | 267 | 212 | 230 | 264 1963 |
| 00 | 00 | 206 | 229 | 226 | 354 | 244 | 231 | 227 | 228 | 258 | 283 1962 |
| | HHERS | | | | 454 | | | | | | |
| 210
213 | 210
224 | 271
249 | 193
243 | 263
186 | 191
174 | 170
166 | 170
183 | 00
192 | 222
193 | 219
186 | 294 1977
224 1976 |
| 216 | 210 | 286 | 241 | 145 | 171 | 171 | 224 | 223 | 259 | 267 | 240 1975 |
| 00 | 00 | 233 | 256 | 207 | 157 | 174 | 169 | 196 | 180 | 263 | 317 1974 |
| 00 | 00 | 00 | 276 | 375 | 263 | 153 | 149 | 186 | 245 | 214 | 232 1973 |
| 225
267 | 193 | 216 | 227 | 157 | 159 | 164 | 204 | 180 | 191 | 314 | 192 1972 |
| 147 | 252
170 | 205
251 | 191
240 | 146
163 | 219
174 | 175
00 | 00
183 | 00
214 | 00
183 | 00
243 | 281 1971
281 1970 |
| 227 | 156 | 199 | 222 | 172 | 151 | 00 | 168 | 195 | 230 | 177 | 228 1969 |
| 182 | 194 | 220 | 176 | 262 | 244 | 176 | 174 | 182 | 258 | 294 | 262 1968 |
| 286 | 236 | 176 | 182 | 182 | 170 | 158 | 267 | 00 | 220 | 230 | 218 1967 |
| 00 | 00 | 00 | 00 | 00 | 142 | 182 | 183 | 273 | 236 | 235 | 306 1966 |
| 264
334 | 183
137 | 300
274 | 188
178 | 142
161 | 202
165 | 180
156 | 171 | 186 | 256 | 242 | 234 1965 |
| 197 | 156 | 220 | 228 | 181 | 210 | 195 | 194
175 | 172
228 | 206
176 | 214
214 | 247 1964
243 1963 |
| 00 | 00 | 175 | 178 | 179 | 207 | 202 | 186 | 181 | 187 | 236 | 251 1962 |
| | URLIN | | | | | | | | | | • • • • • |
| 147
87 | 82 | 122 | 70 | 43 | 36 | 27 | 43 | 67 | 81 | 73 | 93 1977 |
| 63 | 81
00 | 85
118 | 58
97 | 41
41 | 39
37 | 49
296 | 51
41 | 48 | 40 | 50 | 37 1974 |
| 122 | 83 | 122 | 92 | 60 | 22 | 56 | 60 | 51
98 | 56
63 | 50
56 | 75 1975
91 1974 |
| 101 | 73 | 74 | 268 | 35 | 39 | 59 | 58 | 56 | 60 | 61 | 98 1973 |
| 90 | 54 | 91 | 50 | 41 | 53 | 39 | 44 | 59 | 62 | 103 | 107 1972 |
| 78
36 | 109
37 | 70
104 | 66 | 27 | 23 | 42 | 38 | 41 | 47 | 66 | 145 1971 |
| 56 | 50 | 75 | 81
83 | 48
53 | 00
48 | 00
48 | 00
53 | 00
51 | 00
60 | 00 | 00 1970
65 1969 |
| 53 | 50 | 67 | 56 | 74 | 57 | 29 | 52 | 37 | 52 | 80 | 125 1968 |
| 166 | 65 | 53 | 58 | 54 | 46 | 24 | 42 | 44 | 53 | 55 | 90 1967 |
| 76 | 69 | 66 | 93 | 63 | 64 | 37 | 45 | 72 | 66 | 72 | 88 1966 |
| 78
90 | 111
96 | 118 | 78 | 47 | 49 | 41 | 37 | 40 | 54 | 97 | 76 1965 |
| 00 | 76 | 151
112 | 91
86 | 61
59 | 00
37 | 00
33 | 76
39 | 58
87 | 00 | 66
47 | 134 1964
84 1963 |
| 133 | 131 | 62 | 79 | 69 | 69 | 52 | 50 | 105 | 48 | 112 | 104 1962 |
| 92 | 97 | 116 | 82 | 50 | 42 | 34 | 48 | 54 | 42 | 62 | 73 1961 |
| 20 T | ECUMS
0 | 108 | ·62 | or | E0 | | | | | | 84 4555 |
| 62 | Ö | 47 | 119 | 85
43 | 58
24 | 58
59 | 24
44 | 43
50 | 67
57 | 39
60 | 84 1977
33 1976 |
| 53 | 47 | 72 | 62 | 27 | 37 | 29 | 61 | 49 | 72 | 36 | 57 1975 |
| 46 | 61 | 65 | 67 | 50 | 45 | 31 | 33 | 57 | 33 | 69 | 105 1974 |
| 56 | 31 | 91 | 99 | 45 | 46 | 37 | 22 | 31 | 59 | 47 | 39 1973 |
| 0
66 | 0
5 7 | 0
53 | 79
32 | 34 | 34 | 25 | 28 | 32 | 41 | 107 | 53 1972 |
| 54 | 5 3 | 80 | 101 | 31
39 | 37
44 | 42
29 | 33
34 | 29
32 | 0
33 | 0
49 | 0 1971
65 1970 |
| Ō | 48 | 55 | 65 | 58 | 0 | 38 | 35 | 33 | 0 | 33 | 65 1970
0 1969 |
| 69 | 63 | 0 | 42 | 79 | 102 | 42 | 51 | 27 | 55 | 86 | 52 1748 |
| 96 | 47 | 50 | 35 | 36 | 38 | 32 | 30 | 49 | 49 | 39 | 66 1967 |
| 92
9 9 | 53
77 | 63 | 142 | 51 | 35 | 37 | 37 | 69 | 42 | 77 | 65 1766 |
| 111 | ' | 121 | 45
0 | 38
0 | 41
46 | 38
40 | 47
46 | 37
51 | 60
47 | 49
40 | 76 1765
76 1764 |
| 106 | 22 | 91 | 81 | 58 | 49 | 45 | 45 | 85 | 36 | 58 | 76 1764
56 1963 |
| 105 | 59 | 64 | 40 | 40 | 66 | 40 | 45 | 60 | 47 | 74 | 60 1762 |
| 36 | 69 | 85 | 86 | 40 | 70 | 47 | 34 | 43 | 48 | 51 | 66 1761 |
| 82
63 | 76
25 | 91 | 50 | 48 | 53 | 29 | 29 | 88 | 45 | 76 | 40 1940 |
| 115 | 42 | 93
49 | 35
72 | 42
38 | 49
42 | 42
28 | 51
40 | 53
57 | 5 5 | 74
6 7 | 59 1959
71 1959 |
| - ~ • | -7- | 4,7 | 7 % | 90 | 74 | 40 | 40 | 3/ | 74 | 97 | 71 1958 |


ANNEX A3


DERIVATION OF FLOW-DAMAGE CURVE
FOR THE CANADIAN REACH OF THE ST. LAWRENCE RIVER


TABLE 43-1 PARAMETERS USED TO DETERMINE THE STAGE OR FLOW DAMAGE CURVES


| | Sector 1 Lac des Dcuxe Montagnes (in feet) | Sector 2 Rivières des Mille lles (in cfs) | Sector 3 Rivière des Prairies (in cfs) | Sector 4 Lac Saint-Louis (in feet) | Sector 5 Région aval (in cfs) |
|----------------------------|--|---|--|------------------------------------|-------------------------------|
| Level or flow | | | | | |
| p = .5
1974 | 76.39 | 27 470 | 80 517
119 010 | 72.15 | 503 140
642 990 |
| 1976 | 79.59 | 49 100 | 129 958 | 74.54 | 040 989 |
| Damages (\$000, July 1979) | | | | | |
| S. : G | 100 | 100 | 100 | 100 | 100 |
| 1974 | 3 648 | 4 138 | 2 216 | 2 483 | 1 662 |
| 1976 | 4 450 | 6 416 | 2 857 | 2 879 | 5 733 |
| | , | | | | |











RESULTS OF THE STAULATION BY THE HYDRODYNAVIIC MODEL FOR VARIOUS COMBINATIONS OF INPUT PARAVETERS TABLE PORT

Qcormall: 250,000 QLocal: 0

| | | OTTAWA | RIVER CUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|-----------------------------|---------|--------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | . 250 | 300 | 350 |
| Sector 1 (level in feet) | 72.80 | 74.50 | 76.05 | 17.52 | 78.93 | 80.29 |
| Sector 2 (flow in '000 cfs) | 7.8 | 16.4 | 28.2 | 34.2 | 43.2 | 52.1 |
| Sector 3 (flow in '000 cfs) | 46.9 | 63.1 | 79.2 | 95.0 | 110.2 | 124.6 |
| Sector 4 (level in feet) | . 70.16 | 70.83 | 71.53 | 72.19 | 72.86 | 73.52 |
| Sector 5 (flow in '000 cfs) | 357.1 | 404.2 | 452.2 | 500.7 | 549.5 | 598.6 |

RESULTS OF THE SIMULATION BY THE HYDRODYNAMIC MODEL FOR VARIOUS COMBINATIONS OF INPUT PARAMETERS A 2-3 TABLE 2:02

Qcormall: 250,000 Qccal : 20,000

| | | OTTAWA | RIVER OUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|-----------------------------|-------|--------|---------------|--|----------------|-------|
| | 100 | 150 | 200 | . 250 | 300 | 350 |
| Sector 1 (level in feet) | 72.93 | 74.60 | . 76.15 | 19.77 | 79.02 | 80.37 |
| Sector 2 (flow in '000 cfs) | 8.3 | 16.8 | 25.6 | 34.6 | 43.6 | 52.5 |
| Sector 3 (flow in '000 cfs) | 46.9 | 63.9 | 80.0 | 95.7 | 110.8 | 125.2 |
| Sector 4 (level in feet) | 70.71 | 71.39 | 72.05 | 72.70 | 73.35 | 74.01 |
| Sector 5 (flow in '000 cfs) | 376.1 | 423.9 | 472.0 | 520.7 | \$69 .4 | 618.8 |
| • | | | | | | |

TABLE 2:05 RE

RESULTS OF THE SIMULATION BY THE HYDRODYNAMIC MODEL FOR VARIOUS COMBINATIONS OF IMPUT PARAMETERS

Qormall: 250,000

Q_{Local} : 40,000

| | | OTTAWA 1 | RIVER OUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|-----------------------------|---------|----------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | | 300 | 350 |
| Sector 1 (level in feet) | 73.09 | 74.72 | . 76.26 | 17.71 | 79.09 | 80.45 |
| Sector 2 (flow in '000 cfs) | &
& | 17.3 | 26.1 | 35.1 | 44.0 | 53.0 |
| Sector 3 (flow in '000 cfs) | 48.2 | 64.9 | 81.0 | 96.6 | 111.5 | 126.0 |
| Sector 4 (level in feet) | . 71.26 | 71.91 | 72.56 | 73.19 | 73.83 | 74.49 |
| Sector 5 (flow in '000 cfs) | 396.1 | 443.7 | 492.3 | 540.8 | 589.7 | 639.6 |

RESULTS OF THE SIMILATION BY THE HYDRODYNAMIC MODEL FOR VARIOUS COMBINATIONS OF INPUT PARAMETERS TABLE STORT

Qcormvall: 250,000 Qccal: 60,000

| | | OTTAKA | RIVER OUTFLOW | OTTAWA RIVER CUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|-----------------------------|-------|--------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | . 250 | 300 | 350 |
| Sector 1 (level in feet) | 73.43 | 74.86 | . 76.38 | 77.81 | 79.21 | 80.53 |
| Sector 2 (flow in '000 cfs) | 9.6 | 17.9 | 26.5 | 35.6 | 44.6 | 53.3 |
| Sector 3 (flow in '000 cfs) | 49.6 | 0.99 | 85.2 | 97.5 | 112.5 | 126.6 |
| Sector 4 (level in feet) | 71.17 | 72.41 | 73.05 | 73.68 | 74.32 | 74.93 |
| Sector 5 (flow in '000 cfs) | 415.6 | 463.8 | 515.3 | 561.0 | 610.1 | 9.639 |

RESULTS OF THE SIMULATION BY THE HYDRODYNAMIC MODEL FOR VARIOUS COMBINATIONS OF INPUT PARAMETERS TABLE FOR

Qcormall: 250,000 Qccal: 80,000

| ** | | OTTAWA | RIVER OUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|-----------------------------|-------|--------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1 (level in feet) | 73.54 | 75.08 | 76.55 | 77.94 | 79.31 | 80.62 |
| Sector 2 (flow in '000 cfs) | 10.15 | 18.7 | 27.5 | 36.5 | 45.5 | 53.9 |
| Sector 3 (flow in '000 cfs) | 51.35 | 67.2 | 82.8 | 98.3 | 112.9 | 127.5 |
| Sector 4 (level in feet) | 72.25 | 72.90 | 73.52 | 74.15 | 74.76 | 75.38 |
| Sector 5 (flow in '000 cfs) | 435.9 | 484.0 | 532.7 | 581.5 | 630.7 | 680.0 |

RESULTS OF THE SINULATION BY THE HYDRODYNAMIC MODEL FOR VARIOUS COMBINATIONS OF INPUT PARAMETERS TABLE

Qcormall: 290,000 Qccal: 60,000

| | | OTTAKA | RIVER OUTFLOW | OTTANA RIVER OUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|-----------------------------|-------|--------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | . 250 | 300 | 350 |
| Sector 1 (level in feet) | 73.68 | 75.19 | 76.66 | 78.06 | 79.41 | 80.72 |
| Sector 2 (flew in '000 cfs) | 11.0 | 19.4 | 28.1 | 36.9 | 45.7 | 54.4 |
| Sector 3 (flow in '000 cfs) | 53.1 | 8.89 | . 84.3 | 7.66 | 114.3 | 128.4 |
| Sector 4 (level in feet) | 72.69 | 73.34 | 73.97 | 74.57 | 75.18 | 75.8 |
| Sector 5 (flow in '000 cfs) | 454.6 | \$02.9 | 551.6 | 600.6 | 649.7 | 699.3 |

RESULTS OF THE SIMULATION BY THE HYDRODYNWIIC MODEL FOR VARIOUS COMBINATIONS OF INVIT PARAMETHERS TABLE

Qcormall: 310,000 Q.c.; : 60,000

Q_{Loca1}

| *************************************** | | OTTAWA | RIVER OUTFLOW | OTTANA RIVER CUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|---|-------|--------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1 (level in feet) | 73.91 | 75.37 | . 76.81 | 78.19 | 79.52 | 80.83 |
| Sector 2 (flow in '000 cfs) | 12.1 | 20.2 | 28.9 | 37.6 | 46.3 | 55.0 |
| Sector 3 (flow in '000 cfs) | 55.1 | 70.4 | 85.8 | 100.8 | 115.3 | 129.3 |
| Sector 4 (level in feet) | 73.13 | 73.78 | 74.4 | 74.99 | 75.6 | 76.22 |
| Sector 5 (flow in '000 cfs) | 473.9 | 522.6 | 571.4 | 620.2 | 9.699 | 718.7 |

RESULTS OF THE SINULATION BY THE HYDRODYNAMIC MODEL FOR VARIOUS COMBINATIONS OF INPUT PARABLESS AP-9 TABLE 2:05

Qcrmall: 330,000 Qcal: 60,000

Q_{Local}

| | | OTTAWA | RIVER OUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|-----------------------------|-------|--------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1 (level in feet) | 74.16 | 75.57 | 96.97 | 78.33 | 79.65 | 80.95 |
| Sector 2 (flow in '000 cfs) | 13.3 | 21.2 | 30.0 | 38.3 | 47.0 | 55.6 |
| Sector 3 (flow in '000 cfs) | 57.3 | 72.1 | 87.0 | 102.1 | 116.4 | 130.4 |
| Sector 4 (level in feet) | 73.54 | 74.21 | 74.8 | 75.41 | 76.02 | 76.64 |
| Sector 5 (flow in '000 cfs) | 493.4 | 541.9 | 591.4 | 640.0 | 689.1 | 738.2 |

RESULTS OF THE STALLATION BY THE HYDRODYNWIC MODEL FOR VARIOUS COMBINATIONS OF INPUT PARAMETERS A 3-10 TABLE 2-CD

Cornwall: 350,000

QLocal : 60,000

| | | OTTAWA 1 | RIVER OUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | 1 '000 cfs) | |
|-----------------------------|---------|----------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | . 250 | 300 | 350 |
| Sector 1 (level in feet) | 74.43 | 75.78 | 77.14 | 78.48 | 79.78 | 81.08 |
| Sector 2 (flow in '000 cfs) | 14.6 | 22.2 | 30.6 | 39.0 | 47.8 | 56.4 |
| Sector 3 (flow in '000 cfs) | 8.68 | 74.0 | 88.6 | 103.4 | 117.6 | 131.5 |
| Sector 4 (level in feet) | . 73.94 | 74.61 | 75.22 | 75.82 | 76.44 | 77.06 |
| Sector 5 (flow in '000 cfs) | 512.8 | 561.6 | 610.8 | 660.0 | 709.2 · · | 758.3 |

RESULTS OF THE SIMULATION BY THE HYDRODYNAMIC MODEL FOR VARIOUS COMBINATIONS OF INPUT PARAMETERS 13-4. TABLE 2-40

Qcormall: 370,000

Q_{Local} : 60,000

| | | OTTAKA | RIVER QUIFLOW | OTTANA RIVER CUTFLON AT CARILLON (in '000 cfs) | n '000 cfs) | |
|-----------------------------|-------|--------|---------------|--|-------------|-------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1 (level in feet) | 74.74 | 76.0 | 77.32 | 78.63 | 79.93 | 81.22 |
| Sector 2 (flow in '000 cfs) | 16.1 | 23.4 | 31.5 | 39.9 | 48.6 | 57.1 |
| Sector 3 (flow in '000 cfs) | 62.7 | 76.1 | 90.4 | 104.8 | 118.9 | 132.7 |
| Sector 4 (level in feet) | 74.32 | 75.0 | 75.62 | 76.23 | 76.85 | 77.47 |
| Sector 5 (flow in '000 cfs) | 532.2 | 581.8 | 630.4 | 679.6 | 728.7 | 778.1 |

TABLE AFT'S

TABLE AFT'S

TABLE AFT'S

TABLE AFTERODYNVIIC NOTE (IM \$000)

250,000 Commall: QLoca1

| | | OTTANA F | LIVER COTFLOW | OTTAWA RIVER CUTFLOW AT CARILLON (in '900 cfs) | '900 cfs) | |
|------------------------------------|-----|----------|---------------|--|-----------|--------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux Montagnes | . 1 | 10 | 89 | 416 | 2 364 | 12 636 |
| Sector 2
Rivière des Mille Iles | 2 | 12 | 65 | 370 | 2 111 | 11 822 |
| Sector ·3
Rivière des Frairies | 10 | 31 | 6 | 298 | 876 | 2 439 |
| Sector 4
Lac Saint-Louis | 9 | 15 | 42 | 106 | 276 | 705 |
| Sector 5
Region aval | 4 | 11 | 32 | | 292 | 757 |
| TOTAL | 23 | 62. | 303 | 1 280 | 5 893 | 28 359 |
| | | | | | | |

TABLE

DANAGES ASSOCIATED WITH THE OUTPUT PARAMETERS OF THE HYDRODYNAMIC MODEL (in. \$000)

Q_{corm} : 250,000

Quea1

| | | OITAWA | RIVER CUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | 1 '000 cfs) | |
|------------------------------------|-----|--------|---------------|--|-------------|--------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux Montagnes | 2 | 11 | 7.2 | 465 | . 2 641 | 13 946 |
| Sector 2
Rivière des Mille Iles | n | 13 | 20 | 399 | 2 280 | 12 774 |
| Sector ·3
Rivière des Prairies | 10 | . 33 | 102 | 313 | 915 | 2 545 |
| Sector 4
Lac Saint-Louis | 13 | 34 | . 87 | 219 | 554 | 1 416 |
| Sector 5
Región aval | • | 17 | 49 | 140 | 402 | 1 172 |
| TOTAL | 33 | 108 | 385 | 1 536 | 6 792 | 51 853 |

TABLE SATS

DAMAGES ASSOCIATED WITH THE OUTPUT PARAMETERS OF THE LATERODYNAMIC MODEL (in \$000)

Qcorrwall: 250,000 Qccal: 40,000

| | | OTTAKA I | LIVER OUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | '000 cfs) | |
|------------------------------------|-----|----------|---------------|--|-----------|--------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux Montagnes | 2 | 13 | 88 | 526 | . 2 879 | 15 391 |
| Sector 2
Rivière des Mille-Iles | ю | 14 | 77 | 440 | 2 464 | 14 073 |
| Sector 3
Rivière des Prairies | 11 | 35 | 110 | 333 | 961 | 2 694 |
| Sector 4
Lac Saint-Louis | 28 | 7.1 | 180 | 441 | 1 096 | 2 804 |
| Sector 5
Región aval | 10 | 27 | 26 | 217 | 624 | 1 837 |
| TOTAL | 53 | 1.60 | 531 | 1 956 | 8 025 | 36 799 |
| | | | | | | |

TABLE 3.00 DAVAGES ASSOCIATED WITH THE OUTPUT PARAMETERS OF THE HYDRODYNAMIC MODEL (in \$000)

Qcormall: 250,000 Qccal: 60,000

| • | | | | | | |
|------------------------------------|-----|----------|---------------|--|-------------|--------|
| | | OTTAWA F | RIVER OUTFLOW | OTTAWA RIVER CUTFLOW AT CARILLON (in '000 cfs) | 1 '000 cfs) | |
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux-Montagnes | ٤ | 16 | 102 | 594 | 3 338 | 16 986 |
| Sector 2
Rivière des Mille-Iles | ю | . 16 | 83.3 | 485 | 2 768 | 14 914 |
| Sector ·3
Rivière des Prairies | 12 | 80 | 148 | 355 | 1 032 | 2 811 |
| Sector 4
Lac Saint-Louis | 28 | 145 | 361 | 885 | 2 202 | 5 246 |
| Sector 5
Región aval | 15 | 41 | 125 | 336 | 126 | 2 832 |
| TOTAL | 06 | 255 | 819 | 2 655 | 10 310 | 42 784 |

A 3-1. TISIE 87.5

DAYAGES ASSOCIATED WITH THE OUTPUT PARAMETERS OF THE HYDRODYNAMIC MODEL (in \$000)

Qcorrall : 250,000

Q_ccal : \$0,000

| | | OTTAVA F | NVER COTFICM | OTTAVA RIVER OUTFICW AT CARILLON (in '000 cfs) | , 1000 cfs) | |
|------------------------------------|-----|----------|--------------|--|-------------|--------|
| | 160 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux Montagnes | ٤ | 21 | 126 | 859 | 3 776 | 18 979 |
| Sector 2
Rivière des Mille Iles | 4 | 18 | 101 | 577 | 3 294 | 16 751 |
| Sector 3
Rivière des Prairies | 13 | 41 | 125 | 376 | 1 062 | 2 997 |
| Sector 4
Lac Saint-Louis | 116 | 262 | 705 | 1 728 | 4 118 | 9 953 |
| Sector 5
Región aval | 22 | 64 | 182 | 523 | 1 516 | 4 402 |
| TOTAL | 158 | 435 | 1 239 | 3 904 | 13 766 | 53 082 |

TABLE 3-06

DAVAGES ASSOCIATED WITH THE OUTPUT PARAVETERS OF THE HYDRODYNAMIC MODEL (in \$000)

Qcornwall : 290,000 60,000

Q_{Loca1}

| | | OTTAWA F | NIVER OUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | ,000 cfs) | |
|------------------------------------|-----|----------|---------------|--|-----------|--------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux Nontagnes | 4 | 24 | 144 | 808 | 4 271 | 21 468 |
| Sector 2
Rivière des Mille Iles | 4 | 21 | 113 | 623 | 3 424 | 18 454 |
| Sector ·3
Rivière des Prairies | 15 | 46 | 139 | 416 | 1 173 | 3 195 |
| Sector 4
Lac Saint-Louis | 216 | 546 | 1 538 | 3 143 | 7 458 | 18 097 |
| Sector 5
:Región aval | 34 | 8 | 274 | 790 | 2 286 | 6 683 |
| TOTAL | 273 | 732 | 2 008 | 5 781 | 18 642 | 67 897 |

TABLE SEN

(000), "I COUNTED WITH THE OUTPUT FARANGEERS OF THE INDRODEN WHICH (10 \$000)

Ocormall: 310,000

Q_{Local} : 60,000

| | | OTTANA | RIVER OUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | 1 '000 cfs) | |
|------------------------------------|-----|--------|---------------|--|-------------|--------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux Montagnes | s | 29 | 173 | 950 | 4 391 | 24 585 |
| Sector 2
Rivière des Mille Iles | Ŋ | 52 | 132 | 714 | 3 846 | 727 02 |
| Sector 3
Rivière des Prairies | 18 | . 52 | 155 | 449 | 1 259 | 3 406 |
| Sector 4
Lac Saint-Louis | 405 | 1 021 | 2 467 | 5 713 | 13 613 | 22 120 |
| Sector 5
Region aval | 51 | 146 | 420 | 1 208 | 3 516 | 10 168 |
| TOTAL | 479 | 1 273 | 3 348 | 9 034 | 27 126 | 81 006 |

AP-A TABLE JACK

DAVAGES ASSOCIATED WITH THE OUTPUT PARAMETERS OF THE HYDRODYNWIC MODEL (In \$000)

Qcormall: 330,000

Q_ccs1 : 60,000

| | | OTTAWA F | RIVER COTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|------------------------------------|-----|----------|---------------|--|-------------|--------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux Montagnes | 7 | 38 | 500 | 1 128 | 5 746 | 28 505 |
| Sector 2
Rivière des Mille Ilcs | 7 | 30 | 164 | 817 | 4 404 | 23 280 |
| Sector ·3
Rivière des Prairies | 20 | 88 | 169 | 493 | 1 362 | 3 683 |
| Sector 4
Lac Saint-Louis | 725 | 1 883 | 4 360 | 10 388 | 22 120 | 22 120 |
| Sector 5
Región aval | 78 | 222 | 648 | 1 253 | \$ 360 | 13 504 |
| TOTAL | 837 | 2 230 | 5 548 | 14 679 | 38 ú 8£ | 160 £6 |

DANAGES ASSOCIATED WITH THE OUTPUT PARACETERS OF THE HYDRODYNAMIC MODEL. (in \$000) TABLE 1.09

Quarter : 350,000 Qcca1

| | | OTTANA | RIVER CUTFLOW | OTTANA RIVER CUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|------------------------------------|-------|--------|---------------|--|-------------|---------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector :
Lac des Deux Montagnes | 6 | 49 | 760 | 1 358 | 6 739 | 33 458 |
| Sector 2
Rivière des Mille Iles | ø | . 36 | 134 | 436 | \$ 142 | 27 180 |
| Sector 3
Rivière éra Prairies | 24 | . 67 | 180 | 540 | 1 483 | 2 982 |
| Sector 4
Lac Saint-Louis | 1 282 | 3 327 | 92 o L | 18 619 | 22 120 | 22 120 |
| Sector 5
Región aval | 118 | 340 | 985 | 2 856 | 8 279 | 20 000 |
| TOTAL | 1 442 | 3 818 | 9 545 | 24 309 | 43 764 | 106 740 |

DAVIAGES ASSOCIATED WITH THE OUTPUT PARAMETERS OF THE HYDRODYNAMIC MODEL (IN \$000) TABLE 2:TO

Cornwall: 370,000

Qoca1

| | | OTTAWA | RIVER CUTFLOW | OTTAWA RIVER OUTFLOW AT CARILLON (in '000 cfs) | n '000 cfs) | |
|------------------------------------|-------|--------|---------------|--|-------------|---------|
| | 100 | 150 | 200 | 250 | 300 | 350 |
| Sector 1
Lac des Deux-Nontagnes | 14 | 64 | 325 | 1 653 | 8 108 | 39 758 |
| Sector 2
Rivière des Mille Iles | 11 | 46 | 219 | 1 114 | 6 004 | 31 124 |
| Sector 3
Rivière des Prairies | 30 | | 215 | 297 | 1 626 | 4 557 |
| Sector 4
Lac Saint-Louis | 2 202 | 5 795 | 14 007 | 22 120 | 22,120 | 22 120 |
| Sector 5
Región aval | 180 | 526 | 1 506 | 4 365 | 12 624 | 20 000 |
| TOTAL | 2 436 | 6 509 | 16 271 | 29 829 | 50 482 | 117 341 |

TABLE 3-11 SINFARY OF DAVIGES UNDER VARIOUS CONSTINATIONS OF INPUT PARAMETERS (in \$000)

| Ottawa
Lin '000 cfs) 20 40 60 80 60 <th></th> <th>Cormall inflow (in '000 cfs)</th> <th>250</th> <th>250</th> <th>250</th> <th>250</th> <th>250</th> <th>290</th> <th>310</th> <th>330</th> <th>350</th> <th>370</th> | | Cormall inflow (in '000 cfs) | 250 | 250 | 250 | 250 | 250 | 290 | 310 | 330 | 350 | 370 |
|---|--------------------------------|----------------------------------|-----|-------|--------|--------|--------|----------|-------|--------|---------|---------|
| 23 33 53 90 158 27% 479 837 1 442 2 30 1 289 1 289 2 008 3 348 5 548 9 545 16 2 6 792 8 8 025 1 0 310 1 3 766 8 3 078 8 1 0 057 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 | | Local
inflow
(in '000 cfs) | 0 | 20 | 40 | 09 | 80 | 09 | 09 | 09 | 9 | 09 |
| 23 33 53 90 158 27% 479 837 1 442 2 79 108 160 256 435 732 1 273 2 230 3 818 6 303 385 531 819 1 239 2 008 3 348 5 548 9 545 16 1 280 1 536 2 655 3 904 5 781 9 034 14 679 24 309 29 5 893 6 792 8 025 10 310 13 766 38 988 43 764 50 23 359 31 853 36 799 42 784 53 082 67 897 81 006 93 091 106 740 117 | Ottawa
River at
Carillon | | | · | | | | | | | | |
| 79 108 160 256 435 732 1 273 2 230 3 818 6 303 385 531 819 1 239 2 008 3 348 5 548 9 545 16 1 280 1 536 1 956 2 655 3 904 5 781 9 034 14 679 24 309 29 5 893 6 792 8 025 10 310 13 766 3 642 27 126 38 988 43 764 50 23 359 31 853 36 799 42 784 53 082 67 897 81 006 93 091 106 740 117 | cfs) | • | 23 | 33 | 53 | 8 | 158 | €
278 | 479 | 837 | 1 442 | 2 436 |
| 303 385 531 819 1 239 2 008 3 348 5 548 9 545 16 1 280 1 536 1 956 2 655 3 904 5 781 9 034 14 679 24 309 29 5 893 6 792 8 025 10 310 13 766 .8 642 27 126 38 988 43 764 50 23 359 31 853 36 799 42 784 53 082 67 897 81 006 93 091 106 740 117 | 150 | | 79 | 108 | 160 | 256 | 435 | 732 | 1 273 | 2 230 | 3 818 | 602 9 |
| 1 280 1 536 2 655 3 904 5 781 9 034 14 679 24 309 29 5 893 6 792 8 025 10 310 13 766 3 642 27 126 38 988 43 764 50 23 359 31 853 36 799 42 784 53 082 67 897 81 006 93 091 106 740 117 | 200 | | 303 | 385 | 531 | 819 | | | 3 348 | | | 16 271 |
| 5 893 6 792 8 025 10 310 13 766 8 642 27 126 38 988 43 764 50 23 359 31 853 36 799 42 784 53 082 67 897 81 006 93 091 106 740 117 | 250 | 1 | 280 | 1 536 | 1 956 | 2 655 | | 5 781 | 9 034 | 14 679 | | 29 829 |
| 23 359 31 853 36 799 42 784 53 082 67 897 81 006 93 091 106 740 117 | 300 | 3, 55 | 393 | | | 10 310 | | | | | | 50 481 |
| | 350 | . K3 | 359 | • | 36 799 | 42 784 | 53 082 | | | | 106 740 | 117 341 |
| | | | | | | | | | | * | | |

TABLE 4-1 CHARACTERISTIC POINTS OF THE FREQUENCY
DISTRIBUTIONS OF THE OTTAWA RIVER AND LOCAL INFLOWS

| Frequency | Ottawa River
at Carillon
(in cfs) | Local Inflow (in cfs) |
|-------------------------------------|--|--|
| .99 .98 .95 .90 .80 .50 .20 .10 .05 | 103 225
110 111
121 553
132 924
148 463
184 696
231 982
262 282
290 887
327 473 | 17 121 20 200 25 525 31 035 38 677 56 193 76 929 88 668 98 627 109 913 |
| .01 | 354 842 | 117 414 |

DERIVATION OF TABLES A3-24 and A3-25

As an example, consider the derivation of the expected damages for an inflow at Cornwall of 250,000 cfs and a local inflow of 60,000 cfs. Table A3-22 lists the damages that would occur for these conditions with varying Ottawa River flows, while Table A3-23 lists the probabilities of selected Cotawa River flows.

Based on this information, the expected damages were calculated for Cornwall and local inflows of 250,000 cfs and 60,000 cfs repsectively by the following method.

| OTTAWA RIVER PLOW AT CARILLON ('000 cfs) | DAMAGES
(\$000) | AVERAGE DAMAGES
FOR INTERVAL
(\$000) | FREQUENCY OF
EXCEEDANCE OF
OTTAWA RIVER
FLOW | FREQUENCY OF
OCCURANCE OF
INTERVALS | EXPECTED DAMAGES AT INTERVAL (\$000) |
|--|--------------------|--|---|---|--------------------------------------|
| 350 | 42784 | | .011 | | |
| 300 | 10310 | 26547.0 | .038 | .027 | 716.8 |
| 250 | 2655 | 6482.5 | .130 | .092 | 596.4 |
| | | 1737.0 | | - 250 | 434.3 |
| 200 | 819 | 537.5 | . 380 | .410 | 220.4 |
| 150 | 256 | 173.0 | .790 | . 203 | 35.2 |
| 100 | 90 | | .993 | | |

Therefore the total expected damages for the given Cornwall and local inflow conditions is the summation of the right column, which is \$2,003,000. This value is included in Table A3-24 for the given enflow conditions. However, this value also applies for any other combination of Cornwall and local flows totalling 310,000 cfs. Thus damages of \$2,003,000 are given in Table A3-24, for flow conditions of 270 and 40, 290 and 20, and 310 and 0 thousand cfs for Cornwall and local inflows respectively.

A similar exercise was completed for other flow combinations to obtain all of the values given in Table A3-24.

This computational method was repeated using the damages listed in Table A3-24 and the probabilities of local inflow given in Table A3-23. The result of this was Table A3-25, which tabulates damages for given Cornwall inflows. This table was used for evaluating the regulation plans.

TABLE +2 EXPECTED LEVELS OF DAMAGES FOR COMBINATIONS OF CORNALL AND LOCAL INFLOWS.


| | Expected | Levels of | Damages fo | ages for Combinations of C
Local Inflow (in '000 cfs) | ons of Corr
000 cfs) | wall and Lo | Expected Levels of Damages for Combinations of Cornwall and Local Inflows
Local Inflow (in '000 cfs) | Expected levels of |
|------------------------------------|----------|-----------|------------|--|-------------------------|-------------|---|-----------------------------------|
| Cormall
Inflow
(in '000 cfs) | 0 | 20 | 40 | 09 | 80 | 100 | 120 | damages
for Cornwall
inflow |
| 250 | 1 079 | 1 213 | 1 538 | 2 003 | 2 762 | 3 929 | 5 796 | 2 179 |
| 270 | 1 213 | 1 538 | 2 003 | 2 762 | 3 929 | 5 796 | 8 686 | 3 025 |
| 290 | 1 538 | 2 003 | 2 762 | 3 9 29 | 5 796 | 8 686 | 12 668 | 4 336 |
| 310 | 2 003 | 2 762 | 3 929 | 962 \$ | 8 686 | 12 668 | 17 300 | 6 315 |
| 330 | 2 762 | 3 929 | 5 796 | 8 686 | 12 668 | 17 300 | 25 000 | 9 188 |
| lang. | 3 929 | S 796 | 8 686 | 12 668 | 17 300 | 23 000 | 36 000 | 13 214 |
| | | | | | | | | |

TABLE A3-25


CORNWALL **ENFLOW - DAMAGE CURVE


QUEBEC REACH, ST.LAWRENCE RIVER

| 047 | |
|-----------------|-------------------|
| CORNWALL ENFLOW | DAMAGES - |
| (in '000 cfs) | (\$'000, July 79) |
| | _ |
| 180 | 598 |
| 185 | 654 |
| 190 | 717 |
| 195 | 78 5 |
| 200 | 859 |
| 205 | 941 |
| 210 | 1031 |
| 215 | 1129 |
| 220 | 1236 |
| 225 | 1354 |
| 230 | 148? |
| 235 | 1623 |
| 240 | 1778 |
| 245 | <u> 194</u> 7 |
| 2 50 | 2132 |
| 255 | 2335 |
| 260 | 2557 |
| 265 | 2800 |
| 270 | 3067 |
| 275 | 3358 |
| 280 | 3678 |
| 285 | 4028 |
| 290 | 4411 |
| 295 | 4830 |
| 300 | 5290 |
| 305 | 5793 |
| 310 | 6344 |
| 315 | 6948 |
| 320 | 7608 |
| 325 | 8332 |
| 330 | 9125 |
| 335 | 9993 |
| 340 | 10943 |
| 345 | 11984 |
| 350 | 13124 |
| | |




47.33






A3.35

. e . . . N.





A3.37

ota #15,400 JPC 1.5

| | MAM THEN THE MAME TO THE MAME | (ECF(5)) 9.25
'TINGE
TWAT(AL)
TWAT(AL)
MO(5.12) WO-0
AD(5.12) WRC
MAT(ANATC, WRC
TWAT(ANATC, WRC
TWAT(ANATC, WRC | AFS THAT HAD THEIR
R G= LT X / 1
T = I 7 / 7
T = I 5 / 7
(5 2) F MONTHLY M
(5 2) F MONTHLY M | Xx=0.0
3 N=6.5
1F (6.3 N=6.5 XX
1 N=1.0
0.0
1 N=1.0
0.0
0.0
0.0
0.0
0.0
0.0
0.0
0.0
0.0 | ニュールエリストー・エリストー・エリストエリストー・エリストー・エリストー・エー・エー・エー・エー・エー・エー・エー・エー・エー・エー・エー・エー・エー | HILLON THE CONTRACT OF THE CON | 20
CO4
CO 7
FO 7
CO 7
CO 7
CO 7
CO 7
CO 7
CO 7
CO 7
C |
|--|---|--|---|---|--|--|--|
|--|---|--|---|---|--|--|--|

ANNEX A4 REFERENCES

REFERENCES

- 1. Canada and Ontario, "Canada-Ontario Great Lakes Shore Damage Survey", Technical Report, 1975.
- 2. Canada and Quebec, St. Lawrence Study Committee, "Final Report", Annex 5, 1978.
- 3. Committee on Flow Regulation, Montreal Region, "Final Report", 1976.
- 4. Committee on Flow Regulation, Montreal Region, "Report on Downstream Effects Repentigny Trois Rivieres Reach", 1976.
- Coordinating Committee on Great Lakes Basic Hydraulic and Hydrologic Data, "Coordinated Great Lakes Physical Data", 1977.
- 6. Fisheries and Environment Canada/Ontario Ministry of Natural Resources, "Great Lakes Flood and Erosion Prone Area Maps", 1978.
- 7. Fisheries and Environment Canada/Ontario Ministry of Natural Resources, "A Guide for the Use of Canada/Ontario Great Lakes Flood and Erosion Prone Area Mapping", 1978.
- 8. Great Lakes Basin Commission, "Great Lakes Basin Framework Study Appendix 12, Shore Use and Erosion", 1975.
- Great Lakes Basin Commission, "Summary of Existing and Projected Land Use Information for the Great Lakes Coastal Counties", 1978.
- 10. International Joint Commission, "Further Regulation of the Great Lakes", 1976.
- 11. U.S. Army Corps of Engineers, Detroit District, "After Action Report Operation Foresight", 1975.
- 12. U.S. Army Corps of Engineers, North Central Division, "Great Lakes Shoreline Damage Survey", 1978.

ANNEX A5 MEMBERSHIP

ALPHABETICAL LIST OF PARTICIPANTS IN COASTAL ZONE STUDY

| NAMI | ACENCY | PARTICIPATION | PERIOD |
|----------------------|----------------------------|--|----------------------------------|
| Baghetat, Cyrus | COE (U.S.) | Member, Coastal Zone Sub. | 9/77-9/79 |
| Baird, William | DPW (Canada) 7 | Associate | |
| Borok, Paul | GLBC (U.S.) ² | Member, Coastal Zone Sub. | 4/80-* |
| Brown, Douglas | DOE (Canada) ³ | Member, Coastal Zone Sub.
Chairman, Canadian Section | 9/77-12/79 |
| Carpentier, Andre | EQ (Canada) ⁴ | Member, Coastal Zone Sub. | 9/77-* |
| Clomens, Robert | GLBC (U.S.) | Member, Coastal Zone Sub. | 8/78-4/80 |
| Haras, William | DFO (Canada) ⁵ | Member, Coastal Zone Sub.
Secretary, Canadian Section | 9/77-* |
| Irvin, Richard | NYDS (U.S.)6 | Member, Coastal Zone Sub. | 9/77-* |
| 1500, Mitchell | COE (U.S.) | Member, Coastal Zone Sub.
Secretary, U.S. Section | 9/77-4/80 |
| Johnson, Charles | COE (U.S.) | Associate | |
| Kangas, John | COE (U.S.) | Member, Coastal Zone Sub.
Secretary, U.S. Section | 5/79 -*
5/80- * |
| Kotherg, Ted | DPW (Canada) | Member, Coastal Zone Sub. | 9/77-* |
| Kotas, Jerry | CLBC (U.S.) | Member, Costal Zone Sub. | 9/77-7/78 |
| Moulton, Ralph | DOF (Canada) | Member, Coastal Zone Sub.
Chairman, Canadian Section | 9/79 -*
1/80 -* |
| Policiler, Jean-Yves | DOE (Canada) | Member, Coastal Zone Sub. | 9/77-* |
| Pieczynski, Thomas | COE (U.S.) | Member, Coastal Zone Sub. | 9/77-* |
| Streichuk, David | OMNR (Canada) ⁸ | Member, Coastal Zone Sub. | 9/77-* |
| fodd, Malcolm | COF (U.S.) | Member, Coastal Zone Sub.
Chairman, U.S. Section | 9/77~* |
| Worte, Charles | DOF (Canada) | Member, Coastal Zone Sub. | 9/78-8/79 |

^{*} Prosent

^{1. (}COE) U.S. Army Corps of Engineers

^{2. (}GIBC) Great Lakes Basin Commission
3. (DOC) Department of Environment

^{4. (10)} Environmement Quebec

^{5. (}DEO) Department of Fisheries and Oceans

^{6. (}NYDS) New York Department of State

^{7. (}DFW) Department of Public Works

^{8. (}OMNR) Ontario Ministry of Natural Resources

ANNEX A6

CONVERSION FACTORS

(BRITISH TO METRIC UNITS)

- 1 cubic foot per second (cfs) = 0.028317 cubic metres per second (cms)
- 1 cfs-month = 0.028317 cms-month
- 1 foot = 0.30480 metres
- 1 inch = 2.54 centimetres
- 1 mile (statute) = 1.6093 kilometres
- 1 ton (short) = 907.18 kilograms
- 1 square mile = 2.5900 square kilometres
- 1 cubic mile = 4.1682 cubic kilometres
- Temperature in Celsius: $^{\circ}C = (^{\circ}F 32) \times 1.8$
- 1 acre-feet = 1,233.5 cubic metres
- 1 gallon (U.S.) = 3.7853 litres
- 1 gallon (British) = 4.5459 litres

